



Dell™ S520 SNMP Protocol Document

Control Commands List

Name	Feature	Oid	Value Type	Read /Write	Criteria
RFC1213-system	sysDescr	1.3.6.1.2.1.1.1.0	String	R	Dell S520
RFC1213-system	sysObjectID	1.3.6.1.2.1.1.2.0	OID	R	.1.3.6.1.4.1.674.10901.200.17
RFC1213-system	sysUpTime	1.3.6.1.2.1.1.3.0	Timetics	R	Operation hours * hours * minutes * seconds
RFC1213-system	sysContact	1.3.6.1.2.1.1.4.0	String	R/W	If meet web management (system status)
RFC1213-system	sysName	1.3.6.1.2.1.1.5.0	String	R/W	If meet web management (Group Name + Projector Name)
RFC1213-system	sysLocation	1.3.6.1.2.1.1.6.0	String	R/W	If meet web management (system status)
RFC1213-system	sysServices	1.3.6.1.2.1.1.7.0	Integer	R	DEFVAL { 72 }
RFC1213-interf aces	ifNumber	1.3.6.1.2.1.2.1.0	Integer	R	DEFVAL { 1 }
pdmGeneral	pdmGeneralPro ductName	1.3.6.1.4.1.2699.2.4.1.2.1.0	String	R	Dell S520
pdmGeneral	pdmGeneralSeria lNumber	1.3.6.1.4.1.2699.2.4.1.2.2.0	String	R	Check PPIID number (the latter 7 yads)
pdmGeneral	pdmGeneralAsset Tag	1.3.6.1.4.1.2699.2.4.1.2.3.0	String	R/W	Range (0~63 byte)
pdmGeneral	pdmGeneralHard wareVersion	1.3.6.1.4.1.2699.2.4.1.2.4.0	String	R	DEFVAL { "" }
pdmGeneral	pdmGeneralServi cePerson	1.3.6.1.4.1.2699.2.4.1.2.5.0	String	R/W	Range (0~255 byte)
pdmGeneral	pdmGeneralDevi ceAge	1.3.6.1.4.1.2699.2.4.1.2.6.0	Integer	R	Check display hours
pdmGeneral	pdmGeneralPow erOnCount	1.3.6.1.4.1.2699.2.4.1.2.7.0	Integer	R	
pdmGeneral	pdmGeneralMan ufactureDate	1.3.6.1.4.1.2699.2.4.1.2.8.0	String	R	
pdmGeneral	pdmGeneralLang uageTagSNMP	1.3.6.1.4.1.2699.2.4.1.2.9.0	String	R	en-US
pdmGeneral	pdmGeneralNtpS erverAddress	1.3.6.1.4.1.2699.2.4.1.2.10.0	String	R	DEFVAL { "" }
PdmCtr	pdmCtrIndex	1.3.6.1.4.1.2699.2.4.1.3.1.1.1	Integer	not-accessible	1
PdmCtr	pdmCtrDescripti on	1.3.6.1.4.1.2699.2.4.1.3.1.1.2.1	String	R	TI DDP4421
PdmCtr	pdmCtrHardwar eVersion	1.3.6.1.4.1.2699.2.4.1.3.1.1.3.1	String	R	DEFVAL { "" }
PdmCtr	pdmCtrFirmwar eVersion	1.3.6.1.4.1.2699.2.4.1.3.1.1.4.1	String	R	
PdmCtr	pdmCtrFirmwar eUpgradeable	1.3.6.1.4.1.2699.2.4.1.3.1.1.5.1	Integer	R	DEFVAL { 10 }
PdmCtr	pdmCtrUpgradel nstructions	1.3.6.1.4.1.2699.2.4.1.3.1.1.6.1	String	R	DEFVAL { "" }
PdmCtr	pdmCtrPostStat us	1.3.6.1.4.1.2699.2.4.1.3.1.1.7.1	Integer	R	DEFVAL { 2 }
PdmCtr	pdmCtrPostCod e	1.3.6.1.4.1.2699.2.4.1.3.1.1.8.1	String	R	DEFVAL { "" }
PdmCtr	pdmCtrPostStat usDefinitions	1.3.6.1.4.1.2699.2.4.1.3.1.1.9.1	String	R	DEFVAL { "" }
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1.1	Integer	not-accessible	1
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1.2	Integer	not-accessible	2
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1.3	Integer	not-accessible	3
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1.4	Integer	not-accessible	4
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1.5	Integer	not-accessible	5
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1.6	Integer	not-accessible	6
PdmPower	pdmPowerImple mentedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.1	Integer	R	11
PdmPower	pdmPowerImple mentedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.2	Integer	R	7

PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.3	Integer	R	9
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.4	Integer	R	8
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.5	Integer	R	8
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.6	Integer	R	10
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.1	String	R	Power On.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.2	String	R	Power Off.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.3	String	R	Projector is cooling down.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.4	String	R	Low power mode.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.5	String	R	Low power mode.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.6	String	R	Warming up.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.1	String	R	Full power on, all components active.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.2	String	R	Standby State. Only network electronics remain on.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.3	String	R	Going down to standby mode.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.4	String	R	Lamp off. Fan on.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.5	String	R	Lamp off. Fan on.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.6	String	R	Lamp warming up. Fan on.
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.1	Integer	R	7
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.2	Integer	R	11
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.3	Integer	R	3
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.4	Integer	R	7
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.5	Integer	R	11
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.6	Integer	R	3
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.1	Integer	R	120
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.2	Integer	R	30
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.3	Integer	R	0
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.4	Integer	R	120
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.5	Integer	R	20
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.6	Integer	R	0
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.1	Integer	R	3
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.2	Integer	R	4
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.3	Integer	R	4
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.4	Integer	R	3
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.5	Integer	R	3
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.6	Integer	R	4
PdmPower	pdmPowerCurrentState	1.3.6.1.4.1.2699.2.4.1.4.2.0	Integer	R	
PdmPower	pdmPowerRequestedState	1.3.6.1.4.1.2699.2.4.1.4.3.0	Integer	R/W	
pdmDisplayCap	pdmDisplayCapResolutionH	1.3.6.1.4.1.2699.2.4.1.5.1.0	Integer	R	1600

pdmDisplayCap	pdmDisplayCapResolutionV	1.3.6.1.4.1.2699.2.4.1.5.2.0	Integer	R	1200
pdmDisplayCap	pdmDisplayCapPhysSizeH	1.3.6.1.4.1.2699.2.4.1.5.3.0	String	R	DEFVAL { "" }
pdmDisplayCap	pdmDisplayCapPhysSizeV	1.3.6.1.4.1.2699.2.4.1.5.4.0	String	R	DEFVAL { "" }
pdmDisplaySet	pdmDisplaySetIndex	1.3.6.1.4.1.2699.2.4.1.6.1.1.1.1	Integer	not-accessible	1
pdmDisplaySet	pdmDisplaySetAffectsAll	1.3.6.1.4.1.2699.2.4.1.6.1.1.2.1	Integer	R	DEFVAL { 1 }
pdmDisplaySet	pdmDisplaySetInputSource	1.3.6.1.4.1.2699.2.4.1.6.1.1.3.1	Integer	R/W	1. VGA_A 2. VGA_B 3. S-Video 4. Composite Video 5. HDMI 6. Wireless Display 7. USB Display 8. USB Viewer 12. Intel® WiDi 13. Internal Memory
pdmDisplaySet	pdmDisplaySetBrightness	1.3.6.1.4.1.2699.2.4.1.6.1.1.4.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetBrtMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.5.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetContrast	1.3.6.1.4.1.2699.2.4.1.6.1.1.6.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetConMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.7.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetRed	1.3.6.1.4.1.2699.2.4.1.6.1.1.8.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetGreen	1.3.6.1.4.1.2699.2.4.1.6.1.1.9.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetBlue	1.3.6.1.4.1.2699.2.4.1.6.1.1.10.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetRGBMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.11.1	Integer	R	DEFVAL { 100 }
pdmDisplaySet	pdmDisplaySetSaturation	1.3.6.1.4.1.2699.2.4.1.6.1.1.12.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetSatMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.13.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetHue	1.3.6.1.4.1.2699.2.4.1.6.1.1.14.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetHueMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.15.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetSharpness	1.3.6.1.4.1.2699.2.4.1.6.1.1.16.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetSharpMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.17.1	Integer	R	31
pdmDisplaySet	pdmDisplaySetColorTemp	1.3.6.1.4.1.2699.2.4.1.6.1.1.18.1	Integer	R/W	3. Custom 4. Low 5. Mid 6. High
pdmDisplaySet	pdmDisplaySetRedClrTmp	1.3.6.1.4.1.2699.2.4.1.6.1.1.19.1	Integer	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetGreenClrTmp	1.3.6.1.4.1.2699.2.4.1.6.1.1.20.1	Integer	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetBlueClrTmp	1.3.6.1.4.1.2699.2.4.1.6.1.1.21.1	Integer	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetClrTmpMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.22.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetVideoMute	1.3.6.1.4.1.2699.2.4.1.6.2.0	Integer	R/W	Blank Screen 1. Muted 2. Not Muted 3. Original 5. Wide screen 16:10 7. 4:3
pdmLightSource	pdmLightSourceIndex	1.3.6.1.4.1.2699.2.4.1.7.1.1.1.1	Integer	not-accessible	1
pdmLightSource	pdmLightSourceDescription	1.3.6.1.4.1.2699.2.4.1.7.1.1.2.1	String	R	OSRAM E20.9n 280W
pdmLightSource	pdmLightSourceStatus	1.3.6.1.4.1.2699.2.4.1.7.1.1.3.1	Integer	R	3. Okay 4. Failed ECO Mode
pdmLightSource	pdmLightSourceEcoSetting	1.3.6.1.4.1.2699.2.4.1.7.1.1.4.1	Integer	R/W	4. Off -> Normal 5. On -> Low

pdmLightSource	pdmLightSourceAge	1.3.6.1.4.1.2699.2.4.1.7.1.1.5.1	Integer	R	
pdmLightSource	pdmLightSourceErrorCounter	1.3.6.1.4.1.2699.2.4.1.7.1.1.6.1	Integer	R	
pdmLightSource	pdmLightSourceReset	1.3.6.1.4.1.2699.2.4.1.7.1.1.7.1	Integer	R/W	DEFVAL { 1 }
pdmLightSource	pdmLightSourceReplacementCount	1.3.6.1.4.1.2699.2.4.1.7.1.1.8.1	String	R	DEFVAL { "" }
pdmLightSource	pdmLightSourceReplacementTime	1.3.6.1.4.1.2699.2.4.1.7.1.1.9.1	String	R	DEFVAL { '1980-01-01T00:00:00' }
pdmLightSource	pdmLightSourceReplacementInterval	1.3.6.1.4.1.2699.2.4.1.7.1.1.10.1	Integer	R	DEFVAL { 0 }
pdmLightSource	pdmLightSourceReplacementPN	1.3.6.1.4.1.2699.2.4.1.7.1.1.11.1	String	R	DEFVAL { "" }
pdmFan	pdmFanIndex	1.3.6.1.4.1.2699.2.4.1.8.1.1.1.1	Integer	not-accessible	1
pdmFan	pdmFanDescription	1.3.6.1.4.1.2699.2.4.1.8.1.1.2.1	String	R	System fan
pdmFan	pdmFanStatus	1.3.6.1.4.1.2699.2.4.1.8.1.1.3.1	Integer	R	3. Okay 4. Warning
pdmFan	pdmFanSpeed	1.3.6.1.4.1.2699.2.4.1.8.1.1.4.1	Integer	R	DEFVAL { 0 }
pdmFan	pdmFanErrorCounter	1.3.6.1.4.1.2699.2.4.1.8.1.1.5.1	Integer	R	
pdmFan	pdmFanReset	1.3.6.1.4.1.2699.2.4.1.8.1.1.6.1	Integer	R/W	DEFVAL { 1 }
pdmFan	pdmFanReplacementCount	1.3.6.1.4.1.2699.2.4.1.8.1.1.7.1	String	R	DEFVAL { "" }
pdmFan	pdmFanReplacementTime	1.3.6.1.4.1.2699.2.4.1.8.1.1.8.1	String	R	DEFVAL { '1980-01-01T00:00:00' }
pdmFan	pdmFanReplacementInterval	1.3.6.1.4.1.2699.2.4.1.8.1.1.9.1	Integer	R	DEFVAL { 0 }
pdmFan	pdmFanReplacementPartNumber	1.3.6.1.4.1.2699.2.4.1.8.1.1.10.1	String	R	DEFVAL { "" }
pdmTempSensor	pdmTempSensorIndex	1.3.6.1.4.1.2699.2.4.1.10.1.1.1.1	Integer	not-accessible	1
pdmTempSensor	pdmTempSensorDescription	1.3.6.1.4.1.2699.2.4.1.10.1.1.2.1	String	R	Measure system internal temperature.
pdmTempSensor	pdmTempSensorStatus	1.3.6.1.4.1.2699.2.4.1.10.1.1.3.1	Integer	R	DEFVAL { 2 }
pdmTempSensor	pdmTempSensorTemp	1.3.6.1.4.1.2699.2.4.1.10.1.1.4.1	Integer	R	Describes the temperature being measured by the thermal sensor in 10ths of a degree C.
pdmTempSensor	pdmTempSensorErrorCounter	1.3.6.1.4.1.2699.2.4.1.10.1.1.5.1	Integer	R	
pdmTempSensor	pdmTempSensorReset	1.3.6.1.4.1.2699.2.4.1.10.1.1.6.1	Integer	R/W	DEFVAL { 1 }
pdmTempSensor	pdmTempSensorReplaceCount	1.3.6.1.4.1.2699.2.4.1.10.1.1.7.1	String	R	DEFVAL { "" }
pdmTempSensor	pdmTempSensorReplaceTime	1.3.6.1.4.1.2699.2.4.1.10.1.1.8.1	String	R	DEFVAL { '1980-01-01T00:00:00' }
pdmTempSensor	pdmTempSensorReplaceInterval	1.3.6.1.4.1.2699.2.4.1.10.1.1.9.1	Integer	R	DEFVAL { 0 }
pdmTempSensor	pdmTempSensorReplacePN	1.3.6.1.4.1.2699.2.4.1.10.1.1.10.1	String	R	DEFVAL { "" }
pdmTempSwitch	pdmTempSwitchIndex	1.3.6.1.4.1.2699.2.4.1.11.1.1.1.1	Integer	not-accessible	1
pdmTempSwitch	pdmTempSwitchDescription	1.3.6.1.4.1.2699.2.4.1.11.1.1.2.1	String	R	Avertronics INC.
pdmTempSwitch	pdmTempSwitchStatus	1.3.6.1.4.1.2699.2.4.1.11.1.1.3.1	Integer	R	3. Okay 5. Fail
pdmTempSwitch	pdmTempSwitchErrorCounter	1.3.6.1.4.1.2699.2.4.1.11.1.1.4.1	Integer	R	
pdmTempSwitch	pdmTempSwitchReset	1.3.6.1.4.1.2699.2.4.1.11.1.1.5.1	Integer	R/W	DEFVAL { 1 }
pdmTempSwitch	pdmTempSwitchReplaceCount	1.3.6.1.4.1.2699.2.4.1.11.1.1.6.1	String	R	DEFVAL { "" }
pdmTempSwitch	pdmTempSwitchReplaceTime	1.3.6.1.4.1.2699.2.4.1.11.1.1.7.1	String	R	DEFVAL { '1980-01-01T00:00:00' }
pdmTempSwitch	pdmTempSwitchReplacePN	1.3.6.1.4.1.2699.2.4.1.11.1.1.8.1	String	R	DEFVAL { "" }
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.1	Integer	not-accessible	1

pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.2	Integer	not-accessible	2
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.3	Integer	not-accessible	3
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.4	Integer	not-accessible	4
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.5	Integer	not-accessible	5
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.6	Integer	not-accessible	6
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.7	Integer	not-accessible	7
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.8	Integer	not-accessible	8
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.9	Integer	not-accessible	9
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.10	Integer	not-accessible	10
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.11	Integer	not-accessible	11
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.1	String	R	VGA-A
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.2	String	R	VGA-B
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.3	String	R	S-Video
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.4	String	R	Composite Video
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.5	String	R	HDMI
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.6	String	R	Wireless Display
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.7	String	R	USB Display
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.8	String	R	USB Viewer
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.12	String	R	Intel® WiDi
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.13	String	R	Internal Memory
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.1	Integer	R	3
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.2	Integer	R	3
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.3	Integer	R	10
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.4	Integer	R	13
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.5	Integer	R	6
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.6	Integer	R	12
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.7	Integer	R	12
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.8	Integer	R	12
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.12	Integer	R	12
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.13	Integer	R	12
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.1	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.2	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.3	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.4	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.5	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.6	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.7	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.8	Integer	R	DEFVAL { 1 }

	nabled					
pdmConnector	pdmConnectorEnabled	1.3.6.14.1.2699.2.4.1.12.1.1.4.9	Integer	R		DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.14.1.2699.2.4.1.12.1.1.4.10	Integer	R		DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.14.1.2699.2.4.1.12.1.1.4.11	Integer	R		DEFVAL { 1 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.1	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.2	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.3	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.4	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.5	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.6	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.7	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.8	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.9	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.10	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorAudioAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.5.11	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.1	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.2	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.3	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.4	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.5	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.6	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.7	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.8	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.9	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.10	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoAdjust	1.3.6.14.1.2699.2.4.1.12.1.1.6.11	Integer	R		DEFVAL { 0 }
pdmConnector	pdmConnectorVideoCurrInput	1.3.6.14.1.2699.2.4.1.12.2.0	Integer	R/W		1. VGA_A 2. VGA_B 3. S-Video 4. Composite Video 5. HDMI 6. Wireless Display 7. USB Display 8. USB Viewer 12. Intel® WiDi 13. Internal Memory
pdmInterlockTable	pdmInterlockIndex	1.3.6.14.1.2699.2.4.1.13.1.1.1	Integer	not-accessible		1
pdmInterlockTable	pdmInterlockDescription	1.3.6.14.1.2699.2.4.1.13.1.1.2	String	R		DEFVAL { "" }
pdmInterlockTable	pdmInterlockStatus	1.3.6.14.1.2699.2.4.1.13.1.1.3	Integer	R		DEFVAL { 3 }
pdmLocaleCharset	pdmLocateCharsetIndex	1.3.6.14.1.2699.2.4.1.14.1.1.1	Integer	not-accessible		1
pdmLocaleCharset	pdmLocaleCharsetEnum	1.3.6.14.1.2699.2.4.1.14.1.1.2	Integer	R		DEFVAL { 4 }
pdmLocaleCharset	pdmLocaleCharsetEnumEWS	1.3.6.14.1.2699.2.4.1.14.2.0	Integer	R		DEFVAL { 4 }
pdmLocaleLanguage	pdmLocaleLanguageIndex	1.3.6.14.1.2699.2.4.1.15.1.1.1	Integer	not-accessible		1

pdmLocaleLanguage	pdmLocaleLanguageTag	1.3.6.1.4.1.2699.2.4.1.15.1.1.2.1	String	R	DEFVAL { en-US }
pdmLocaleLanguage	pdmLocaleLanguageTagEWS	1.3.6.1.4.1.2699.2.4.1.15.2.0	String	R	DEFVAL { en-US }
pdmLocaleLanguage	pdmLocaleLanguageTagOSD	1.3.6.1.4.1.2699.2.4.1.15.3.0	String	R	DEFVAL { en-US }
pdmLocaleLanguage	pdmLocaleLanguageTagWSM	1.3.6.1.4.1.2699.2.4.1.15.4.0	String	R	DEFVAL { en-US }
pdmAudio	pdmAudioDescription	1.3.6.1.4.1.2699.2.4.1.16.1.0	String	R	DEFVAL { "" }
pdmAudio	pdmAudioVolume	1.3.6.1.4.1.2699.2.4.1.16.2.0	Integer	R/W	
pdmAudio	pdmAudioMute	1.3.6.1.4.1.2699.2.4.1.16.3.0	Integer	R/W	1. Muted 2. Not Muted
pdmAudio	pdmAudioTreble	1.3.6.1.4.1.2699.2.4.1.16.4.0	Integer	R	DEFVAL { 0 }
pdmAudio	pdmAudioBass	1.3.6.1.4.1.2699.2.4.1.16.5.0	Integer	R	DEFVAL { 0 }
pdmAudio	pdmAudioBalance	1.3.6.1.4.1.2699.2.4.1.16.6.0	Integer	R	DEFVAL { 0 }
pdmAlert	pdmAlertIndex	1.3.6.1.4.1.2699.2.4.1.18.1.1.1.1	Integer	not-accessible	1
pdmAlert	pdmAlertGroupType	1.3.6.1.4.1.2699.2.4.1.18.1.1.2.1	String	R	See Note 1
pdmAlert	pdmAlertGroupID	1.3.6.1.4.1.2699.2.4.1.18.1.1.3.1	String	R	See Note 1
pdmAlert	pdmAlertCode	1.3.6.1.4.1.2699.2.4.1.18.1.1.4.1	String	R	DEFVAL { "" }
pdmAlert	pdmAlertDescription	1.3.6.1.4.1.2699.2.4.1.18.1.1.5.1	String	R	Alert's condition has lamp Fail, Lamp hours running out, Projector Overheating, Lamp Overheating and Fan Error.
pdmAlert	pdmAlertSeverityLevel	1.3.6.1.4.1.2699.2.4.1.18.1.1.6.1	Integer	R	See Note 1
pdmAlert	pdmAlertTrainingLevel	1.3.6.1.4.1.2699.2.4.1.18.1.1.7.1	Integer	R	DEFVAL { 2 }
pdmAlert	pdmAlertDateTime	1.3.6.1.4.1.2699.2.4.1.18.1.1.8.1	String	R	DEFVAL { "1980-01-01T00:00:00" }
pdmAlert	pdmAlertPowerOnCount	1.3.6.1.4.1.2699.2.4.1.18.1.1.9.1	String	R	DEFVAL { "" }
pdmAlert	pdmAlertSysUptime	1.3.6.1.4.1.2699.2.4.1.18.1.1.10.1	String	R	DEFVAL { "" }
pdmAlert	pdmAlertCriticalAlertsCount	1.3.6.1.4.1.2699.2.4.1.18.2.0	Integer	R	
pdmAlert	pdmAlertAllAlertsCount	1.3.6.1.4.1.2699.2.4.1.18.3.0	Integer	R	

Note 1:

- If there is no any current alert, all of OID in alert table will respond default value.
pdmAlertGroupType = ""
pdmAlertGroupID = 0
pdmAlertSeverity = other (1)
The reset Object will respond default.
- If there is FAN alert happen, the tables is shown below.
pdmAlertGroupType = "Fan"
pdmAlertGroupID = "Fan Error"
pdmAlertSeverity = Critical (3)
The rest Object will respond default.
- If there is Lamp fail alert happen, the tables is shown below.
pdmAlertGroupType = "Lamp"
pdmAlertGroupID= Lamp Fail
pdmAlertSeverity = Critical (3)
The rest Object will respond default.
- If there is Lamp hours running out alert happen, the tables is shown below.
pdmAlertGroupType = "Lamp"
pdmAlertGroupID= Lamp hours running out
pdmAlertSeverity = warning (4)
The rest Object will respond default.
- If there is Projector Over-heating alert, the tables is shown below.
pdmAlertGroupType = "ThermalSensor"
pdmAlertGroupID= "Projector Overheating"
pdmAlertSeverity = warning (4)
The rest Object will respond default.

Information in this document is subject to change without notice.

© 2013 Dell Inc. All rights reserved.

Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. is strictly forbidden.

Trademarks used in this text: Dell and the DELL logo are trademarks of Dell Inc.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own.

September 2013 Rev. A00