

iDRAC9 vs. iDRAC8 RESTful API Capabilities

Abstract

This technical brief showcases the advantages and features that are available in iDRAC9 vs. iDRAC8

July 2021

Revisions

Date	Description
July 2021	Initial release

Acknowledgments

Author: V. Sreelakshmi, Ajay Shenoy, Hari Venkatachalam, Aparna Giri

The information in this publication is provided “as is.” Dell Inc. makes no representations or warranties of any kind with respect to the information in this publication, and specifically disclaims implied warranties of merchantability or fitness for a particular purpose.

Use, copying, and distribution of any software described in this publication requires an applicable software license.

This document may contain certain words that are not consistent with Dell's current language guidelines. Dell plans to update the document over subsequent future releases to revise these words accordingly.

This document may contain language from third party content that is not under Dell's control and is not consistent with Dell's current guidelines for Dell's own content. When such third party content is updated by the relevant third parties, this document will be revised accordingly.

Copyright © 2021 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. [7/5/2021] [White Paper] [491]

Table of contents

Revisions.....	2
Acknowledgments.....	2
Table of contents	3
Executive summary.....	4
1 Introduction - iDRAC9 RESTful APIs	5
1.1 iDRAC8 vs. iDRAC9 API Comparison.....	5
2 Summary	123
A Technical support and resources	124

Executive summary

OpenManage Portfolio helps IT administrators deploy, update, monitor, and manage IT assets and to quickly respond to issues. This helps them manage Dell EMC PowerEdge servers efficiently in physical, virtual, local, and remote environments by using in-band and out-of-band technologies. iDRAC is at the core of OpenManage offerings.

iDRAC with Lifecycle Controller provides a range of standards-based Applications Programming Interfaces (APIs) that enable scalable and automated management of Dell EMC PowerEdge servers. Standard Systems Management APIs have been developed by organizations such as the Institute of Electrical and Electronics Engineers (IEEE) and Distributed Management Task Force (DMTF). These APIs are widely used by commercial Systems Management products and by custom programs and scripts developed by IT staff to automate management functions such as discovery, inventory, health status checking, configuration, update, and power management. The iDRAC RESTful API provides a modern, secure, and scalable interface for PowerEdge server management, supporting both the DMTF Redfish standard and value-added Dell EMC APIs. This technical whitepaper provides a comparison of iDRAC9 vs. iDRAC8 RESTful APIs.

1 Introduction - iDRAC9 RESTful APIs

The integrated Dell remote access controller (iDRAC) is the Industry leading embedded management system. iDRAC9 provides a secure way to automate end to end server management tasks. Since iDRAC is embedded, there is no additional software to install—just plug in power and network cables, and iDRAC9 is ready to go. Even before installing an Operating System (OS) or hypervisor, IT administrators have a complete set of server management features at their fingertips. This consistent management capability enables easy scaling of PowerEdge servers as an organization's infrastructure grows. iDRAC9 provides multiple interfaces for human and automated operations including an HTML5-based Graphical User Interface (GUI), the RACADM Command Line Interface (CLI) and standards-based Redfish APIs. These interfaces provide full lifecycle server management including inventory, configuration, monitoring, firmware update, and server retirement.

The iDRAC RESTful API provides a modern, secure, and scalable interface for PowerEdge server management, supporting both the DMTF Redfish standard and value-added Dell EMC APIs. Redfish is an open industry-standard specification and schema designed to meet the requirements of IT administrators for simple, modern, and secure management of scalable platform hardware. Dell EMC is a key contributor to the iDRAC RESTful API standard, acting as co-chair of the DMTF Redfish Forum, promoting the benefits of iDRAC RESTful API, and working to deliver those benefits within our industry-leading systems management solutions. iDRAC RESTful API and Redfish use a data model representation inside a hypermedia RESTful interface. The data model is defined in terms of a standard, machine-readable schema, with the payload of the messages expressed in JSON and the OData v4 protocol. Dell EMC has been supporting the Redfish standard within the iDRAC RESTful API since 2016.

1.1 iDRAC8 vs. iDRAC9 API Comparison

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_physicalpackage	creationclassname	N/A	WS-Man specific		N/A	NA	
dcim_sensor	creationclassname	N/A	WS-Man specific		N/A	NA	
dcim_sensor	systemcreationclassname	N/A	WS-Man specific		N/A	NA	
dcim_sensor	systemname	N/A	WS-Man specific		N/A	(Under Thermal : /redfish/v1/Chassis/System.Embedded.1/Thermal)	
dcim_numericsensor	systemname	N/A	/redfish/v1/Dell/Systems/SystemName	systemname	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			m.Embedded.1/DellNumericSensor				
dcim_pcdeviceview	slotlength	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPCFunction	slotlength	OEM	NA	
dcim_nicview	iscsi offload mode	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	NA	OEM	NA	
dcim_softwareinstallationservice	N/A	installfromsoftwareid entity	Supported as part of Simple Update		DMTF	/redfish/v1/UpdateService/Actions/UpdateService.SimpleUpdate	
dcim_powersupply	systemname	N/A	Specific to WSMAN		n/a	NA	
dcim_nicview	devicenumber	N/A	Should be PCIe ID		DMTF	NA	
dcim_lcservice	N/A	exposeinstalltohostos	Remove this since USB partition is not secure. There is direct link in redfish to download iSM package		N/A	NA	
dcim_persistentstorageservice	N/A	attachpartition	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	createpartition	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	createpartitionusingimage	Remove for 15G and Support for 14G		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_persistentstorageservice	N/A	deletepartition	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	detachpartition	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	exportdatafrompartition	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	initializemedia	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	modifypartition	Remove for 15G and Support for 14G		OEM	NA	
dcim_persistentstorageservice	N/A	vflashstatechange	Remove for 15G and Support for 14G		OEM	NA	
dcim_softwareidentity	fqdd	N/A	redfish/v1/UpdateService/FirmwareInventory/{ID}	ID	DMTF	/redfish/v1/UpdateService/FirmwareInventory/{ID}	
dcim_softwareidentity	instanceid	N/A	redfish/v1/UpdateService/FirmwareInventory/{ID}	ID	DMTF	/redfish/v1/UpdateService/FirmwareInventory/{ID}	
dcim_softwareidentity	updateable	N/A	redfish/v1/UpdateService/FirmwareInventory/{ID}	Updateable	DMTF	/redfish/v1/UpdateService/FirmwareInventory/{ID}	
dcim_softwareidentity	versionstring	N/A	redfish/v1/UpdateService/FirmwareInventory/{ID}	Versionstring	DMTF	/redfish/v1/UpdateService/FirmwareInventory/{ID}	
DCIM_SoftwareIdentity	MajorVersion		redfish/v1/UpdateService/FirmwareInventory/{ID}	MajorVersion (OEM attribute)	OEM	NA	
DCIM_SoftwareIdentity	MinorVersion		redfish/v1/UpdateService/FirmwareInventory/{ID}	MinorVersion (OEM attribute)	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			areInventory/{ID}				
DCIM_SoftwareId entity	InstanceID		redfish/v1/UpdateService/FirmwareInventory/{ID}	ID	DMTF	/redfish/v1/UpdateService/FirmwareInventory/{ID}	
DCIM_SoftwareId entity	VersionString		redfish/v1/UpdateService/FirmwareInventory/{ID}	Version	DMTF	/redfish/v1/UpdateService/FirmwareInventory/{ID}	
DCIM_SoftwareId entity	Updateable		redfish/v1/UpdateService/FirmwareInventory/{ID}	Updateable	DMTF	redfish/v1/UpdateService/FirmwareInventory/{ID}	
dcim_physicaldisk view	busprotocol	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[Protocol]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldisk view	devicedescription	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[description]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldisk view	fqdd	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[Id]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldisk view	hotsparestatus	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[HotspareType]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_physicaldiskview	instanceid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[Id]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	manufacturer	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[manufacturer]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	maxcapable speed	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[CapableSpeedGbs]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	mediatype	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[MediaType]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	model	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[Model]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	primarystatus	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[State]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	remainingratedwriteendurance	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present[PredictedMediaLifeLifePercent]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_physicaldiskview	revision	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[revision]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	rollupstatus	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[State]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	securitystate	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[EncryptionStatus]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	serialnumber	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[serialnumber]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	sizeinbytes	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[CapacityBytes]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	supportedencryptiontypes[]	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/Disk.Bay.9:Enclosure.Internal.0-1	Present in redfish[EncryptionAbility]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	
dcim_physicaldiskview	blocksizeinbytes	N/A	redfish/v1/Systems/System.Embedded.1/Storage/CPU.1/Drives/{ID}	Present in redfish[BlockSizeBytes]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Drives/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_PCIeSSDView	BusProtocol		redfish/v1/Systems/System.Embedded.1/Storage/{SlotID}/Drives/{ID}	BusProtocol (OEM attribute)	OEM	NA	
DCIM_PCIeSSDView	MediaType		redfish/v1/Systems/System.Embedded.1/Storage/{SlotID}/Drives/{ID}	MediaType	OEM	NA	
DCIM_PCIeSSDView	ProductID		redfish/v1/Systems/System.Embedded.1/Storage/{SlotID}/Drives/{ID}	ProduceID (OEM attribute)	OEM	NA	
DCIM_VirtualDiskView	FQDD		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
DCIM_VirtualDiskView	InstanceID		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
DCIM_VirtualDiskView	RAIDType		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes		DMTF	redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	
DCIM_VirtualDiskView	SizeInBytes		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	CapacityBytes	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
DCIM_VirtualDiskView	PhysicalDiskId		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes		DMTF	redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	Under Drives in 13G

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_VirtualDiskView	Name		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	Name	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
DCIM_VirtualDiskView	RAIDStatus		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	Not available directly. Derive from multiple properties.	DMTF	redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	URIs are same in both 13G and 14G
DCIM_VirtualDiskView	StripeSize		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	Optimum! OSizeBytes property in Redfish	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
DCIM_VirtualDiskView	BlockSizeInBytes		redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	Present in redfish[BlockSizeBytes]	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
dcim_controllerbatteryview	instanceid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	ID	DMTF	redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	URIs are same in both 13G and 14G
dcim_controllerview	bus	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	PCIe	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/{ID}	Under Supported Controller Protocol in 13G
dcim_controllerview	devicecard manufacturer	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	Manufacturer	DMTF	redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	Under Supported Controller Protocol in 13G

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_controllerview	devicedescription	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	Description	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/{ID}	
dcim_controllerview	fqdd	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/{ID}	
dcim_controllerview	function	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	PCIe Function	DMTF	/redfish/v1/Systems/System.Embedded.1/	
dcim_controllerview	instanceid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/{ID}	
dcim_controllerview	pcideviceid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	PCIe Function	DMTF	/redfish/v1/Systems/System.Embedded.1/	
dcim_controllerview	pcisubdeviceid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	PCIe Function	DMTF	/redfish/v1/Systems/System.Embedded.1/	
dcim_controllerview	pcisubvendorid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	PCIe Function	DMTF	/redfish/v1/Systems/System.Embedded.1/	
dcim_controllerview	pcivendorid	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	PCIe Function	DMTF	/redfish/v1/Systems/System.Embedded.1/	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_controllerview	primarystatus	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	Status	DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/{ID}	
dcim_controllerview	productname	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	Model	DMTF	redfish/v1/Systems/System.Embedded.1/Storage/{ID}/Volumes	
dcim_controllerview	t10picapability	N/A	redfish/v1/Systems/System.Embedded.1/Storage/{ID}	Protocol	DMTF	NA	
dcim_bioscertservice	N/A	resetbootcertificate	redfish/v1/Systems/System.Embedded.1/SecureBoot/Actions/SecureBoot.ResetKeys		DMTF	/redfish/v1/Systems/System.Embedded.1/SecureBoot/Actions/SecureBoot.ResetKeys	
DCIM_CPUView	NumberOfProcessors		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Totalcores	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
DCIM_CPUView	CPUFamily		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	OEM/CPU Family	DMTF	NA	
DCIM_CPUView	MaxClockSpeed		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	MaxSpeed MHz	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
DCIM_CPUView	FQDD		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_CPUView	CPUStatus		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Status	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
DCIM_CPUView	Manufacturer		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Manufacturer	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
DCIM_CPUView	Model		redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Model	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
DCIM_PCIDeviceView	Manufacturer		redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Manufacturer	DMTF	/redfish/v1/Systems/System.Embedded.1/PCIDevice/{ID}	
DCIM_PCIDeviceView	FQDD		redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/PCIDevice/{ID}	
dcim_memoryview	cacheSize	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	CacheSize MiB	DMTF	NA	
dcim_memoryview	currentoperatingspeed	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	Operating SpeedMhz	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	deviceDescription	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	description	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_memoryview	fqdd	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	Id	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	instanceid	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	Id	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	manufacturer	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	manufacturer	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	memorytype	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	MemoryDeviceType	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	nonvolatilize	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	NonVolatileSizeMiB	DMTF	NA	
dcim_memoryview	partnumber	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	partnumber	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	primarystatus	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	Present in redfish[status]	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	rank	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	RankCount	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_memoryview	serialnumber	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	serialnumber	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	size	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	CapacityMiB	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	speed	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	AllowedSpeedsMHz	DMTF	/redfish/v1/Systems/System.Embedded.1/Memory/{ID}	
dcim_memoryview	volatilesize	N/A	redfish/v1/Systems/System.Embedded.1/Memory/{ID}	VolatileSizeMiB	DMTF	NA	
DCIM_BiosEnumeration	CurrentValue		redfish/v1/Systems/System.Embedded.1/Bios	Attributes	DMTF	/redfish/v1/Systems/System.Embedded.1/Bios	All BIOS attributes are available
DCIM_BiosEnumeration	SysProfile		redfish/v1/Systems/System.Embedded.1/Bios	Attributes	DMTF	/redfish/v1/Systems/System.Embedded.1/Bios	
DCIM_BiosEnumeration	PossibleValues		redfish/v1/Systems/System.Embedded.1/Bios	Attributes	DMTF	/redfish/v1/Systems/System.Embedded.1/Bios	
DCIM_ComputerSystem		RequestStateChange	redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset		DMTF	/redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_CSPowerManagementService		RequestPowerChange	redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset		DMTF	/redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset	
DCIM_SoftwareInstallationService		CreateRebootJob	redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset	Reboot exists in Redfish	DMTF	redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset	URIs are same in both 13G and 14G
DCIM_ComputerSystem	OtherIdentifyingInfo		redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem	SKU	DMTF	/redfish/v1/Systems/System.Embedded.1/	
DCIM_SystemView	PopulatedDIMMSlots		redfish/v1/Systems/System.Embedded.1/	Populated DIMMSlots (OEM)	OEM	NA	
DCIM_SystemView	sysMemPrimaryStatus		redfish/v1/Systems/System.Embedded.1/	MemorySummary	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_presenceandstatussensor	creationclassname	N/A	redfish/v1/Systems/System.Embedded.1	OEM Link	DMTF	NA	
dcim_presenceandstatussensor	sensortype	N/A	redfish/v1/Systems/System.Embedded.1	OEM Link	DMTF	NA	
dcim_presenceandstatussensor	systemcreationclassname	N/A	redfish/v1/Systems/System.Embedded.1	OEM Link	DMTF	NA	
dcim_systemview	assettag	N/A	redfish/v1/Systems/System.Embedded.1	Assettag	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	biosversionstring	N/A	redfish/v1/Systems/System.Embedded.1	Biosversion	DMTF	/redfish/v1/Systems/System.Embedded.1	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_systemview	boardpartnumber	N/A	redfish/v1/Systems/System.Embedded.1	PartNumber	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	boardserialnumber	N/A	redfish/v1/Systems/System.Embedded.1	SerialNumber	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	cpldversion	N/A	redfish/v1/Systems/System.Embedded.1	NA	DMTF	NA	
dcim_systemview	devicedescription	N/A	redfish/v1/Systems/System.Embedded.1	Description	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	fqdd	N/A	redfish/v1/Systems/System.Embedded.1	ID	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	hostname	N/A	redfish/v1/Systems/System.Embedded.1	Hostname	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	instanceid	N/A	redfish/v1/Systems/System.Embedded.1	ID	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	manufacturer	N/A	redfish/v1/Systems/System.Embedded.1	Manufacturer	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	memoryrollupstatus	N/A	redfish/v1/Systems/System.Embedded.1	MemorySummary/HealthRollup	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	model	N/A	redfish/v1/Systems/System.Embedded.1	Model	DMTF	/redfish/v1/Systems/System.Embedded.1	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_systemview	platformguid	N/A	redfish/v1/Systems/System.Embedded.1	platformguid (OEM Attribute)	DMTF	NA	
dcim_systemview	Populatedcpusockets	N/A	redfish/v1/Systems/System.Embedded.1	NA	DMTF	NA	
dcim_systemview	powercap	N/A	redfish/v1/Systems/System.Embedded.1	NA	DMTF	NA	
dcim_systemview	powerstate	N/A	redfish/v1/Systems/System.Embedded.1	PowerState	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	primarystatus	N/A	redfish/v1/Systems/System.Embedded.1	Status/State	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	servicetag	N/A	redfish/v1/Systems/System.Embedded.1	SKU	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	systemmaxcapacitysize	N/A	redfish/v1/Systems/System.Embedded.1	TotalSystemMemoryGiB	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_systemview	systemtotalsize	N/A	redfish/v1/Systems/System.Embedded.1	TotalSystemMemoryGiB	DMTF	/redfish/v1/Systems/System.Embedded.1	
dcim_jobservice	N/A	deletejobs	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellJobService/Actions/DellJobService.DeleteJobQueue		DMTF	NA	
dcim_idraccardview	devicedescription	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttribute	Description	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			es/iDRAC.Embedded.1				
dcim_idraccardview	dnsdomainname	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	CurrentNIC.1.DNSDomainName	DMTF	NA	
dcim_idraccardview	dnsracname	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	CurrentNIC.1.DNSRacName"	DMTF	NA	
dcim_idraccardview	firmwareversion	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	FirmwareVersion	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	
dcim_idraccardview	fqdd	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	ID	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	
dcim_idraccardview	guid	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	UUID	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	
dcim_idraccardview	instanceid	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	ID	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	
dcim_idraccardview	lanenabledstate	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/	CurrentNIC.1.VlanEnabled"	DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Dell/DellAttributes/iDRAC.Embedded.1				
dcim_idraccardview	model	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	Model	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	
dcim_idraccardview	permanent macaddress	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	dellroot manager macaddress (redfish/v1)	DMTF	NA	
dcim_idraccardview	productdescription	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	Description	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/	
dcim_idraccardview	solenabledstate	N/A	redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/iDRAC.Embedded.1	Users.1.Solenable	DMTF	NA	
DCIM_SelRecordLog		ClearLog	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/Sel/Actions/LogService.ClearLog	ClearLog	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/LogServices/Sel/Actions/LogService.ClearLog	
dcim_faultlist	fqdd	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	ID	DMTF	NA	
dcim_faultlist	instanceid	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	ID	DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_faultlist	message	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	Message	DMTF	NA	
dcim_faultlist	messagearguments[]	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	MessageArgs	DMTF	NA	
dcim_faultlist	messageid	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	MessageID	DMTF	NA	
dcim_faultlist	severity	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	Severity	DMTF	NA	
dcim_faultlist	subsystem	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	Subsystem (OEM)	DMTF	NA	
dcim_faultlist	timestamp	N/A	redfish/v1/Managers/iDRAC.Embedded.1/LogServices/FaultList	Created	DMTF	NA	
dcim_idraccardservice	N/A	applyattribute	redfish/v1/Managers/iDRAC.Embedded.1/Attributes/Settings		DMTF	NA	
dcim_lcrecordlog	N/A	getconfigs	redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ImportSystemConfigurationPreview		DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ImportSystemConfigurationPreview	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_lcservice	N/A	import system configuration review	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ImportSystemConfigurationPreview		DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ImportSystemConfigurationPreview	
DCIM_LCService		Import System Configuration	redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ImportSystemConfiguration		DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ImportSystemConfiguration	
dcim_cspowermanagementservice	N/A	request power state change	redfish/v1/Managers/iDRAC.Embedded.1/Actions/Manager.Reset		DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Manager.Reset	
dcim_systemview	lifecyclecontrollerversion	N/A	redfish/v1/Managers/iDRAC.Embedded.1	Firmware Version	DMTF	redfish/v1/Managers/iDRAC.Embedded.1	
DCIM_LifeCycleJob	InstanceID		redfish/v1/JobService/Jobs/{ID}	ID	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Jobs/{ID}	
DCIM_LifeCycleJob	JobStatus		redfish/v1/JobService/Jobs/{ID}	JobStatus	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Jobs/{ID}	under Job State in 13G

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_LifeCycleJob	JobName		redfish/v1/JobService/Jobs/{ID}	Name	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Jobs/{ID}	
dcim_rollupstatus collection	collectionname	N/A	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellRollupStatus	collection name	DMTF	NA	
dcim_rollupstatus collection	instanceid	N/A	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellRollupStatus	ID	DMTF	NA	
dcim_rollupstatus collection	rollupstatus	N/A	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellRollupStatus	rollupstatus	DMTF	NA	
dcim_rollupstatus collection	subsystem	N/A	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellRollupStatus	subsystem	DMTF	NA	
dcim_psnumeric sensor	creationclassname	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor{ID}	NA	DMTF	NA	
dcim_psnumeric sensor	deviceid	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	ID	DMTF	NA	
dcim_psnumeric sensor	lowerthresholdcritical	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	lowerthresholdcritical	DMTF	NA	
dcim_psnumeric sensor	lowerthresholdnoncritical	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	lowerthresholdnoncritical	DMTF	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			ellPSNumericSensor/{ID}				
dcim_psnumericensor	sensortype	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	sensortype	DMTF	NA	
dcim_psnumericensor	systemcreationclassname	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	NA	DMTF	NA	
dcim_psnumericensor	upperthresholdcritical	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	upperthresholdcritical	DMTF	NA	
dcim_psnumericensor	upperthresholdnoncritical	N/A	redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor/{ID}	upperthresholdnoncritical	DMTF	NA	
dcim_usbdeviceview	instanceid	N/A	redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice/{ID}	ID	DMTF	NA	
dcim_systemquicksyncview	instanceid	N/A	redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync/{ID}	ID	DMTF	NA	
dcim_licensabledevice	instanceid	N/A	redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice/	ID	DMTF	NA	
dcim_powerredundancysset	elementname	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Name]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_powerredundancyset	instanceid	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present in redfish[Id]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powerredundancyset	minnumberneeded	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Redundancy/MinNumberNeeded]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powerredundancyset	redundancystatus	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Redundancy/Status]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powerredundancyset	typeofset[]	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Redundancy/RedundancyMode]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	creationclassname	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	NA	DMTF	NA	
dcim_powersupply	deviceid	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	OEM/ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_powersupply	elementname	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Name	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	enabledstate	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Status/State]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	healthstate	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Power/Status]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	inputpowerunits	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	PowerInputWatts	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	isacinput	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[PowerSupplies/InputTypes]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	isacoutput	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	PowerSupplyType	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_powersupply	primarystatus	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Status/HealthState]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	range1inputvoltagehigh	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[PowerSupplies/InputRanges]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	range1maxinputpower	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[PowerSupplies/InputRanges]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	ratedmaxoutputpower	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Power/PowerOutputWatts]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupply	systemcreationclassname	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	NA	DMTF	NA	
dcim_powersupply	totaloutputpower	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[InputRanges/OutputWattage]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_powersupplyview	effectivecapacity	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[PowerCapacityWatts]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupplyview	instanceid	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupplyview	linestatus	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[LineInputVoltageType]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupplyview	redminnumberneeded	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Redundancy/MinNumNeeded]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupplyview	redtypeofset[]	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[RedundancyMode]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_powersupplyview	redundancystatus	N/A	redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Present[Redundancy/Status]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_niccapabilities	energyeffici entethernet	N/A	redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	EEEEenable d	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_niccapabilities	fqdd	N/A	redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_niccapabilities	instanceid	N/A	redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_niccapabilities	rxflowcontrol	N/A	redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	FlowControlS tatus	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_physicalpackage	elementname	N/A	redfish/v1/Chassis/System.Embedded.1/Assembly#/Assemblies/{ID}	Present[D escription]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Assembly	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_physicalpackage	manufacturer	N/A	redfish/v1/Chassis/System.Embedded.1/Assembly#/Assemblies/{ID}	Present[Producer]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Assembly	
dcim_physicalpackage	partnumber	N/A	redfish/v1/Chassis/System.Embedded.1/Assembly#/Assemblies/{ID}	Present[PartNumber]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Assembly	
dcim_physicalpackage	tag	N/A	redfish/v1/Chassis/System.Embedded.1/Assembly#/Assemblies/{ID}	Present[Name]	DMTF	/redfish/v1/Chassis/System.Embedded.1/Assembly	
dcim_physicalpackage	version	N/A	redfish/v1/Chassis/System.Embedded.1/Assembly#/Assemblies/{ID}	Present	DMTF	/redfish/v1/Chassis/System.Embedded.1/Assembly	
dcim_chassis	chassispackagetype	N/A	redfish/v1/Chassis/System.Embedded.1	ChassisType	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	elementname	N/A	redfish/v1/Chassis/System.Embedded.1	Description	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	manufacturer	N/A	redfish/v1/Chassis/System.Embedded.1	Manufacturer	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	model	N/A	redfish/v1/Chassis/System.Embedded.1	Model	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	packagetype	N/A	redfish/v1/Chassis/System.Embedded.1	ChassisType	DMTF	/redfish/v1/Chassis/System.Embedded.1	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_chassis	partnumber	N/A	redfish/v1/Chassis/System.Embedded.1	PartNumber	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	serialnumber	N/A	redfish/v1/Chassis/System.Embedded.1	SerialNumber	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	sku	N/A	redfish/v1/Chassis/System.Embedded.1	SKU	DMTF	/redfish/v1/Chassis/System.Embedded.1	
dcim_chassis	tag	N/A	redfish/v1/Chassis/System.Embedded.1	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1	
DCIM_EnclosureView	ProductName		redfish/v1/Chassis/Enclosure.Internal.0-1	Description	DMTF	NA	
DCIM_EnclosureView	ServiceTag		redfish/v1/Chassis/Enclosure.Internal.0-1	ServiceTag (OEM attribute)	DMTF	NA	
DCIM_PClSSDBackPlaneView	FQDD		redfish/v1/Chassis/Enclosure.Internal.0-1	ID	DMTF	NA	
DCIM_PClSSDBackPlaneView	ProductName		redfish/v1/Chassis/Enclosure.Internal.0-1	Description	DMTF	NA	
DCIM_PClSSDBackPlaneView	RollupStatus		redfish/v1/Chassis/Enclosure.Internal.0-1	Status	DMTF	NA	
dcim_enclosurefansensor	creationclassname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	Name	DMTF	NA	
dcim_enclosurefansensor	deviceid	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-	ID	DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			1/Thermal#/Fans/0				
dcim_enclosurefansensor	sensortype	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	SensorNumber	DMTF	NA	
dcim_enclosurefansensor	systemcreationclassname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	NA	DMTF	NA	
dcim_enclosurefansensor	systemname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	NA	DMTF	NA	
dcim_enclosuretemperature sensor	creationclassname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	NA	DMTF	NA	
dcim_enclosuretemperature sensor	deviceid	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	MemberID	DMTF	NA	
dcim_enclosuretemperature sensor	systemcreationclassname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	NA	DMTF	NA	
dcim_enclosuretemperature sensor	systemname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Thermal#/Fans/0	Name	DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_enclosureview	assettag	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	assettag	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_enclosureview	devicedescription	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	Description	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_enclosureview	emmcoun	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	NA	DMTF	NA	
dcim_enclosureview	fancoun	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	CooledBy@odata.coun	DMTF	NA	
dcim_enclosureview	fqdd	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	ID	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_enclosureview	instanceid	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	ID	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_enclosureview	primarystatus	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	Status	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_enclosureview	productname	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	Name	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_enclosureview	psucount	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	PoweredBy@odata.count	DMTF	NA	
dcim_enclosureview	rollupstatus	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	Status	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_enclosureview	state	N/A	redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1	Status	DMTF	/redfish/v1/Chassis/Enclosure.Internal.0-1:RAID.Slot.8-1	
dcim_numericsensor	upperthresholdcritical	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	upperthresholdcritical	OEM	NA	
dcim_numericsensor	upperthresholdnoncritical	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	upperthresholdnoncritical	OEM	NA	
dcim_numericsensor	lowerthresholdcritical	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	lowerthresholdcritical	OEM	NA	
dcim_numericsensor	lowerthresholdnoncritical	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	lowerthresholdnoncritical	OEM	NA	
dcim_raidservice	N/A	cryptographicerase	Present[SecureErase]		DMTF	NA	
dcim_numericsensor	rateunits	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	rateunits	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_psnumeric sensor	rateunits	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	rateunits	OEM	NA	
dcim_numeric sensor	sensortype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	SensorType	OEM	NA	
dcim_numeric sensor	baseunits	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	baseunits	OEM	NA	
dcim_physicalcomputersystemview	N/A	modify persistentbootconfig order	Present[BootSourceOverrideTarget][Deprecated class in WSMAN]	Available via respective Redfish resources	DMTF		URIs are same in both 13G and 14G
dcim_clprolebase dauthorizationservice	N/A	assignroles	Present in redfish[User account]		DMTF	NA	
dcim_raidservice	N/A	setasstag	Present in redfish[through PATCH]		DMTF	NA	
dcim_metricservice	N/A	peakreset	Present in redfish[Telemetry]		DMTF	NA	
dcim_metricservicecapabilities	controllable managedelements[]	N/A	Present in redfish[Telemetry]		DMTF	NA	
dcim_metricservicecapabilities	controllable metrics[]	N/A	Present in redfish[Telemetry]		DMTF	NA	
dcim_metricservicecapabilities	elementname	N/A	Present in redfish[Telemetry]		DMTF	NA	
dcim_metricservicecapabilities	instanceid	N/A	Present in redfish[Telemetry]		DMTF	NA	
dcim_metricservicecapabilities	managedelementcontrol types[]	N/A	Present in redfish[Telemetry]		DMTF	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_metricservicecapabilities	metricscontrolypes[]	N/A	Present in redfish[Telemetry]		DMTF	NA	
dcim_metricservicecapabilities	supportedmethods[]	N/A	Present in redfish[Telemetry]		DMTF	NA	
dcim_fcview	portnumber	N/A	Present in redfish[PhysicalPortNumber]	PhysicalPortNumber	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	Under Physical PortNumber in 13G
dcim_fcview	wwpn	N/A	Present in redfish[PermanentWWPN]	PermanentWWPN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	Under FiberChannel in 13G
dcim_fcview	wwn	N/A	Present in redfish[PermanentWWNN]	PermanentWWNN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	Under FiberChannel 13G
dcim_virtualdiskview	physicaldisks[]		Present in redfish[Links]		DMTF	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	
dcim_systemmanagementervice	N/A	identifychassis	Present in redfish[IndicatorLED in redfish]	Present in redfish[IndicatorLED in redfish]	DMTF	/redfish/v1/Chassis/System.Embedded.1	Indicator LED in 13G

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fcview	fqdd	N/A	Present in redfish[Id]	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}	URIs are same in both 13G and 14G
dcim_nicstatistics	instanceid	N/A	Present in redfish[Id]		DMTF		
dcim_fcview	portspeed	N/A	Present in redfish[CurrentLinkSpeedMbps]	CurrentLinkSpeedMbps	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	URIs are same in both 13G and 14G
dcim_pciessdbackplaneview	mediatype	N/A	Present in redfish[ChassisType]		DMTF		URIs are same in both 13G and 14G
dcim_bioscertservice	N/A	deletebootcertificate	Present in redfish		DMTF	NA	
dcim_bioscertservice	N/A	exportbootcertificate	Present in redfish		DMTF	NA	
dcim_bioscertservice	N/A	importbootcertificate	Present in redfish		DMTF	NA	
dcim_fcservice	N/A	deletependingconfiguration	Present in redfish	NetworkAttributes (FNA)	DMTF	NA	
dcim_nicservice	N/A	deletependingconfiguration	Present in redfish	Available in 5.00.00	DMTF	NA	
dcim_pciessdbackplaneview	productname	N/A	Present in redfish		DMTF		URIs are same in both

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
							13G and 14G
dcim_pciessdbackplaneview	rollupstatus	N/A	Present in redfish		DMTF		URIs are same in both 13G and 14G
dcim_pciessdexteview	fqdd	N/A	Present in redfish		DMTF		URIs are same in both 13G and 14G
dcim_pciessdexteview	primarystatus	N/A	Present in redfish		DMTF		URIs are same in both 13G and 14G
dcim_raidservice	N/A	check consistency	Present in redfish		DMTF	NA	
dcim_raidservice	N/A	delete ending configuration	Present in redfish		DMTF	NA	
dcim_raidservice	N/A	initialize virtual disk	Present in redfish		DMTF	NA	
dcim_raidservice	N/A	secure erase	Present in redfish		DMTF	NA	
dcim_systemmanagement-service	N/A	delete ending configuration	Present in redfish		DMTF	NA	
dcim_systemview	rollupstatus	N/A	Present in redfish	Status/HealthRollup	DMTF	/redfish/v1/Systems/System.Embedded.1	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fcview	virtualwwpn	N/A	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	WWPN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	
dcim_fcview	virtualwwn	N/A	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	WWNN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	URIs are same in both 13G and 14G
dcim_osdeployment-service	N/A	gethostmacinfo	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	
dcim_powersupply	activeinputvoltage	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/Power/PowerSupplies/DellPowerSupply	activeinputvoltage	OEM	NA	
dcim_fcview	framepayloadsize	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	framepayloadsize	OEM	NA	
dcim_physicalpackage	devicefqdd	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellAssembly	devicefqdd	OEM	NA	
dcim_vflashview	instanceid	N/A	/redfish/v1/Dell/Managers/iDRAC	Not applicable for redfish	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			C.Embedded.1/DellvFlash				
dcim_enclosureview	assetname	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosure	assetname	OEM	NA	
dcim_controllerbatteryview	devicedescription	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellControllerBattery	devicedescription	OEM	NA	
dcim_controllerbatteryview	fqdd	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellControllerBattery	fqdd	OEM	NA	
dcim_controllerbatteryview	primarystatus	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellControllerBattery	primarystatus	OEM	NA	
dcim_controllerbatteryview	raidstate	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellControllerBattery	raidstate	OEM	NA	
dcim_controllerview	keyid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	keyid	OEM	NA	
dcim_enclosureemmview	devicedescription	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureEMM	devicedescription	OEM	NA	
dcim_enclosureemmview	state	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureEMM	state	OEM	NA	
dcim_enclosurefansensor	baseunits	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/D	baseunits	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			ellEnclosureFanSensor				
dcim_enclosurefansensor	currentreading	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	currentreading	OEM	NA	
dcim_enclosurefansensor	devicedescription	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	devicedescription	OEM	NA	
dcim_enclosurefansensor	elementname	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	elementname	OEM	NA	
dcim_enclosurefansensor	lowerthresholdcritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	lowerthresholdcritical	OEM	NA	
dcim_enclosurefansensor	lowerthresholdnoncritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	lowerthresholdnoncritical	OEM	NA	
dcim_enclosurefansensor	primarystatus	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	primarystatus	OEM	NA	
dcim_enclosurefansensor	rateunits	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	rateunits	OEM	NA	
dcim_enclosurefansensor	settablethresholds[]	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	settablethresholds[]	OEM	NA	
dcim_enclosurefansensor	state	N/A	/redfish/v1/Dell/Chassis/System	state	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			.Embedded.1/DellEnclosureFanSensor				
dcim_enclosurefansensor	supportedthresholds[]	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	supportedthresholds[]	OEM	NA	
dcim_enclosurefansensor	unitmodifier	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	unitmodifier	OEM	NA	
dcim_enclosurefansensor	upperthresholdcritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	upperthresholdcritical	OEM	NA	
dcim_enclosurefansensor	upperthresholdnoncritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureFanSensor	upperthresholdnoncritical	OEM	NA	
dcim_enclosuretemperatureensor	baseunits	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	baseunits	OEM	NA	
dcim_enclosuretemperatureensor	currentreading	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	currentreading	OEM	NA	
dcim_enclosuretemperatureensor	devicedescription	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	devicedescription	OEM	NA	
dcim_enclosuretemperatureensor	elementname	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	elementname	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_enclosuretemperatureSensor	lowerthresholdcritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	lowerthresholdcritical	OEM	NA	
dcim_enclosuretemperatureSensor	lowerthresholdnoncritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	lowerthresholdnoncritical	OEM	NA	
dcim_enclosuretemperatureSensor	primarystatus	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	primarystatus	OEM	NA	
dcim_enclosuretemperatureSensor	rateunits	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	rateunits	OEM	NA	
dcim_enclosuretemperatureSensor	sensortype	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	sensortype	OEM	NA	
dcim_enclosuretemperatureSensor	settablethresholds[]	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	settablethresholds[]	OEM	NA	
dcim_enclosuretemperatureSensor	state	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	state	OEM	NA	
dcim_enclosuretemperatureSensor	supportedthresholds[]	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	supportedthresholds[]	OEM	NA	
dcim_enclosuretemperatureSensor	unitmodifier	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	unitmodifier	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			ellEnclosureTemperatureSensor				
dcim_enclosuretemperatureSensor	upperthresholdcritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	upperthresholdcritical	OEM	NA	
dcim_enclosuretemperatureSensor	upperthresholdnoncritical	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosureTemperatureSensor	upperthresholdnoncritical	OEM	NA	
dcim_enclosureview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosure	lastsysteminventorytime	OEM	NA	
dcim_enclosureview	lastupdateTime	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosure	lastupdateTime	OEM	NA	
dcim_enclosureview	tempprobecount	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellEnclosure	tempprobecount	OEM	NA	
dcim_fccapabilities	fcbootSupport	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	FCoEBoot Support (Under DellNICCapabilities)	OEM	NA	
dcim_fccapabilities	fcmaxiosper session	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	FCoEMaxIosPerSession (Under DellNICCapabilities)	OEM	NA	
dcim_fccapabilities	fcmaxnpivport	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	FCoEMaxNPIVPort (Under DellNICCapabilities)	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fccapabilities	fcmaxnumberexchanges	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	fcmaxnumberexchanges	OEM	NA	
dcim_fccapabilities	fcmaxnumberlogins	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	FCoEMaxNumberLogins (Under DellNICCapabilities)	OEM	NA	
dcim_fccapabilities	fcmaxnumberofftargets	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	FCoEMaxNumberOfFCTargets (Under DellNICCapabilities)	OEM	NA	
dcim_fccapabilities	fcmaxnumberoutstandingcommands	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	fcmaxnumberoutstandingcommands	OEM	NA	
dcim_fccapabilities	featurelicensingupport	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	featurelicensingupport	OEM	NA	
dcim_fccapabilities	flexaddressingsupport	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	flexaddressingsupport	OEM	NA	
dcim_fccapabilities	onchipthermalsensor	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	onchipthermalsensor	OEM	NA	
dcim_fccapabilities	persistencepolicysupport	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	persistencepolicysupport	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fccapabilities	uefisupport	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCCCapabilities	uefisupport	OEM	NA	
dcim_fcstatistics	fcinvalidcrcs	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fcinvalidcrcs	OEM	NA	
dcim_fcstatistics	fclinkfailures	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fclinkfailures	OEM	NA	
dcim_fcstatistics	fclossosignals	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fclossosignals	OEM	NA	
dcim_fcstatistics	fcrxkbcoun	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fcrxkbcoun	OEM	NA	
dcim_fcstatistics	fcrxsequences	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fcrxsequences	OEM	NA	
dcim_fcstatistics	fcrxtotalframes	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fcrxtotalframes	OEM	NA	
dcim_fcstatistics	fctxkbcoun	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fctxkbcoun	OEM	NA	
dcim_fcstatistics	fctxsequences	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fctxsequences	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			etworkPorts/DellFCPortMetrics				
dcim_fcstatistics	fctxtotalframes	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	fctxtotalframes	OEM	NA	
dcim_fcstatistics	osdriverstate	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkPorts/DellFCPortMetrics	osdriverstate	OEM	NA	
dcim_fcstatistics	portspeed	N/A	NA		DMTF	NA	
dcim_fcview	bus	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	bus	OEM	NA	
dcim_fcview	chiptype	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	chiptype	OEM	NA	
dcim_fcview	device	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	device	OEM	NA	
dcim_fcview	devicename	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	devicename	OEM	NA	
dcim_fcview	efiversion	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	efiversion	OEM	NA	
dcim_fcview	fabricloginretrycount	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	fabricloginretrycount	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fcview	fabriclogintimeout	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	fabriclogin timeout	OEM	NA	
dcim_fcview	fctapeenable	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	fctapeenable	OEM	NA	
dcim_fcview	firstfctargetlun	N/A	NA		DMTF	NA	
dcim_fcview	firstfctargetwwpn	N/A	NA		DMTF	NA	
dcim_fcview	function	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	function	OEM	NA	
dcim_fcview	hardzoneaddress	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	hardzoneaddress	OEM	NA	
dcim_fcview	hardzoneenable	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	hardzoneenable	OEM	NA	
dcim_fcview	instanceid	N/A	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	
dcim_fcview	linkdowntimeout	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	linkdowntimeout	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fcview	linkstatus	N/A	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	
dcim_fcview	loopresetdelay	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	loopresetdelay	OEM	NA	
dcim_fcview	pcideviceid	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	PCIDeviceID (Under DellNIC)	OEM	NA	
dcim_fcview	portdownretrycount	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	portdownretrycount	OEM	NA	
dcim_fcview	portdowntimeout	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	portdowntimeout	OEM	NA	
dcim_fcview	portloginretrycount	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	portloginretrycount	OEM	NA	
dcim_fcview	portlogintimeout	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/NetworkAdapters/DellFC	portlogintimeout	OEM	NA	
dcim_fcview	secondfctargetlun	N/A	NA		DMTF	NA	
dcim_fcview	secondfctargetwwpn	N/A	NA		DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fcview	vendornam e	N/A	/redfish/v1/Cha ssis/System.Emb edded.1/Networ kAdapters/{ID}/ NetworkDeviceF unctions/{ID}	VendorNa me	DMTF	/redfish/v1/Syst ems/System.Em bedded.1/Netw orkAdapters/{ID }/NetworkPorts/ {ID}	
dcim_idraccardser vice	N/A	delet egrou p	/redfish/v1/Dell /Managers/iDRA C.Embedded.1/ DelliDRACCardS ervice/Actions/ DelliDRACCardS ervice.DeleteGr oup		OEM	NA	
dcim_idraccardser vice	N/A	deletes lcertifi cate	NA		DMTF	NA	
dcim_idraccardser vice	N/A	genera tesslcsr	/redfish/v1/Cert ificateService/Ac tions/Certificate Service.Generat eCSR		DMTF	NA	
dcim_idraccardser vice	N/A	getboo tdevice list	/redfish/v1/Syst ems/System.Em bedded.1/	available under Boot (all boot attributes are there)	DMTF	/redfish/v1/Syst ems/System.Em bedded.1/	
dcim_idraccardser vice	N/A	joingro up	/redfish/v1/Dell /Managers/iDRA C.Embedded.1/ DelliDRACCardS ervice/Actions/ DelliDRACCardS ervice.JoinGrou p		OEM	NA	
dcim_idraccardser vice	N/A	remov eself	/redfish/v1/Dell /Managers/iDRA C.Embedded.1/ DelliDRACCardS ervice/Actions/ DelliDRACCardS		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			ervice.RemoveSelf				
dcim_idraccardservice	N/A	sendtestemailalert	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellIDRACCardService/Actions/DellIDRACCardService.SendTestEmailAlert		OEM	NA	
dcim_idraccardservice	N/A	sendtestsnmptrap	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellIDRACCardService/Actions/DellIDRACCardService.SendTestSNMPTrap		OEM	NA	
dcim_idraccardservice	N/A	sslresetcfg	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellIDRACCardService/Actions/DellIDRACCardService.SSLResetCfg		OEM	NA	
dcim_idraccardview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellIDRACCard	lastsysteminventorytime	OEM	NA	
dcim_idraccardview	lastupdate time	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellIDRACCard	lastupdate time	OEM	NA	
dcim_jobservice	N/A	setdeleteoncompletion timeout	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellJobService/Actions/DellJobService.SetDeleteOnCompletionTimeout		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_lcservice	N/A	deleteautodiscoveryclientcerts	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.DeleteAutoDiscoveryClientCerts		OEM	NA	
dcim_lcservice	N/A	deleteautodiscoveryserverpublickey	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.DeleteAutoDiscoveryServerPublicKey"		OEM	NA	
dcim_lcservice	N/A	downloadclientcerts	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.DownloadClientCerts		OEM	NA	
dcim_lcservice	N/A	downloadserverpublickey	NA		DMTF	NA	
dcim_lcservice	N/A	exportcertificate	/redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DelliDRACCardService/Actions/DelliDRACCardService.ExportCertificate		DMTF	NA	
dcim_lcservice	N/A	exportcompleteclog	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.ExportCompleteCLog		OEM	NA	
dcim_lcservice	N/A	exportepsadi	/redfish/v1/Dell/Managers/iDRAC		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
		agnosticsresult	C.Embedded.1/DellLCService/Actions/DellLCService.ExportePSADiagnosticsResult				
dcim_lcservice	N/A	exporterrormsgregistry	NA		DMTF	NA	
dcim_lcservice	N/A	exporterserverscreenshot	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.ExportServerScreenShot		OEM	NA	
dcim_lcservice	N/A	exportsvgfile	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.ExportSVGFile		OEM	NA	
dcim_lcservice	N/A	exportvideolog	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.ExportVideoLog		OEM	NA	
dcim_lcservice	N/A	insertcommentinlog	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.InsertCommentInLog		OEM	NA	
dcim_lcservice	N/A	mapmessageidstodetails	NA		DMTF	NA	
dcim_lcservice	N/A	reinitiateauto	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
		discover	DellLCService/Actions/DellLCService.ReInitiateAutoDiscovery				
dcim_lcservice	N/A	runepsdiagnostics	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.RunePSADiagnostics		OEM	NA	
dcim_lcservice	N/A	setcertificateandprivatekey	NA		DMTF	NA	
dcim_lcservice	N/A	setpubliccertificate	NA		DMTF	NA	
dcim_lcservice	N/A	supportassistantacceptula	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.SupportAssistantAcceptEULA		OEM	NA	
dcim_lcservice	N/A	supportassistantclearautoschedule	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.SupportAssistantClearAutoCollectSchedule		OEM	NA	
dcim_lcservice	N/A	supportassistantcollection	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.SupportAssistantCollection		OEM	NA	
dcim_lcservice	N/A	supportassistantexportla	/redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellLCService		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
		stcollection	ce/Actions/DellCService.SupportAssistExportLastCollection				
dcim_lcservice	N/A	supportassistgetautocollectschedule	/redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellCService/Actions/DellCService.SupportAssistSetAutoCollectSchedule		OEM	NA	
dcim_lcservice	N/A	supportassistgeteulastatus	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellCService/Actions/DellCService.SupportAssistGetEULAStatus		OEM	NA	
dcim_lcservice	N/A	supportassistregister	/redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellCService/Actions/DellCService.SupportAssistRegister		OEM	NA	
dcim_lcservice	N/A	supportassistsetautocollectschedule	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellCService/Actions/DellCService.SupportAssistSetAutoCollectSchedule		OEM	NA	
dcim_lcservice	N/A	supportassistuploadlastcollection	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellCService/Actions/DellCService.SupportAssistUploadLastCollection		OEM	NA	
dcim_lcservice	N/A	systemerase	/redfish/v1/Dell/Managers/iDRAC		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			C.Embedded.1/DellLCService/Actions/DellLCService.SystemErase				
dcim_lcservice	N/A	testnetworkshare	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.TestNetworkShare		OEM	NA	
dcim_lcservice	N/A	updateosapphealthdata	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLCService/Actions/DellLCService.UpdateOSAppHealthData		OEM	NA	
dcim_licensabledevice	deviceid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	deviceid	OEM	NA	
dcim_licensabledevice	deviceprimarystatus	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	deviceprimarystatus	OEM	NA	
dcim_licensabledevice	devicestate	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	devicestate	OEM	NA	
dcim_licensabledevice	devicestatusmessage	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	devicestatusmessage	OEM	NA	
dcim_licensabledevice	devicestatusmessageid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	devicestatusmessageid	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_licensabledevice	devicetype	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	devicetype	OEM	NA	
dcim_licensabledevice	fqdd	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	fqdd	OEM	NA	
dcim_licensabledevice	licenselist[]	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	licenselist[]	OEM	NA	
dcim_licensabledevice	model	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	model	OEM	NA	
dcim_licensabledevice	rollupstatus	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	rollupstatus	OEM	NA	
dcim_licensabledevice	subsystemid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	subsystemid	OEM	NA	
dcim_licensabledevice	subsystemvendorid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	subsystemvendorid	OEM	NA	
dcim_licensabledevice	uniqueid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	uniqueid	OEM	NA	
dcim_licensabledevice	vendorid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicensableDevice	vendorid	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			DellLicensableDevice				
dcim_license	devicefamilydeviceid[]	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	devicefamilydeviceid	OEM	NA	
dcim_license	devicefamilysubsystemid[]	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	devicefamilysubsystemid	OEM	NA	
dcim_license	devicefamilysubsystemvendorid[]	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	devicefamilysubsystemvendorid	OEM	NA	
dcim_license	devicefamilyvendorid[]	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	devicefamilyvendorid	OEM	NA	
dcim_license	licenseattributes	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	licenseattributes	OEM	NA	
dcim_license	licensestatusmessage	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	licensestatusmessage	OEM	NA	
dcim_license	licensestatusmessageid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicense	licensestatusmessageid	OEM	NA	
dcim_licensemanagement-service	N/A	exportlicensebydevice	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellLicenseManagementService/Actions/DellLicenseManagementService.ExportLicenseByDevice		OEM	NA	
dcim_memoryview	lastsysteminventorytime	N/A	/redfish/v1/Systems/System.Embedded.1/Memory/{MemoryId}	lastsysteminventorytime	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			/Oem/Dell/DellMemory				
dcim_memoryview	lastupdateime	N/A	/redfish/v1/Systems/System.Embedded.1/Memory/{MemoryId}/Oem/Dell/DellMemory	lastupdate time	OEM	NA	
dcim_memoryview	memorytechnology	N/A	/redfish/v1/Systems/System.Embedded.1/Memory/{MemoryId}/Oem/Dell/DellMemory	memorytechnology	OEM	NA	
dcim_memoryview	remainingratedwriteendurance	N/A	/redfish/v1/Systems/System.Embedded.1/Memory/{MemoryId}/Oem/Dell/DellMemory	remainingratedwriteendurance	OEM	NA	
dcim_memoryview	systemerasescapability	N/A	/redfish/v1/Systems/System.Embedded.1/Memory/{MemoryId}/Oem/Dell/DellMemory	systemerasescapability	OEM	NA	
dcim_metricservice	N/A	exportthermalhistory	/redfish/v1/Dell/Systems/System.Embedded.1/DellMetricService/Actions/DellMetricService.ExportThermalHistory		OEM	NA	
dcim_niccapabilities	bpesupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	bpesupport	OEM	NA	
dcim_niccapabilities	congestionnotification	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceF	congestionnotification	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			unctions/DellNICCapabilities				
dcim_niccapabilities	dcbexchangeprotocol	N/A	NA		DMTF	NA	
dcim_niccapabilities	ets	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	ets	OEM	NA	
dcim_niccapabilities	evbmodessupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	evbmodesupport	OEM	NA	
dcim_niccapabilities	fcoemaxiospersession	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	fcoemaxiospersession	OEM	NA	
dcim_niccapabilities	fcoemaxnpi vperport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	fcoemaxnpi vperport	OEM	NA	
dcim_niccapabilities	fcoemaxnumberexchanges	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	fcoemaxnumberexchanges	OEM	NA	
dcim_niccapabilities	fcoemaxnumberlogins	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	fcoemaxnumberlogins	OEM	NA	
dcim_niccapabilities	fcoemaxnumberoffctargets	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	fcoemaxnumberoffctargets	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			NetworkDeviceFunctions/DellNICCapabilities				
dcim_niccapabilities	fcoemaxnumberoutstandingcommands	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	fcoemaxnumberoutstandingcommands	OEM	NA	
dcim_niccapabilities	featurelicensing support	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	featurelicensing support	OEM	NA	
dcim_niccapabilities	ipsec offload support	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	ipsec offload support	OEM	NA	
dcim_niccapabilities	macsec support	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	macsec support	OEM	NA	
dcim_niccapabilities	nic partitioning support	N/A	NA		DMTF	NA	
dcim_niccapabilities	nw management passthrough	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	nw management passthrough	OEM	NA	
dcim_niccapabilities	on chip thermal sensor	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	on chip thermal sensor	OEM	NA	
dcim_niccapabilities	openflow support	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	openflow support	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			NetworkDeviceFunctions/DellNICCapabilities				
dcim_niccapabilities	osbmcmanagementpassthrough	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	osbmcmanagementpassthrough	OEM	NA	
dcim_niccapabilities	partitionwolsupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	partitionwolsupport	OEM	NA	
dcim_niccapabilities	persistencepolycysupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	persistencepolycysupport	OEM	NA	
dcim_niccapabilities	priorityflowcontrol	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	priorityflowcontrol	OEM	NA	
dcim_niccapabilities	rdmasupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	rdmasupport	OEM	NA	
dcim_niccapabilities	remotephy	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	remotephy	OEM	NA	
dcim_niccapabilities	tcpchimneysupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	tcpchimneysupport	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			unctions/DellNICCapabilities				
dcim_niccapabilities	txbandwidthcontrolmaximum	N/A	NA		DMTF	NA	
dcim_niccapabilities	txbandwidthcontrolminimum	N/A	NA		DMTF	NA	
dcim_niccapabilities	txflowcontrol	N/A	NA		DMTF	NA	
dcim_niccapabilities	uefisupport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	uefisupport	OEM	NA	
dcim_niccapabilities	veb	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	veb	OEM	NA	
dcim_niccapabilities	vebvepamultichannel	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	vebvepamultichannel	OEM	NA	
dcim_niccapabilities	vebvepasinglechannel	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	vebvepasinglechannel	OEM	NA	
dcim_niccapabilities	vfsriovsupport	N/A	NA		DMTF	NA	
dcim_niccapabilities	virtuallinkcontrol	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNICCapabilities	virtuallinkcontrol	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_niccapabilities	wolsupport	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	Partition WOLSupport (Under DellNIC Capabilities)	OEM	NA	
dcim_nicstatistics	discardedpkts	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	discardedpkts	OEM	NA	
dcim_nicstatistics	fccrcerrorcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	fccrcerrorcount	OEM	NA	
dcim_nicstatistics	fcoelinkfailures	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	fcoelinkfailures	OEM	NA	
dcim_nicstatistics	fcoepktrxcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	fcoepktrxcount	OEM	NA	
dcim_nicstatistics	fcoepktxcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	fcoepktxcount	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicstatistics	fcoerxpktdroppedcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	fcoerxpkt droppedcount	OEM	NA	
dcim_nicstatistics	fqdd	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	fqdd	OEM	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	which is ID
dcim_nicstatistics	lanfcsrxerrors	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	lanfcsrxerrors	OEM	NA	
dcim_nicstatistics	lanunicastpktxcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	lanunicastpktxcount	OEM	NA	
dcim_nicstatistics	lanunicastpkttxcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	lanunicastpkttxcount	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicstatistics	linkstatus	N/A	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	
dcim_nicstatistics	osdriverstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	osdriverstate	OEM	NA	
dcim_nicstatistics	partitionlinkstatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	partitionlinkstatus	OEM	NA	
dcim_nicstatistics	partitionosdriverstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	partitionosdriverstate	OEM	NA	
dcim_nicstatistics	rdmarxtotalbytes	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmarxtotalbytes	OEM	NA	
dcim_nicstatistics	rdmarxtotalpackets	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmarxtotalpackets	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicstatistics	rdmatotalprotectionerrors	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatotalprotectionerrors	OEM	NA	
dcim_nicstatistics	rdmatotalprotocolerrors	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatotalprotocolerrors	OEM	NA	
dcim_nicstatistics	rdmatxtotalbytes	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatxtotalbytes	OEM	NA	
dcim_nicstatistics	rdmatxtotalpackets	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatxtotalpackets	OEM	NA	
dcim_nicstatistics	rdmatxtotalreadreqpkts	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatxtotalreadreqpkts	OEM	NA	
dcim_nicstatistics	rdmatxtotalsendpkts	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatxtotalsendpkts	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicstatistics	rdmatxtotalwritepkts	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rdmatxtotalwritepkts	OEM	NA	
dcim_nicstatistics	rxbroadcast	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxbroadcast	OEM	NA	
dcim_nicstatistics	rxerrorpktalignmenterrors	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxerrorpktalignmenterrors	OEM	NA	
dcim_nicstatistics	rxerrorpktfcerrors	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxerrorpktfcerrors	OEM	NA	
dcim_nicstatistics	rxfalsecarrierdetection	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxfalsecarrierdetection	OEM	NA	
dcim_nicstatistics	rxjabberpkt	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxjabberpkt	OEM	NA	
dcim_nicstatistics	rxpauseoffframes	N/A	/redfish/v1/Dell/Systems/System	rxpauseoffframes	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			m.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics				
dcim_nicstatistics	rxpauseonframes	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxpauseonframes	OEM	NA	
dcim_nicstatistics	rxruntpkt	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	rxruntpkt	OEM	NA	
dcim_nicstatistics	startstatistictime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	startstatistictime	OEM	NA	
dcim_nicstatistics	statistictime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	statistictime	OEM	NA	
dcim_nicstatistics	txbroadcast	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txbroadcast	OEM	NA	
dcim_nicstatistics	txerrorpktextcessivecollision	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txerrorpktextcessivecollision	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			s/NetworkDeviceFunctions/DellNICPortMetrics				
dcim_nicstatistics	txerrorpklatecollision	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txerrorpklatecollision	OEM	NA	
dcim_nicstatistics	txerrorpktmultiplecollision	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txerrorpktmultiplecollision	OEM	NA	
dcim_nicstatistics	txerrorpktsinglecollision	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txerrorpktsinglecollision	OEM	NA	
dcim_nicstatistics	txpauseoffframes	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txpauseoffframes	OEM	NA	
dcim_nicstatistics	txpauseonframes	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkAdapters/NetworkDeviceFunctions/DellNICPortMetrics	txpauseonframes	OEM	NA	
dcim_nicview	controllerbiosversion	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	controllerbiosversion	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicview	databuswidth	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	databuswidth	OEM	NA	
dcim_nicview	devicedescription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	devicedescription	OEM	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	which is Description
dcim_nicview	efiversion	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	efiversion	OEM	NA	
dcim_nicview	fqdd	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	fqdd	OEM	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Integrated.1/NetworkDeviceFunctions/{ID}	which is ID
dcim_nicview	instanceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	instanceid	OEM	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	
dcim_nicview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	lastsysteminventorytime	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			NetworkDeviceFunctions/DellNIC				
dcim_nicview	lastupdateime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	lastupdateime	OEM	NA	
dcim_nicview	linkduplex	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	linkduplex	OEM	NA	
dcim_nicview	pcideviceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	pcideviceid	OEM	NA	
dcim_nicview	pcisubdeviceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	pcisubdeviceid	OEM	NA	
dcim_nicview	pcisubvendorid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	pcisubvendorid	OEM	NA	
dcim_nicview	pcivendorid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	pcivendorid	OEM	NA	
dcim_nicview	protocol	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	protocol	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			unctions/DellNIC				
dcim_nicview	slotlength	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	slotlength	OEM	NA	
dcim_nicview	slottype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	slottype	OEM	NA	
dcim_nicview	vendornam e	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkDeviceFunctions/DellNIC	vendorna me	OEM	NA	
dcim_numericse nsor	currentstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSen sor	currentsta te	OEM	NA	
dcim_numericse nsor	enableddefa ult	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSen sor	enabledde fault	OEM	NA	
dcim_numericse nsor	operational status[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSen sor	NA	OEM	NA	
dcim_numericse nsor	othersens ortypedes cription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSen sor	othersens ortypedes cription	OEM	NA	
dcim_numericse nsor	possiblestat es[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	possiblestat es[]	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			DellNumericSensor				
dcim_numericsensor	primarystatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	primarystatus	OEM	NA	
dcim_numericsensor	requestedstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	requestedstate	OEM	NA	
dcim_numericsensor	settablethresholds[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	NA	OEM	NA	
dcim_numericsensor	transitioningto	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	transitioningto	OEM	NA	
dcim_numericsensor	unitmodifier	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	unitmodifier	OEM	NA	
dcim_numericsensor	valueformulation	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellNumericSensor	valueformulation	OEM	NA	
dcim_osdeployment	N/A	getrfisimageconnectioninfo	/redfish/v1/Dell/Systems/System.Embedded.1/DellOSDeploymentService/Actions/DellOSDeploymentService.GetNetworkISOImageConnectionInfo		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_osdeploymentervice	N/A	skipisoimageboot	/redfish/v1/Dell/Systems/System.Embedded.1/DellOSDeploymentService/Actions/DellOSDeploymentService.SkipISOImageBoot		OEM	NA	
dcim_pcideviceview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPCleFunction	lastsysteminventorytime	OEM	NA	
dcim_pcideviceview	lastupdateime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPCleFunction	lastupdateime	OEM	NA	
dcim_pciessdbackplaneview	firmwareversion	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSDBackPlane	firmwareversion	OEM	NA	
dcim_pciessdview	bus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	bus	OEM	NA	
dcim_pciessdview	busprotocol	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	busprotocol	OEM	NA	
dcim_pciessdview	device	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	device	OEM	NA	
dcim_pciessdview	freesizeinbytes	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	freesizeinbytes	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_pciessdview	function	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	function	OEM	NA	
dcim_pciessdview	hotsparestatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	hotsparestatus	OEM	NA	
dcim_pciessdview	mediatype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	mediatype	OEM	NA	
dcim_pciessdview	pciecapablelinkwidth	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	pciecapablelinkwidth	OEM	NA	
dcim_pciessdview	pcienegotiatedlinkwidth	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	pcienegotiatedlinkwidth	OEM	NA	
dcim_pciessdview	productid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	productid	OEM	NA	
dcim_pciessdview	raidtype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	raidtype	OEM	NA	
dcim_pciessdview	systemerasescapability	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellPCIeSSD	systemerasescapability	OEM	NA	
dcim_physicaldiskview	foreignkeyidentifier	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	foreignkeyidentifier	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Storage/Drives/DellPhysicalDisk				
dcim_physicaldiskview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	lastsysteminventorytime	OEM	NA	
dcim_physicaldiskview	lastupdateime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	lastupdateime	OEM	NA	
dcim_physicaldiskview	operationname	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	operationname	OEM	NA	
dcim_physicaldiskview	operationpercentcomplete	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	operationpercentcomplete	OEM	NA	
dcim_physicaldiskview	raidtype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	raidtype	OEM	NA	
dcim_physicaldiskview	systemeracapability	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	systemeracapability	OEM	NA	
dcim_physicaldiskview	t10picapability	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/Drives/DellPhysicalDisk	t10picapability	OEM	NA	
dcim_physicalpackage	packagetype	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellAssembly	packagetype	OEM	NA	
dcim_physicalpackage	serialnumber	N/A	/redfish/v1/Dell/Chassis/System	serialnumber	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			.Embedded.1/DellAssembly				
dcim_powersupplyview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/Power/PowerSupplies/DellPowerSupplyView	lastsysteminventorytime	OEM	NA	
dcim_powersupplyview	lastupdateime	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/Power/PowerSupplies/DellPowerSupplyView	lastupdateime	OEM	NA	
dcim_powersupplyview	pmbusmonitoring	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/Power/PowerSupplies/DellPowerSupplyView	pmbusmonitoring	OEM	NA	
dcim_presenceandstatussensor	othersensortypedescription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPresenceAndStatusSensor	NA	OEM	NA	
dcim_presenceandstatussensor	possiblestates[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPresenceAndStatusSensor	NA	OEM	NA	
dcim_presenceandstatussensor	systemname	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPresenceAndStatusSensor	NA	OEM	NA	
dcim_psnumericensor	description	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	description	OEM	NA	
dcim_psnumericensor	enableddefault	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	enableddefault	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			DellPSNumericSensor				
dcim_psnumericensor	operationalstatus[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	operationalstatus[]	OEM	NA	
dcim_psnumericensor	possiblestates[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	possiblestates[]	OEM	NA	
dcim_psnumericensor	primarystatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	primarystatus	OEM	NA	
dcim_psnumericensor	requestedstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	requestedstate	OEM	NA	
dcim_psnumericensor	resolution	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	resolution	OEM	NA	
dcim_psnumericensor	settablethresholds[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	NA	OEM	NA	
dcim_psnumericensor	systemname	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	systemname	OEM	NA	
dcim_psnumericensor	transitioningtostate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	transitioningtostate	OEM	NA	
dcim_psnumericensor	unitmodifier	N/A	/redfish/v1/Dell/Systems/System	unitmodifier	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			m.Embedded.1/DellPSNumericSensor				
dcim_psnumericensor	valueformulation	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellPSNumericSensor	valueformulation	OEM	NA	
dcim_raidservice	N/A	cancelbackgroundinitialization	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.CancelBackgroundInitialization		OEM	NA	
dcim_raidservice	N/A	cancelcheckconsistency	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellRaidService/Actions/DellRaidService.CancelCheckConsistency		OEM	NA	
dcim_raidservice	N/A	cancelrebuildphysicaldisk	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellRaidService/Actions/DellRaidService.CancelRebuildPhysicalDisk		OEM	NA	
dcim_raidservice	N/A	changepdstate	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.ChangePDState		OEM	NA	
dcim_raidservice	N/A	clearcontrollerpreservecache	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaid		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Service.ClearControllerPreservedCache				
dcim_raidservice	N/A	importforeignconfig	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.ImportForeignConfig		OEM	NA	
dcim_raidservice	N/A	onlinecapacityexpansion	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.OnlineCapacityExpansion"		OEM	NA	
dcim_raidservice	N/A	preparetoremove	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.PrepareToRemove		OEM	NA	
dcim_raidservice	N/A	raidlevelmigration	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.RAIDLevelMigration		OEM	NA	
dcim_raidservice	N/A	rebuildphysicaldisk	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.RebuildPhysicalDisk		OEM	NA	
dcim_raidservice	N/A	renamevd	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaid		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Service.RenameVD				
dcim_raidservice	N/A	replacephysicaldisk	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.ReplacePhysicalDisk		OEM	NA	
dcim_raidservice	N/A	setassetname	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.SetAssetName		OEM	NA	
dcim_raidservice	N/A	setbootvd	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.SetBootVD		OEM	NA	
dcim_raidservice	N/A	startpatrolread	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.StartPatrolRead"		OEM	NA	
dcim_raidservice	N/A	stoppatrolread	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.StopPatrolRead		OEM	NA	
dcim_raidservice	N/A	unassignspare	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.UnassignSpare		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_raidservice	N/A	unlocks ecuref oreignc onfig	/redfish/v1/Dell/Systems/System.Embedded.1/DellRaidService/Actions/DellRaidService.UnlockSecureForeignConfig		OEM	NA	
dcim_sensor	operationalstatus[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor	NA	OEM	NA	
dcim_sensor	othersensortypedescription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor	NA	OEM	NA	
dcim_sensor	possiblestates[]	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor	NA	OEM	NA	
dcim_sensor	primarystatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor	NA	OEM	NA	
dcim_sensor	requestedstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor	NA	OEM	NA	
dcim_slot	connectorlayout	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	connector layout	OEM	NA	
dcim_slot	devicefqdd	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	devicefqdd	OEM	NA	
dcim_slot	elementname	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	elementname	OEM	NA	
dcim_slot	emptyslot	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	emptyslot	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_slot	number	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	number	OEM	NA	
dcim_slot	numberdescription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	numberdescription	OEM	NA	
dcim_slot	slotenablestate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	slotenablestate	OEM	NA	
dcim_slot	tag	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSlot	tag	OEM	NA	
dcim_softwareidentity	buildnumber	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	buildnumber	OEM	NA	
dcim_softwareidentity	classifications[]	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	classifications[]	OEM	NA	
dcim_softwareidentity	identityinfo type[]	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	identityinfo type[]	OEM	NA	
dcim_softwareidentity	identityinfo value[]	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	identityinfo value[]	OEM	NA	
dcim_softwareidentity	impactstpm measurements	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	impactstpm measurements	OEM	NA	
dcim_softwareidentity	majorversion	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory	majorversion	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			ory/DellSoftwareInventory				
dcim_softwareidentity	minorversion	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	minorversion	OEM	NA	
dcim_softwareidentity	revisionstring	N/A	/redfish/v1/Dell/UpdateService/FirmwareInventory/DellSoftwareInventory	revisionstring	OEM	NA	
dcim_softwareinstallationservice	N/A	clearupdateschedule	/redfish/v1/Dell/Systems/System.Embedded.1/DellSoftwareInstallationService/Actions/DellSoftwareInstallationService.ClearUpdateSchedule"		OEM	NA	
dcim_softwareinstallationservice	N/A	getupdateschedule	/redfish/v1/Dell/Systems/System.Embedded.1/DellSoftwareInstallationService/Actions/DellSoftwareInstallationService.GetUpdateSchedule		OEM	NA	
dcim_softwareinstallationservice	N/A	setupupdateschedule	/redfish/v1/Dell/Systems/System.Embedded.1/DellSoftwareInstallationService/Actions/DellSoftwareInstallationService.SetUpdateSchedule		OEM	NA	
dcim_switchconnectionservice	N/A	serverportconnectionrefresh	/redfish/v1/Dell/Systems/System.Embedded.1/DellSwitchConnectionService/Action		OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			tions/DellSwitchConnectionService.ServerPortConnectionRefresh				
dcim_switchconnectionview	staledata	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/NetworkPorts/DellSwitchConnection	staledata	OEM	NA	
dcim_systemmanagementervice	N/A	showerrorsonlcd	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystemManagementService/Actions/DellSystemManagementService.ShowErrorsOnLCD		OEM	NA	
dcim_systemquicksyncview	devicedescription	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	devicedescription	OEM	NA	
dcim_systemquicksyncview	fqdd	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	fqdd	OEM	NA	
dcim_systemquicksyncview	fwversion	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	fwversion	OEM	NA	
dcim_systemquicksyncview	hwstatus	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	hwstatus	OEM	NA	
dcim_systemquicksyncview	manufacturer	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	manufacturer	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_systemquick syncview	productname	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	productname	OEM	NA	
dcim_systemquick syncview	version	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellSystemQuickSync	version	OEM	NA	
dcim_systemview	chassismodel	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	chassismodel	OEM	NA	
dcim_systemview	chassisname	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	chassisname	OEM	NA	
dcim_systemview	chassisystemheight	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	chassisystemheight	OEM	NA	
dcim_systemview	currentrollupstatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	currentrollupstatus	OEM	NA	
dcim_systemview	estimatedexhausttemperature	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	estimatedexhausttemperature	OEM	NA	
dcim_systemview	estimatedsystemairflow	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	estimatedsystemairflow	OEM	NA	
dcim_systemview	idsdmrollupstatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	idsdmrollupstatus	OEM	NA	
dcim_systemview	isoembanded	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	isoembanded	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_systemview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	lastsysteminventorytime	OEM	NA	
dcim_systemview	lastupdateime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	lastupdateime	OEM	NA	
dcim_systemview	maxcpusockets	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	maxcpusockets	OEM	NA	
dcim_systemview	memoryoperationmode	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	memoryoperationmode	OEM	NA	
dcim_systemview	populateddimmslots	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	populateddimmslots	OEM	NA	
dcim_systemview	populatedpcieslots	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	populatedpcieslots	OEM	NA	
dcim_systemview	sdcardrollupstatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	sdcardrollupstatus	OEM	NA	
dcim_systemview	selrollupstatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	selrollupstatus	OEM	NA	
dcim_systemview	serverallocation	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	serverallocation	OEM	NA	
dcim_systemview	smbiosguid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	smbiosguid	OEM	NA	
dcim_systemview	sysmemerrormethodology	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	sysmemerrormethodology	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_systemview	systemfailoverstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	systemfailoverstate	OEM	NA	
dcim_systemview	systemlocation	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	systemlocation	OEM	NA	
dcim_systemview	systemrevision	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	systemrevision	OEM	NA	
dcim_systemview	tempstatisticsrollupstatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSystem	tempstatisticsrollupstatus	OEM	NA	
dcim_timeservice	N/A	managetime	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellTimeService/Actions/DellTimeService.ManageTime		OEM	NA	
dcim_usbdeviceview	baseclass	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	baseclass	OEM	NA	
dcim_usbdeviceview	devicedescription	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	devicedescription	OEM	NA	
dcim_usbdeviceview	deviceversion	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	deviceversion	OEM	NA	
dcim_usbdeviceview	fqdd	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	fqdd	OEM	NA	
dcim_usbdeviceview	manufacturer	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	manufacturer	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_usbdeviceview	maximumcurrentdrawn	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	maximumcurrentdrawn	OEM	NA	
dcim_usbdeviceview	productid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	productid	OEM	NA	
dcim_usbdeviceview	productname	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	productname	OEM	NA	
dcim_usbdeviceview	protocol	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	protocol	OEM	NA	
dcim_usbdeviceview	serialnumber	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	serialnumber	OEM	NA	
dcim_usbdeviceview	subclass	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	subclass	OEM	NA	
dcim_usbdeviceview	usbversion	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	usbversion	OEM	NA	
dcim_usbdeviceview	vendorid	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellUSBDevice	vendorid	OEM	NA	
dcim_vflashview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellvFlash	lastsysteminventorytime	OEM	NA	
dcim_vflashview	lastupdate time	N/A	/redfish/v1/Dell/Managers/iDRAC.Embedded.1/DellvFlash	lastupdate time	OEM	NA	
dcim_videonwparamsview	ipaddress	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	ipaddress	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			DellVideoNetwork				
dcim_videonwparamsview	DeviceDescription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideoNetwork	DeviceDescription	OEM	NA	
dcim_videonwparamsview	FQDD	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideoNetwork	FQDD	OEM	NA	
dcim_videonwparamsview	InstanceID	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideoNetwork	InstanceID	OEM	NA	
dcim_videonwparamsview	macaddress	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideoNetwork	macaddress	OEM	NA	
dcim_videoview	busnumber	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	busnumber	OEM	NA	
dcim_videoview	databuswidth	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	databuswidth	OEM	NA	
dcim_videoview	description	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	description	OEM	NA	
dcim_videoview	devicedescription	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	devicedescription	OEM	NA	
dcim_videoview	devicenumber	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	devicenumber	OEM	NA	
dcim_videoview	fqdd	N/A	/redfish/v1/Dell/Systems/System	fqdd	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			m.Embedded.1/DellVideo				
dcim_videoview	functionnumber	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	functionnumber	OEM	NA	
dcim_videoview	instanceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	instanceid	OEM	NA	
dcim_videoview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	lastsysteminventorytime	OEM	NA	
dcim_videoview	lastupdate time	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	lastupdate time	OEM	NA	
dcim_videoview	manufacturer	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	manufacturer	OEM	NA	
dcim_videoview	pcdeviceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	pcdeviceid	OEM	NA	
dcim_videoview	pcsubdeviceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	pcsubdeviceid	OEM	NA	
dcim_videoview	pcsubvendorid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	pcsubvendorid	OEM	NA	
dcim_videoview	pcivendorid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	pcivendorid	OEM	NA	
dcim_videoview	slotlength	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellVideo	slotlength	OEM	NA	
dcim_videoview	slottype	N/A	/redfish/v1/Dell/Systems/System	slottype	OEM	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			m.Embedded.1/DellVideo				
dcim_virtualdiskview	lastsysteminventorytime	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	LastSystemInventoryTime	OEM	NA	
dcim_virtualdiskview	lastupdate time	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	lastupdate time	OEM	NA	
dcim_virtualdiskview	objectstatus	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	objectstatus	OEM	NA	
dcim_virtualdiskview	operationname	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	operation name	OEM	NA	
dcim_virtualdiskview	operationpercentcomplete	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	operation percentcomplete	OEM	NA	
dcim_virtualdiskview	startinglbainblocks	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	startinglbainblocks	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_virtualdiskview	stripesize	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	stripesize	OEM	NA	
dcim_virtualdiskview	t10pistatus	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	t10pistatus	OEM	NA	
dcim_virtualdiskview	raidstatus	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	raidstatus	OEM	NA	
dcim_virtualdiskview	primarystatus	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/{StorageId}/Volumes/{VolumeId}/Oem/Dell/DellVolumes	primarystatus	OEM	/redfish/v1/Systems/System.Embedded.1/Storage/Volumes/{ID}	Available under Status
dcim_idraccardservice	N/A	getkvm session	Not available		N/A	NA	
dcim_lcservice	N/A	clearbackupschedule	Not available		N/A	NA	
dcim_lcservice	N/A	getbackupschedule	Not available		N/A	NA	
dcim_lcservice	N/A	setbackupschedule	Not available		N/A	NA	
dcim_powersupply	operationalstatus[]	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/Power/PowerSupply	operationalstatus[]	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			ies/DellPowerSupply				
dcim_chassis	canbefrued	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellChassis		OEM	NA	
dcim_chassis	systemid	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/DellChassis		OEM	NA	
dcim_controllerview	alarmstate	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	alarmstate	OEM	NA	
dcim_controllerview	bootvirtualdiskfqdd	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	bootvirtualdiskfqdd	OEM	NA	
dcim_controllerview	connectorcount	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	connectorcount	OEM	NA	
dcim_controllerview	device	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	device	OEM	NA	
dcim_controllerview	devicecarddatabuswidth	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	devicecarddatabuswidth	OEM	NA	
dcim_controllerview	devicecardslotlength	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	devicecardslotlength	OEM	NA	
dcim_controllerview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	lastsysteminventorytime	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Storage/DellController				
dcim_controllerview	lastupdateime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	lastupdate time	OEM	NA	
dcim_controllerview	maxavailablecilinkspeed	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	maxavailablecilinkspeed	OEM	NA	
dcim_controllerview	maxpossiblepcilinkspeed	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	maxpossiblepcilinkspeed	OEM	NA	
dcim_controllerview	persistenthotspare	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	persistent hotspare	OEM	NA	
dcim_controllerview	realtimecapability	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	realtimecapability	OEM	NA	
dcim_controllerview	sasaddress	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	Sasaddresses	OEM	NA	
dcim_controllerview	sharedslotassignmentallowed	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	sharedslot assignment allowed	OEM	NA	
dcim_controllerview	supportcontrollerbootmode	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	supportcontrollerbootmode	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_controllerview	supportenhancedautoforeignimport	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	supportenhancedautoforeignimport	OEM	NA	
dcim_controllerview	supportraid10unevenspans	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Storage/DellController	supportraid10unevenspans	OEM	NA	
dcim_cpuview	cache1associativity	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache1associativity	OEM	NA	
dcim_cpuview	cache1error methodology	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache1error methodology	OEM	NA	
dcim_cpuview	cache1installeddsize	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache1installeddsize	OEM	NA	
dcim_cpuview	cache1level	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache1level	OEM	NA	
dcim_cpuview	cache1location	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache1location	OEM	NA	
dcim_cpuview	cache1primarystatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache1primarystatus	OEM	NA	
dcim_cpuview	cache1size	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	cache1size	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Processors/Dell Processor				
dcim_cpuview	cache1sramtype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache1sramtype	OEM	NA	
dcim_cpuview	cache1type	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache1type	OEM	NA	
dcim_cpuview	cache1writepolicy	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache1writepolicy	OEM	NA	
dcim_cpuview	cache2associativity	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache2associativity	OEM	NA	
dcim_cpuview	cache2error methodology	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache2error methodology	OEM	NA	
dcim_cpuview	cache2installedsize	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache2installedsize	OEM	NA	
dcim_cpuview	cache2level	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache2level	OEM	NA	
dcim_cpuview	cache2location	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache2location	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_cpuview	cache2primarystatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache2primarystatuses	OEM	NA	
dcim_cpuview	cache2size	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache2size	OEM	NA	
dcim_cpuview	cache2sramtype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache2sramtype	OEM	NA	
dcim_cpuview	cache2type	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache2type	OEM	NA	
dcim_cpuview	cache2writepolicy	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache2writepolicy	OEM	NA	
dcim_cpuview	cache3associativity	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache3associativity	OEM	NA	
dcim_cpuview	cache3error methodology	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache3error methodology	OEM	NA	
dcim_cpuview	cache3installeddsize	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cache3installeddsize	OEM	NA	
dcim_cpuview	cache3level	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/	cache3level	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			Processors/Dell Processor				
dcim_cpuview	cache3location	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache3location	OEM	NA	
dcim_cpuview	cache3primarystatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache3primarystatus	OEM	NA	
dcim_cpuview	cache3size	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache3size	OEM	NA	
dcim_cpuview	cache3sramtype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache3sramtype	OEM	NA	
dcim_cpuview	cache3type	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache3type	OEM	NA	
dcim_cpuview	cache3writepolicy	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	cache3writepolicy	OEM	NA	
dcim_cpuview	externalbusclockspeed	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	externalbusclockspeed	OEM	NA	
dcim_cpuview	lastsysteminventorytime	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/Dell Processor	lastsysteminventorytime	OEM	NA	
dcim_cpuview	lastupdateime	N/A	/redfish/v1/Dell/Systems/System	lastupdateime	OEM	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			m.Embedded.1/Processors/DellProcessor				
dcim_cpuview	voltage	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	voltage	OEM	NA	
dcim_powersupply	requestedstate	N/A	/redfish/v1/Dell/Chassis/System.Embedded.1/Power/PowerSupplies/DellPowerSupply	requestedstate	OEM	NA	
dcim_cpuview	cpufamily	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cpufamily	OEM	NA	
dcim_chassis	creationclassname	N/A	Not applicable for redfish		n/a	NA	
dcim_idraccardservice	N/A	cleartransfersession	Not applicable for redfish		N/A	NA	
dcim_idraccardservice	N/A	exportdata	Not applicable for redfish		N/A	NA	
dcim_idraccardservice	N/A	importdata	Not applicable for redfish		N/A	NA	
dcim_jobservice	N/A	createjob	Not applicable for redfish		N/A	NA	
dcim_slot	creationclassname	N/A	NA	NA	DMTF	NA	
dcim_biosservice	N/A	devicerecovery	/redfish/v1/Systems/System.Embedded.1/Oem/Dell/DellBIOSService/Actions/DellBIOSService.DeviceRecovery		OEM	NA	
dcim_metricservice	N/A	controlmetrics	Available in 5.00.00	Available in 5.00.00	DMTF	NA	
dcim_metricservice	N/A	getavgpowerconsum	Available in 5.00.00		DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
		ptionbyinterval					
dcim_nicview	autonegotiation	N/A	FlowControlStatus		DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_licensemanagement-service	N/A	replacelicense	Deprecated in WSMAN		N/A	NA	
dcim_pciessdview	devicelifestatus	N/A	Deprecated [Not present in WS-Man]		N/A	NA	
dcim_cpuview	characteristics	N/A	Deprecated		n/a	NA	
dcim_cpuview	executedisablecapable	N/A	Deprecated		n/a	NA	
dcim_cpuview	executedisableenabled	N/A	Deprecated		n/a	NA	
dcim_nicview	fcoeffloadmode	N/A	DellNetworkAttributes	fcoeffloadmode	DMTF	NA	
dcim_nicview	fcoewwnn	N/A	DellNetworkAttributes	fcoewwnn	DMTF	NA	
dcim_nicview	maxbandwidth	N/A	DellNetworkAttributes	maxbandwidth	DMTF	NA	
dcim_nicview	minbandwidth	N/A	DellNetworkAttributes	minbandwidth	DMTF	NA	
dcim_cpuview	cpustatus	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/Processors/DellProcessor	cpustatus	OEM	NA	
dcim_pciessdview	deviceprotocol	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Protocol	DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_pciessdview	failurepredicted	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[FailurePredicted]	DMTF		Under (System.Embedded.1/Storage/PCle ID) in 13G
dcim_pciessdview	fqdd	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[Id]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	instanceid	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[Id]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	manufacturer	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[manufacturer]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	maximumcapabilitiespeed	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[CapableSpeedGbs]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	model	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[Model]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	negotiatedspeed	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[NegotiatedSpeedGbs]	DMTF		Under (System.Embedded.1/Storage/PCle ID)

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_pciessdview	primarystatus	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[State]	DMTF		Yed (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	raidstatus	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	raidstatus	DMTF		URIs are same in both 13G and 14G
dcim_pciessdview	remainingratedwriteendurance	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[PredictedMediaLifeLeftPercent]	DMTF		Under(System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	revision	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[Revision]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	serialnumber	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[serialnumber]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	sizeinbytes	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Present in redfish[CapacityBytes]	DMTF		Under (System.Embedded.1/Storage/PCle ID)
dcim_pciessdview	slot	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCleSSD.Slot.2-C/Drives/{ID}	Not available	DMTF		URIs are same in both 13G and 14G

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_pciessdview	state	N/A	/redfish/v1/Systems/System.Embedded.1/Storage/PCIeSSD.Slot.2-C/Drives/{ID}	Present in redfish[State]	DMTF		Under (System.Embedded.1/Storage/PCIe ID)
DCIM_ControllerView	SASAddress		/redfish/v1/Systems/System.Embedded.1/Storage/AHCI.Embedded.1-1	SASAddress (OEM Attribute)	DMTF	NA	
dcim_cpuview	devicedescription	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Name	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_cpuview	fqdd	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_cpuview	instanceid	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	ID	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_cpuview	manufacturer	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Manufacturer	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_cpuview	maxclockspeed	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	MaxSpeed InMhz	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_cpuview	model	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Model	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_cpuview	numberofenabledcores	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	TotalEnabledCores	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Under (Total cores)
dcim_cpuview	numberofprocessorcores	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	TotalCores	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_cpuview	primarystatus	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	Status	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
dcim_pcideviceview	busnumber	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	ID	DMTF		URIs are same in both 13G and 14G
dcim_pcideviceview	devicedescription	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Description	DMTF		URIs are same in both 13G and 14G
dcim_pcideviceview	devicenumber	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Present[Id BusNumber-DeviceNumber]	DMTF		Under (System.Embedded ID)
dcim_pcideviceview	fqdd	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	ID	DMTF		URIs are same in both 13G and 14G

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_pcidviceiew	functionnumber	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	FunctionID	DMTF		URIs are same in both 13G and 14G
dcim_pcidviceiew	instanceid	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	ID	DMTF		URIs are same in both 13G and 14G
dcim_pcidviceiew	manufacturer	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Manufacturer	DMTF		URIs are same in both 13G and 14G
dcim_pcidviceiew	pcideviceid	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Present in redfish[manufacturer]	DMTF		Under (System.Embedded ID)
dcim_pcidviceiew	pcisubdeviceid	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Present[PCIFunction/SubsystemId]	DMTF		Under (System.Embedded ID)
dcim_pcidviceiew	pcisubvendorid	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Present[PCIFunction/SubsystemVendorId]	DMTF		Under (System.Embedded ID)
dcim_pcidviceiew	pcivendorid	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Present[PCIFunction/VendorId]	DMTF		Under (System.Embedded ID)
dcim_pciessdbackplaneview	devicedescription	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	ID	DMTF		URIs are same in both 13G and 14G
dcim_pciessdbackplaneview	fqdd	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	Description	DMTF		Yes(Same as 14G)

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_pciessdbackplaneview	instanceid	N/A	/redfish/v1/Systems/System.Embedded.1/PCIDevices/{ID}	ID	DMTF		URIs are same in both 13G and 14G
dcim_biosservice	N/A	deletependingconfiguration	/redfish/v1/Systems/System.Embedded.1/Bios/Settings/Actions/Oem/DellManager.ClearPending		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Settings/Actions/Oem/DellManager.ClearPending	
DCIM_BIOSService		CreateTargetedConfigJob	/redfish/v1/Systems/System.Embedded.1/Bios/Settings		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Settings	We can find Job ID under Bios/Settings, no need to create Job explicitly in Redfish
DCIM_BIOSService		SetAttribute	/redfish/v1/Systems/System.Embedded.1/Bios/Settings		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Settings	
DCIM_BIOSService		SetAttributes	/redfish/v1/Systems/System.Embedded.1/Bios/Settings		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Settings	
dcim_biosservice	N/A	changepassword	/redfish/v1/Systems/System.Embedded.1/Bios/Actions/Bios.ChangePassword		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Actions/Bios.ChangePassword	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_BIOSService		Change BIOSPassword	/redfish/v1/Systems/System.Embedded.1/Bios/Actions/Bios.ChangePassword		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Actions/Bios.ChangePassword	
DCIM_BootConfigSetting		Change BootOrderByInstanceID	/redfish/v1/Systems/System.Embedded.1/	BootSourceOverrideTarget	DMTF	/redfish/v1/Systems/System.Embedded.1/	
DCIM_BootConfigSetting		Change BootSourceState	/redfish/v1/Systems/System.Embedded.1/	BootSourceOverrideEnabled	DMTF	/redfish/v1/Systems/System.Embedded.1/	
dcim_lcservice	N/A	deleting configuration	/redfish/v1/Managers/LifecycleController.Embedded.1/Attributes/Settings/Actions/Oem/DellManager.ClearPending		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Settings/Actions/Oem/DellManager.ClearPending	
dcim_osdeploymentntservice	N/A	connectrsiimage	/redfish/v1/Managers/iDRAC.Embedded.1/VirtualMedia/RemovableDisk/Actions/VirtualMedia.InsertMedia		DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/VirtualMedia/CD/Actions/VirtualMedia.InsertMedia	
dcim_osdeploymentntservice	N/A	disconnectrsiimage	/redfish/v1/Managers/iDRAC.Embedded.1/VirtualMedia/RemovableDisk/Actions/VirtualMedia.EjectMedia		DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/VirtualMedia/CD/Actions/VirtualMedia.EjectMedia	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_lcservice	N/A	createconfigobj	/redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/LifecycleController.Embedded.1/Settings	PATCH	DMTF	NA	
DCIM_LCService		SetAttribute	/redfish/v1/Managers/iDRAC.Embedded.1/Oem/Dell/DellAttributes/LifecycleController.Embedded.1/Settings	PATCH	DMTF	NA	
DCIM_SelLogEntry	CreationTimeStamp		/redfish/v1/Managers/iDRAC.Embedded.1/LogServices/Sel/Entries/{ID}	Created	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Logs/Sel	
DCIM_SelLogEntry	PerceivedSeverity		/redfish/v1/Managers/iDRAC.Embedded.1/LogServices/Sel/Entries/{ID}	Severity	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Logs/Sel	
DCIM_SelLogEntry	RecordData		/redfish/v1/Managers/iDRAC.Embedded.1/LogServices/Sel/Entries/{ID}	Message	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Logs/Sel	
DCIM_SelLogEntry	RecordID		/redfish/v1/Managers/iDRAC.Embedded.1/LogServices/Sel/Entries/{ID}	MessageID	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Logs/Sel	
dcim_idraccardservice	N/A	deletependingconfiguration	/redfish/v1/Managers/iDRAC.Embedded.1/Attributes/Settings/Actions/Oem/Dell/Manager.ClearPending		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Settings/Actions/Oem/Dell/Manager.ClearPending	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_iDRACCardString	IPV4Address		/redfish/v1/Managers/iDRAC.Embedded.1/Attributes		DMTF	NA	
DCIM_iDRACCardString	IPV6Address		/redfish/v1/Managers/iDRAC.Embedded.1/Attributes		DMTF	NA	
DCIM_iDRACCardString	LinkDuplex		/redfish/v1/Managers/iDRAC.Embedded.1/Attributes		DMTF	NA	
DCIM_LCService		Export System Configuration	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ExportSystemConfiguration	POST	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/Actions/Oem/EID_674_Manager.ExportSystemConfiguration	
dcim_sensor	deviceid	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor/{ID}	ID	DMTF	NA	
dcim_sensor	sensortype	N/A	/redfish/v1/Dell/Systems/System.Embedded.1/DellSensor/{ID}	SensorType	DMTF	NA	
DCIM_PowerSupplyView	Type		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	InputType	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	
DCIM_PowerSupplyView	FQDD		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_PowerSupplyView	PrimaryStatus		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Status	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	TotalOutputPower		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	PowerOutputWatts	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	FirmwareVersion		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	FirmwareVersion	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	RedundancyStatus		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Redundancy	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	InputVoltage		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	PowerInputWatts	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	Manufacturer		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Manufacturer	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_PowerSupplyView	Model		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	Model	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	PartNumber		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	PartNumber	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
DCIM_PowerSupplyView	SerialNumber		/redfish/v1/Chassis/System.Embedded.1/Power#/PowerSupplies/{ID}	SerialNumber	DMTF	/redfish/v1/Chassis/System.Embedded.1/Power/PowerSupplies/{ID}	
dcim_nicview	linkspeed	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	LinkSpeed Mbps	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_nicview	receiveflowcontrol	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	FlowControlStatus	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicview	transmitflowcontrol	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	FlowControlStatus	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_nicview	currentmacaddress	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	MACAddress	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	
dcim_nicview	functionnumber	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	PCIeFunction	DMTF	NA	
dcim_nicview	permanentmacaddress	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	MACAddress	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkPorts/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_nicview	virtwwn	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	WWNN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	
dcim_nicview	virtwwpn	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	WWPN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	
dcim_nicview	wwn	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	WWNN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	
dcim_nicview	wwpn	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	WWPN	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	
DCIM_NICView	VendorName		/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.E	VendorName (OEM)	DMTF	NA	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			mbedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1				
DCIM_NICView	FQDD		/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	FQDD (OEM)	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	Which is ID
DCIM_NICView	PCIVendorID		/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	PCIVendorID (OEM)	DMTF	NA	
DCIM_NICView	DeviceDescription		/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/NIC.Embedded.1-1-1	DeviceDescription (OEM)	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/NIC.Embedded.1/NetworkDeviceFunctions/{ID}	
dcim_fccapabilities	fqdd	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	URIs are same in both 13G and 14G

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
dcim_fccapabilities	instanceid	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	URIs are same in both 13G and 14G
dcim_fcstatistics	fqdd	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	URIs are same in both 13G and 14G
dcim_fcstatistics	instanceid	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	ID	DMTF	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	URIs are same in both 13G and 14G
dcim_fcview	devicedescription	N/A	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	Description	DMTF	/redfish/v1/Chassis/System.Embedded.1/NetworkAdapters/{ID}/NetworkDeviceFunctions/{ID}	URIs are same in both 13G and 14G
DCIM_SystemManagementService		IdentifyChassis	/redfish/v1/Chassis/System.Embedded.1	Location	DMTF	NA	
dcim_enclosurepsuview	devicedescription	N/A	/redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-	Description	DMTF	NA	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
			/Power#/PowerSupplies/0				
dcim_enclosurepsuview	instanceid	N/A	/redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Power#/PowerSupplies/0	ID (OEM Property)	DMTF	NA	
dcim_enclosurepsuview	state	N/A	/redfish/v1/Chassis/Enclosure.External.1-0:RAID.Slot.1-1/Power#/PowerSupplies/0	Status	DMTF	NA	
dcim_ipmirolebasedauthorizationsevice	N/A	assignroles	/redfish/v1/AccountService	Present in redfish[User account]	DMTF	/redfish/v1/Managers/iDRAC.Embedded.1/AccountService	
DCIM_FCView	DeviceName		/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	Name	DMTF	/redfish/v1/Systems/System.Embedded.1/NetworkAdapters/{ID}/NetworkPorts/{ID}	
DCIM_HostNetworkInterfaceView	InstanceID		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	IPV4Address		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_HostNetworkInterfaceView	IPV4Gateway		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	IPv4Subnet		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	IPV6Address		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	IPV6Gateway		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	IPV6PrefixLength		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	MacAddr		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	Name		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	

Technical support and resources

Class Name	Property Name	Methods	iDRAC9 Redfish API Mapping (14G/15G)	Redfish Mapping	DMTF-OEM	iDRAC8 Redfish API Mapping (13G)	Comments
DCIM_HostNetworkInterfaceView	Status		/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}		DMTF	/redfish/v1/Systems/System.Embedded.1/EthernetInterfaces/{ID}	
DCIM_HostNetworkInterfaceView	Type		NA	Fix the mof with value-valuemap		NA	
DCIM_OSDeploymentService		BootTO PXE	/redfish/v1/Systems/System.Embedded.1	BootSourceOverrideTarget	DMTF	/redfish/v1/Systems/System.Embedded.1	
DCIM_PClеSSDBackPlaneView	FirmwareVersion		/redfish/v1/Chassis/{EnclosureID}/Oem/Dell/DellPCleSSDBackPlanes	FirmwareVersion	OEM	NA	
dcim_cpuview	numberofthreads	N/A	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	TotalThreads	DMTF	/redfish/v1/Systems/System.Embedded.1/Processors/{ID}	
DCIM_BIOSService		ResetBIOS	/redfish/v1/Systems/System.Embedded.1/Bios/Actions/Bios.ResetBios		DMTF	/redfish/v1/Systems/System.Embedded.1/Bios/Actions/Bios.ResetBios	
DCIM_EFConfigurationService							Not available through redfish oem

2 Summary

With growing Redfish adoption among customers, the DMTF Redfish standard is emerging as a key new tool for efficient, scalable, and secure server management. Leveraging iDRAC9 RESTful APIs aids in rapid automation for one-to-many server management. System administrators and IT developers continue to appreciate Redfish's features that can increase efficiency, lower costs and boost productivity across their organizations. Dell EMC is a committed leader in the development and implementation of open, industry standards. By supporting Redfish within the iDRAC with Lifecycle Controller further enhances the manageability of PowerEdge servers, providing a powerful tool to help IT administrators to reduce complexity, provides greater flexibility in DevOps environments and ultimately helps save time and money.

A Technical support and resources

The iDRAC support home page provides access to product documents, technical white papers, how-to videos, and more.

www.dell.com/support/idrac

iDRAC User Guides and other manuals

www.dell.com/idracmanuals

iDRAC RESTful API with Redfish documentation and technical white papers

- Redfish portal on Dell Developer Portal <https://developer.dell.com/apis/2978/versions/5.00.00.00/docs>
- Introducing the Dell EMC PowerEdge Redfish API white paper http://en.community.dell.com/techcenter/extras/m/white_papers/20442330
- RESTful Server Configuration with iDRAC RESTful API white paper http://en.community.dell.com/techcenter/extras/m/white_papers/20443207
- Automating Redfish with PowerShell white paper: http://en.community.dell.com/techcenter/extras/m/white_papers/20444434
- iDRAC OEM schema for developer reference <https://downloads.dell.com/redfish/bmc/schemas/>
- Dell EMC Open source Redfish PowerShell and Python Scripting <http://github.com/dell/iDRAC-Redfish-Scripting>

iDRAC9 Telemetry

- Telemetry Streaming overview in iDRAC9 4.x - https://www.dell.com/support/manuals/us/en/04/idrac9-lifecycle-controller-v4.x-series/idrac9_4.00.00.00 Ug_new/telemetry-streaming?guid=guid-bb333215-c6b3-481a-a508-14c90412f4cb&lang=en-us
- Telemetry Streaming via Redfish APIs - https://www.dell.com/support/manuals/us/en/04/idrac9-lifecycle-controller-v4.x-series/idrac9_4.00.00.00_redfishapiguide_pub/telemetry?guid=guid-595a2094-44b5-4145-825a-c3bc85cee746&lang=en-us
- GitHub scripts for Telemetry - <https://github.com/dell/iDRAC-Telemetry-Scripting>