



Specifications


Copyright © 2013–2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2014 - 06 Rev. A02 Regulatory model: D095 | Type: D09S001 Computer model: Inspiron 3647





Front



Back panel

Back

Front I/O-panel door (open)

Covers the Front I/O-panel.

Media-card reader

Reads from and writes to media cards.

Headphone port

Connect a headphone or speakers.

Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.

Power button

Press to turn on the computer if it is turned off or in Sleep state.

Press to put the computer in Sleep state if it is turned on.

Press and hold for 10 seconds to force shut-down the computer.

☑ NOTE: You can customize the power-button behaviour in Power Options. For more information, see *Me and My Dell* at dell.com/support.

Optical-drive cover

Covers the optical drives.

Microphone port

Connect an external microphone to provide sound input.

USB 2.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

Optical-drive eject button

Press to open or close the optical drive tray.





Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.

Power cable port

Connect a power cable to provide power to your computer.

Power supply light

Indicates power availability of the power supply.

Expansion-card slots

Provide access to connectors on any installed PCI Express cards.

Back panel

Connect USB, audio, video, and other devices.



Back panel







Line-in port

Connect recording or playback devices such as a microphone or CD player.

Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access.

The two lights next to the connector indicate the connectivity status and network activity.

Line-out port

Connect speakers.

Microphone port

Connect an external microphone to provide sound input.

VGA port

Connect an external display or a projector.

HDMI-out port


Connect to HDMI-out enabled devices. Provides video and audio output.

USB 3.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

USB 2.0 ports (4)


Connect peripherals, such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.





Dimensions and Weight

Height	265 mm (10.43 in)	
Width	100 mm (3.94 in)	
Depth	347.8 mm (13.70 in)	
Weight (maximum)	6.0 kg (13.22 lb)	
	NOTE : The weight of your desktop varies depending on the configuration ordered and the manufacturing variability.	



System Information


Computer model	Inspiron 3647
Processor	Intel Core i3 (4th Generation)
	Intel Core i5 (4th Generation)
	Intel Core i7 (4th Generation)
	Intel Celeron
	Intel Pentium
L3 cache	up to 8 MB
Chipset	Intel H81 PCH





Memory

Connector	Two internally-accessible DDR3 DIMM sockets	
Туре	DDR3	
Speed	1600 MHz	
Configurations supported	2 GB, 4 GB, 8 GB, 12 GB, and 16 GB	



Ports and Connectors

Network	One RJ45 port
USB	Six USB 2.0 port
	Two USB 3.0 ports
HDMI	One HDMI-out port
Audio	One headphone port
	Two microphone ports
	One line-out port
	One line-in port
Video	One 15-hole VGA port
	One 19-pin HDMI port
Media Card Reader	One 8-in-1 card slot





Communications

Ethernet

Wireless

10/100/1000 Mbps Ethernet controller integrated on system board Dell Wireless-N 1705 and Bluetooth 4.0





Video

Controller:	
Integrated	Intel HD Graphics
	Intel HD Graphics 4400/4600
Discrete	NVIDIA GeForce GT 625
	NVIDIA GeForce GT 635
Memory:	
Integrated	Shared system memory
Discrete	1024 MB





Audio

Controller

Туре

Realtek Audio Codec ALC3600-CG Integrated 5.1 channel HD Audio





Storage

Externally accessible	One 5.25-inch drive bay for a Blu-ray Disc combo (optional) Blu-ray Disc writer (optional), or DVD+/-RW	
Internally accessible	One 3.5-inch drive bay for SATA hard drives (includes hybrid)	



Media-card reader

Туре

Cards supported

One 8-in-1 slot


- Secure Digital (SD)
- SD Extended Capacity Card (SDXC)
- High Capacity SD (SDHC)
- Memory Stick (MS)
- Memory Stick PRO (MS PRO)
- Multimedia Card (MMC)
- Multimedia Card Plus (MMC+)
- xD-Picture Card (XD)





Power Ratings

Туре	220 W
Input voltage	• 100 VAC-127 VAC
	• 200 VAC-240 VAC
Input frequency	50 Hz-60 Hz
Input current (maximum)	6 A/3 A





Computer Environment

Airborne contaminant level	G2 or lower as defined by ISA-S71.04	G2 or lower as defined by ISA-S71.04-1985	
Relative humidity (maximum)	20% to 80% (noncondensing)	20% to 80% (noncondensing)	
	Operating	Storage	
Temperature range	10 °C to 35 °C (50 °F to 95 °F)	–10 °C to 45 °C (–14 °F to 113 °F)	
Vibration (maximum)*	0.25 GRMS	2.20 GRMS	
Shock (maximum) [†]	40 G for 2 ms with a change in velocity of 20 in/s (51 cm/s)	50 G for 26 ms with a change in velocity of 320 in/s (813 cm/s)	
Altitude (maximum)	–15.2 m to 3048 m (–50 ft to 10,000 ft)	–15.2 m to 10,668 m (–50 ft to 35,000 ft)	

* Measured using a random vibration spectrum that simulates user environment.

⁺ Measured with hard drive in operating status and a 2-ms half-sine pulse for operating. Also measured with hard drive in head-parked position and a 2-ms half-sine pulse for storage.

