




About Warnings

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

Dell™ Vostro™ 320 Setup and Features Information Tech Sheet

Front View



- 1 camera status light (optional)
- 2 camera (optional)
- 3 microphone (optional)

- 4 auto adjust/brightness increase

July 2009




OR102NA00

Regulatory Model: W01B
Regulatory Type: W01B001

- | | | | |
|----|--|----|-------------------------------------|
| 5 | brightness adjust mode/brightness decrease | 6 | 8-in-1 media card reader (optional) |
| 7 | IEEE 1394a port (optional) | 8 | USB 2.0 connectors (3) |
| 9 | microphone connector | 10 | headphone connector |
| 11 | drive activity light | 12 | power button |
| 13 | power LED | | |

Back View



- | | | | |
|----|---|----|--------------------------|
| 1 | power connector | 2 | parallel connector |
| 3 | Gigabit network connector | 4 | USB 2.0 connectors (2) |
| 5 | PS2 mouse connector | 6 | line-out connector |
| 7 | PS2 keyboard connector | 8 | USB 2.0 connector |
| 9 | serial connector | 10 | optical drive (optional) |
| 11 | optical drive activity light (optional) | 12 | security cable slot |
| 13 | 2W stereo speakers—at base of computer (optional) | 14 | air vent (3) |
| 15 | rear stand | 16 | VESA® mount cover |

Quick Setup



WARNING: Before you begin any of the procedures in this section, read the safety information that shipped with your computer. For additional best practices information, see www.dell.com/regulatory_compliance.



WARNING: Do not use the stand to carry the computer.



CAUTION: Do not install your computer in an enclosure where there is limited, restricted, or no airflow. Restricting the airflow impacts your computer's performance, possibly causing it to overheat. If your computer is installed in a corner on a desk, leave at least a 5.1 cm (2 in) clearance from the back of the computer to the wall to permit the airflow required for proper ventilation.



CAUTION: Ensure that you do not damage any cables or USB devices connected to the rear I/O ports when adjusting the angle of the rear stand.



NOTE: Some devices may not be included if you did not order them.

1 Pull the stand to *work angle* as shown.

A distinct click is heard when the stand is opened or closed over the initial work angle.






Vostro 320 also supports UL-certified VESA wall mounts (100 mm x 100 mm only).


For proper mounting, use four (ea.) 4 mm dia, 0.7 pitch x 10 mm long screws (Base on the pad thickness is 2.6 mm.).

2 Connect the USB keyboard or mouse.


3 Connect the network cable (optional).



4 Connect the power cable.



5 Connect IEEE 1394a devices, such as a DVD player (optional).



6 Press the power button to turn on the computer.



NOTE: It is recommended that you turn on and shut down your computer at least once before you install any external device, such as a printer.

Specifications



NOTE: Offerings may vary by region. The following specifications are only those required by law to ship with your computer. For more information regarding the configuration of your computer, click **Start** → **Help and Support** and select the option to view information about your computer.

System Information

Chipset	Intel® G41 + ICH7
Processor type	Intel Celeron®, Intel Pentium®, Intel Core™ 2 Duo, or Intel Core™ 2 Quad 65W TDP

Video

Display sizes	17 inches wide (resolution 1440 x 900) 18.5 inches wide (resolution 1366 x 768) 19 inches wide (resolution 1440 x 900)
Video type	Integrated Graphics
Data bus	Low-voltage differential signaling (LVDS)
Video controller	Intel GMA X4500
Video memory	1 MB–256 MB

Memory

Memory module connector	2 DIMM slots
Memory module capacity	1 GB or 2 GB
Memory type	DDR2 800 MHz
Minimum memory	1 GB
Maximum memory	4 GB Dual Channel

Drives

Internally accessible	One 5.25 inch drive bay One 3.5 inch SATA drive bay
Available devices	One 3.5 inch SATA hard drive (7200 rpm) One 5.25 inch SATA DVD-ROM, DVD+/-RW

Control Lights and Diagnostic Lights

Power light	white light — solid white light indicates power-on state; blinking white light indicates standby power state of the computer. amber light — solid amber light indicates a problem with the system board or power supply; blinking amber light indicates a problem with the system board.
Drive activity light	Displays the SATA hard drive or CD/DVD activity. white light — blinking white light indicates that the computer is reading data from or writing data to the hard drive. green light — blinking green light indicates that the computer is reading data from or writing data to the optical drive.
Camera status light	white light — solid white light indicates that the camera is turned on.

Power

Wattage	130 W
Maximum heat dissipation	497.8 BTU/hr
Power supply:	
Voltage	100–240 V~, 50/60 Hz, 2–1 A
Coin-cell battery	3 V CR2032 lithium coin cell

Physical

Height	386.39 mm (15.21 inches)
Width	477.39 mm (18.79 inches)
Depth	103.98 mm (4.09 inches)
Weight	6.5–8.0 Kgs (14.3–17.6 lbs) (varies with different LCD panels and configurations)

Environmental

Temperature range

Operating	10° to 35°C (50° to 95°F)
Storage	-40° to 65°C (-40° to 149°F)

Relative humidity (maximum)

Operating	10% to 90% (noncondensing)
Storage	5% to 95% (noncondensing)

Altitude:

Operating	-15.2 to 3048 m (-50 to 10,000 ft)
Storage	-15.2 to 10,668 m (-50 to 35,000 ft)

Airborne contaminant level G2 or lower as defined by ISA-S71.04-1985

Finding More Information and Resources

If you need to:**See:**

Find safety best practices information for your computer, review Warranty information, Terms and Conditions(U.S only), Safety instructions, Regulatory information, Ergonomics information, and End User License Agreement.

The safety and regulatory documents that shipped with your computer and the Regulatory Compliance Homepage at www.dell.com/regulatory_compliance.

Information in this document is subject to change without notice.

© 2009 Dell Inc. All rights reserved. Printed in China. Printed on recycled paper.

Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. is strictly forbidden.

Trademarks used in this text: *Dell*, the *DELL* logo, and *Vostro* are trademarks of Dell Inc.; *Intel*, *Pentium*, and *Celeron* are registered trademarks and *Core* is a trademark of Intel Corporation in the U.S. and other countries; *Vesa* is a registered trademark of Video Electronics Standards Association.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own.