

## Statement of Volatility - Dell U2212HM Monitor

The purpose of this document is to certify that Dell's U2212HM monitor will not save, retain or reproduce a signal to any internal or external component after power has been removed and reapplied to the unit.

The Dell U2212HM monitor contains both volatile and non-volatile (NV) memory ICs. Volatile memory(s) lose their data immediately upon removal of power. Non-volatile memory ICs continue to retain their data even after the power has been removed. However, no input video data is written into these memory ICs during operation.

Flash ROM	MX25L4006EM1I-12G
Size	4 Mbit
Type [e.g. Flash PROM, EEPROM]	Serial flash memory
Volatility	Non-volatile
Can user programs or operating system write data to it during normal operation?	No
Purpose	To store firmware
How is data input to this memory?	Loading flash memory requires a vendor-provided firmware file and tool
How is this memory write protected?	Software write protected

List below contains volatile and non volatile memory ICs used in Dell 1907FPc monitor.

System EEPROM	M24C16
Size	16Kbit
Type [e.g. Flash PROM, EEPROM]	EEPROM
Volatility	Non-volatile
Can user programs or operating system write data to it during normal operation?	Yes
Purpose	Storage of system setting(OSD)
How is data input to this memory?	Control the OSD menu and change OSD setting(ex. Brightness,contrast,color setting) and the setting will be stored into system EEPROM

VGA EDID EEPROM	M24C02
Size	2Kbit
Type [e.g. Flash PROM, EEPROM]	EEPROM
Volatility	Non-volatile
Can user programs or operating system write data to it during normal operation?	No
Purpose	To store VGA EDID
How is data input to this memory?	Writing EDID requires a vendor-provided tool and an specific VGA cable.
How is this memory write protected?	Hardware write protected

DVI EDID EEPROM	M24C02
Size	2Kbit
Type [e.g. Flash PROM, EEPROM]	EEPROM
Volatility	Non-volatile
Can user programs or operating system write data to it during normal operation?	Νο
Purpose	To store DVI EDID
How is data input to this memory?	Writing EDID requires a vendor-provided tool and an specific DVI cable.
How is this memory write protected?	Hardware write protected

Display Port EDID EEPROM	M24C02
Size	2Kbit
Type [e.g. Flash PROM, EEPROM]	EEPROM
Volatility	Non-volatile
Can user programs or operating	
system write data to it during	
normal operation?	No
Purpose	To store DVI EDID
How is data input to this	Writing EDID requires a vendor-provided tool and an
memory?	specific DVI cable.
How is this memory write	Hardware write protected

protected?	

CAUTION: All other components on the system board lose data if power is removed from the system. Primary power loss (unplugging the power cord and removing the battery) destroys all user data.

© 2017 Dell Inc.