



# Dell 7760 SNMP Protocol Document

## Control Commands List

Name	Feature	Oid	Value Type	Read /Write	Criteria
RFC1213-system	sysDescr	1.3.6.1.2.1.1.1.0	String	R	Del7760
RFC1213-system	sysObjectID	1.3.6.1.2.1.1.2.0	OID	R	.1.3.6.1.4.1.674.10901.200.18
RFC1213-system	sysUpTime	1.3.6.1.2.1.1.3.0	Timetics	R	Operation hours * hours * minutes * seconds
RFC1213-system	sysContact	1.3.6.1.2.1.1.4.0	String	R/W	If meet web management (system status)
RFC1213-system	sysName	1.3.6.1.2.1.1.5.0	String	R/W	If meet web management (Group Name + Projector Name)
RFC1213-system	sysLocation	1.3.6.1.2.1.1.6.0	String	R/W	If meet web management (system status)
RFC1213-system	sysServices	1.3.6.1.2.1.1.7.0	Integer	R	DEFVAL { 72 }
RFC1213-interfaces	ifNumber	1.3.6.1.2.1.2.1.0	Integer	R	DEFVAL { 1 }
pdmGeneral	pdmGeneralProductName	1.3.6.1.4.1.2699.2.4.1.2.1.0	String	R	Dell 7760
pdmGeneral	pdmGeneralSerialNumber	1.3.6.1.4.1.2699.2.4.1.2.2.0	String	R	Check PPID number (the latter 7 yards)
pdmGeneral	pdmGeneralAssetTag	1.3.6.1.4.1.2699.2.4.1.2.3.0	String	R/W	Range (0~63 byte)
pdmGeneral	pdmGeneralHardwareVersion	1.3.6.1.4.1.2699.2.4.1.2.4.0	String	R	DEFVAL ( " " )
pdmGeneral	pdmGeneralServicePerson	1.3.6.1.4.1.2699.2.4.1.2.5.0	String	R/W	Range (0~255 byte)
pdmGeneral	pdmGeneralDeviceAge	1.3.6.1.4.1.2699.2.4.1.2.6.0	Integer	R	Check display hours
pdmGeneral	pdmGeneralPowerOnCount	1.3.6.1.4.1.2699.2.4.1.2.7.0	Integer	R	Everytime Projector power on, check if the count value is added by one.
pdmGeneral	pdmGeneralManufactureDate	1.3.6.1.4.1.2699.2.4.1.2.8.0	String	R	
pdmGeneral	pdmGeneralLanguageTagSNMP	1.3.6.1.4.1.2699.2.4.1.2.9.0	String	R	en-US
pdmGeneral	pdmGeneralNtpServerAddress	1.3.6.1.4.1.2699.2.4.1.2.10.0	String	R	DEFVAL ( " " )
PdmCtrl	pdmCtrlIndex	1.3.6.1.4.1.2699.2.4.1.3.1.1.1	Integer	not-accessible	1
PdmCtrl	pdmCtrlDescription	1.3.6.1.4.1.2699.2.4.1.3.1.1.2	String	R	TI DDP4422HV
PdmCtrl	pdmCtrlHardwareVersion	1.3.6.1.4.1.2699.2.4.1.3.1.1.3	String	R	DEFVAL ( " " )
PdmCtrl	pdmCtrlFirmwareVersion	1.3.6.1.4.1.2699.2.4.1.3.1.1.4	String	R	
PdmCtrl	pdmCtrlFirmwareUpgradeable	1.3.6.1.4.1.2699.2.4.1.3.1.1.5	Integer	R	DEFVAL { 10 }
PdmCtrl	pdmCtrlUpgradeInstructions	1.3.6.1.4.1.2699.2.4.1.3.1.1.6	String	R	DEFVAL ( " " )
PdmCtrl	pdmCtrlPostStatus	1.3.6.1.4.1.2699.2.4.1.3.1.1.7	Integer	R	DEFVAL { 2 }
PdmCtrl	pdmCtrlPostCode	1.3.6.1.4.1.2699.2.4.1.3.1.1.8	String	R	DEFVAL ( " " )
PdmCtrl	pdmCtrlPostStatusDefinitions	1.3.6.1.4.1.2699.2.4.1.3.1.1.9	String	R	DEFVAL ( " " )
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.1	Integer	not-accessible	1
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.2	Integer	not-accessible	2
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.3	Integer	not-accessible	3
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.4	Integer	not-accessible	4
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.5	Integer	not-accessible	5
PdmPower	pdmPowerIndex	1.3.6.1.4.1.2699.2.4.1.4.1.1.6	Integer	not-accessible	6
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.1	Integer	R	11
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.2	Integer	R	7
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.3	Integer	R	9

PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.4	Integer	R	8
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.5	Integer	R	8
PdmPower	pdmPowerImplementedState	1.3.6.1.4.1.2699.2.4.1.4.1.1.2.6	Integer	R	10
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.1	String	R	Power On.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.2	String	R	Power Off.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.3	String	R	Projector is cooling down.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.4	String	R	Low power mode.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.5	String	R	Low power mode.
PdmPower	pdmPowerDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.3.6	String	R	Warming up.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.1	String	R	Full power on, all components active.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.2	String	R	Standby State. Only network electronics remain on.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.3	String	R	Going down to standby mode.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.4	String	R	Lamp off. Fan on.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.5	String	R	Lamp off. Fan on.
PdmPower	pdmPowerMfrDescription	1.3.6.1.4.1.2699.2.4.1.4.1.1.4.6	String	R	Lamp warming up. Fan on.
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.1	Integer	R	7
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.2	Integer	R	11
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.3	Integer	R	3
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.4	Integer	R	7
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.5	Integer	R	11
PdmPower	pdmPowerTargetState	1.3.6.1.4.1.2699.2.4.1.4.1.1.5.6	Integer	R	3
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.1	Integer	R	120
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.2	Integer	R	30
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.3	Integer	R	0
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.4	Integer	R	120
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.5	Integer	R	20
PdmPower	pdmPowerTransitionTime	1.3.6.1.4.1.2699.2.4.1.4.1.1.6.6	Integer	R	0
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.1	Integer	R	3
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.2	Integer	R	4
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.3	Integer	R	4
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.4	Integer	R	3
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.5	Integer	R	3
PdmPower	pdmPowerCommandAvailable	1.3.6.1.4.1.2699.2.4.1.4.1.1.7.6	Integer	R	4
PdmPower	pdmPowerCurrentState	1.3.6.1.4.1.2699.2.4.1.4.2.0	Integer	R	
PdmPower	pdmPowerRequestedState	1.3.6.1.4.1.2699.2.4.1.4.3.0	Integer	R/W	
pdmDisplayCap	pdmDisplayCapResolutionH	1.3.6.1.4.1.2699.2.4.1.5.1.0	Integer	R	1600
pdmDisplayCap	pdmDisplayCapResolutionV	1.3.6.1.4.1.2699.2.4.1.5.2.0	Integer	R	1200

pdmDisplayCap	pdmDisplayCapPhysSizeH	1.3.6.1.4.1.2699.2.4.1.5.3.0	String	R	DEFVAL ( "" )
pdmDisplayCap	pdmDisplayCapPhysSizeV	1.3.6.1.4.1.2699.2.4.1.5.4.0	String	R	DEFVAL ( "" )
pdmDisplaySet	pdmDisplaySetIndex	1.3.6.1.4.1.2699.2.4.1.6.1.1.1.1	Integer	not-accessible	1
pdmDisplaySet	pdmDisplaySetAffectsAll	1.3.6.1.4.1.2699.2.4.1.6.1.1.2.1	Integer	R	DEFVAL { 1 }
pdmDisplaySet	pdmDisplaySetInputSource	1.3.6.1.4.1.2699.2.4.1.6.1.1.3.1	Integer	R/W	1. VGA_A 5. HDMI 14. HDMI2 15. Wireless Display Dongle 16. Network
pdmDisplaySet	pdmDisplaySetBrightness	1.3.6.1.4.1.2699.2.4.1.6.1.1.4.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetBrightnessMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.5.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetContrast	1.3.6.1.4.1.2699.2.4.1.6.1.1.6.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetContrastMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.7.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetRed	1.3.6.1.4.1.2699.2.4.1.6.1.1.8.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetGreen	1.3.6.1.4.1.2699.2.4.1.6.1.1.9.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetBlue	1.3.6.1.4.1.2699.2.4.1.6.1.1.10.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetRGBMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.11.1	Integer	R	DEFVAL { 100 }
pdmDisplaySet	pdmDisplaySetSaturation	1.3.6.1.4.1.2699.2.4.1.6.1.1.12.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetSatMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.13.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetHue	1.3.6.1.4.1.2699.2.4.1.6.1.1.14.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetHueMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.15.1	Integer	R	100
pdmDisplaySet	pdmDisplaySetSharpness	1.3.6.1.4.1.2699.2.4.1.6.1.1.16.1	Integer	R/W	
pdmDisplaySet	pdmDisplaySetSharpMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.17.1	Integer	R	31
pdmDisplaySet	pdmDisplaySetColorTemp	1.3.6.1.4.1.2699.2.4.1.6.1.1.18.1	Integer	R/W	3. Custom 4. Low 5. Mid 6. High
pdmDisplaySet	pdmDisplaySetRedClrTmp	1.3.6.1.4.1.2699.2.4.1.6.1.1.19.1	Integer	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetGreenClrTmp	1.3.6.1.4.1.2699.2.4.1.6.1.1.20.1	Integer	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetBlueClrTmp	1.3.6.1.4.1.2699.2.4.1.6.1.1.21.1	Integer	R/W	DEFVAL { 50 }
pdmDisplaySet	pdmDisplaySetClrTmpMax	1.3.6.1.4.1.2699.2.4.1.6.1.1.22.1	Integer	R	DEFVAL { 0 }
pdmDisplaySet	pdmDisplaySetVideoMute	1.3.6.1.4.1.2699.2.4.1.6.2.0	Integer	R/W	Blank Screen 1. Muted 2. Not Muted 3. Original
pdmDisplaySet	pdmDisplaySetDisplayMode	1.3.6.1.4.1.2699.2.4.1.6.3.0	Integer	R/W	5. Wide screen 16:10 7. 4:3
pdmLightSource	pdmLightSourceIndex	1.3.6.1.4.1.2699.2.4.1.7.1.1.1.1	Integer	not-accessible	1
pdmLightSource	pdmLightSourceDescription	1.3.6.1.4.1.2699.2.4.1.7.1.1.2.1	String	R	Laser Diode
pdmLightSource	pdmLightSourceStatus	1.3.6.1.4.1.2699.2.4.1.7.1.1.3.1	Integer	R	3. Okay 4. Failed
pdmLightSource	pdmLightSourceEcoSetting	1.3.6.1.4.1.2699.2.4.1.7.1.1.4.1	Integer	R/W	ECO Mode 4. Off -> Normal 5. On -> Low
pdmLightSource	pdmLightSourceAge	1.3.6.1.4.1.2699.2.4.1.7.1.1.5.1	Integer	R	
pdmLightSource	pdmLightSourceErrorCounter	1.3.6.1.4.1.2699.2.4.1.7.1.1.6.1	Integer	R	
pdmLightSource	pdmLightSourceReset	1.3.6.1.4.1.2699.2.4.1.7.1.1.7.1	Integer	R/W	DEFVAL { 1 }
pdmTempSensor	pdmTempSensor1	1.3.6.1.4.1.2699.2.4.1.10.1.1.1.1	Integer	not-accessible	1

Index						
pdmTempSensor	pdmTempSensorDescription	1.3.6.1.4.1.2699.2.4.1.10.1.1.2.1	String	R		Measure system internal temperature.
pdmTempSensor	pdmTempSensorStatus	1.3.6.1.4.1.2699.2.4.1.10.1.1.3.1	Integer	R		DEFVAL ( 2 )
pdmTempSensor	pdmTempSensorErrorCounter	1.3.6.1.4.1.2699.2.4.1.10.1.1.5.1	Integer	R		
pdmTempSensor	pdmTempSensorReset	1.3.6.1.4.1.2699.2.4.1.10.1.1.6.1	Integer	R/W		DEFVAL { 1 }
pdmTempSwitch	pdmTempSwitchIndex	1.3.6.1.4.1.2699.2.4.1.11.1.1.1.1	Integer	not-accessible		1
pdmTempSwitch	pdmTempSwitchDescription	1.3.6.1.4.1.2699.2.4.1.11.1.1.2.1	String	R		Avertronics INC.
pdmTempSwitch	pdmTempSwitchStatus	1.3.6.1.4.1.2699.2.4.1.11.1.1.3.1	Integer	R		3. Okay 5. Fail
pdmTempSwitch	pdmTempSwitchErrorCounter	1.3.6.1.4.1.2699.2.4.1.11.1.1.4.1	Integer	R		
pdmTempSwitch	pdmTempSwitchReset	1.3.6.1.4.1.2699.2.4.1.11.1.1.5.1	Integer	R/W		DEFVAL { 1 }
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.1	Integer	not-accessible		1
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.2	Integer	not-accessible		2
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.3	Integer	not-accessible		3
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.4	Integer	not-accessible		4
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.5	Integer	not-accessible		5
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.6	Integer	not-accessible		6
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.7	Integer	not-accessible		7
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.8	Integer	not-accessible		8
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.9	Integer	not-accessible		9
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.10	Integer	not-accessible		10
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.11	Integer	not-accessible		11
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.12	Integer	not-accessible		12
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.13	Integer	not-accessible		13
pdmConnector	pdmConnectorIndex	1.3.6.1.4.1.2699.2.4.1.12.1.1.1.14	Integer	not-accessible		14
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.1	String	R		VGA-A
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.5	String	R		HDMI
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.14	String	R		HDMI2
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.15	String	R		Wireless Display Dongle (HDMI3)
pdmConnector	pdmConnectorDescription	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.16	String	R		Network (HDMI4)
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.1	Integer	R		3 (See Note 2)
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.2	Integer	R		3
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.3	Integer	R		10
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.4	Integer	R		13
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.5	Integer	R		6
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.6	Integer	R		12
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.7	Integer	R		21
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.8	Integer	R		20
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.9	Integer	R		7

pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.10	Integer	R	4
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.11	Integer	R	9
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.12	Integer	R	22
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.3.13	Integer	R	23
pdmConnector	pdmConnectorType	1.3.6.1.4.1.2699.2.4.1.12.1.1.2.14	Integer	R	6
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.1	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.5	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorEnabled	1.3.6.1.4.1.2699.2.4.1.12.1.1.4.14	Integer	R	DEFVAL { 1 }
pdmConnector	pdmConnectorVideoCurrInput	1.3.6.1.4.1.2699.2.4.1.12.2.0	Integer	R/W	1. VGA_A 5. HDMI 14. HDMI2 15. Wireless Display Dongle 16. Network
pdmInterlockTable	pdmInterlockIndex	1.3.6.1.4.1.2699.2.4.1.13.1.1.1.1	Integer	not-accessible	1
pdmInterlockTable	pdmInterlockStatus	1.3.6.1.4.1.2699.2.4.1.13.1.1.3.1	Integer	R	DEFVAL { 3 }
pdmLocaleCharacterSet	pdmLocaleCharacterSetIndex	1.3.6.1.4.1.2699.2.4.1.14.1.1.1.1	Integer	not-accessible	1
pdmLocaleCharacterSet	pdmLocaleCharacterSetEnum	1.3.6.1.4.1.2699.2.4.1.14.1.1.2.1	Integer	R	DEFVAL { 4 }
pdmLocaleCharacterSet	pdmLocaleCharacterSetEWS	1.3.6.1.4.1.2699.2.4.1.14.2.0	Integer	R	DEFVAL { 4 }
pdmLocaleLanguage	pdmLocaleLanguageIndex	1.3.6.1.4.1.2699.2.4.1.15.1.1.1.1	Integer	not-accessible	1
pdmLocaleLanguage	pdmLocaleLanguageTag	1.3.6.1.4.1.2699.2.4.1.15.1.1.2.1	String	R	DEFVAL { en-US }
pdmLocaleLanguage	pdmLocaleLanguageTagEWS	1.3.6.1.4.1.2699.2.4.1.15.2.0	String	R	DEFVAL { en-US }
pdmLocaleLanguage	pdmLocaleLanguageTagOSD	1.3.6.1.4.1.2699.2.4.1.15.3.0	String	R	DEFVAL { en-US }
pdmLocaleLanguage	pdmLocaleLanguageTagWSM	1.3.6.1.4.1.2699.2.4.1.15.4.0	String	R	DEFVAL { en-US }
pdmAudio	pdmAudioDescription	1.3.6.1.4.1.2699.2.4.1.16.1.0	String	R	DEFVAL { "" }
pdmAudio	pdmAudioVolume	1.3.6.1.4.1.2699.2.4.1.16.2.0	Integer	R/W	
pdmAudio	pdmAudioMute	1.3.6.1.4.1.2699.2.4.1.16.3.0	Integer	R/W	1. Muted 2. Not Muted
pdmAlert	pdmAlertIndex	1.3.6.1.4.1.2699.2.4.1.18.1.1.1.1	Integer	not-accessible	1
pdmAlert	pdmAlertGroupType	1.3.6.1.4.1.2699.2.4.1.18.1.1.2.1	String	R	See Note 1
pdmAlert	pdmAlertGroupID	1.3.6.1.4.1.2699.2.4.1.18.1.1.3.1	String	R	See Note 1
pdmAlert	pdmAlertDescription	1.3.6.1.4.1.2699.2.4.1.18.1.1.5.1	String	R	Alert's condition has lamp Fail, Lamp hours running out, Projector Overheating, Lamp Overheating and Fan Error.
pdmAlert	pdmAlertSeverityLevel	1.3.6.1.4.1.2699.2.4.1.18.1.1.6.1	Integer	R	See Note 1
pdmAlert	pdmAlertTrainingLevel	1.3.6.1.4.1.2699.2.4.1.18.1.1.7.1	Integer	R	DEFVAL { 2 }
pdmAlert	pdmAlertCriticalAlertsCount	1.3.6.1.4.1.2699.2.4.1.18.2.0	Integer	R	
pdmAlert	pdmAlertAllAlertsCount	1.3.6.1.4.1.2699.2.4.1.18.3.0	Integer	R	

**Note 1:**

- a) If there is no any current alert, all of OID in alert table will respond default value.

pdmAlertGroupType = ""  
pdmAlertGroupID = 0  
pdmAlertSeverity = other (1)  
The reset Object will respond default.

- b) If there is FAN alert happen, the tables is shown below.

pdmAlertGroupType = "Fan"  
pdmAlertGroupID = "Fan Error"  
pdmAlertSeverity = Critical (3)

The rest Object will respond default.

- c) If there is Lamp fail alert happen, the tables is shown below.  
pdmAlertGroupType = "Lamp"  
pdmAlertGroupID= Lamp Fail  
pdmAlertSeverity = Critical (3)  
The rest Object will respond default.
- d) If there is Lamp hours running out alert happen, the tables is shown below.  
pdmAlertGroupType = "Lamp"  
pdmAlertGroupID= Lamp hours running out  
pdmAlertSeverity = warning (4)  
The rest Object will respond default.
- e) If there is Projector Over-heating alert, the tables is shown below.  
pdmAlertGroupType = "ThermalSensor"  
pdmAlertGroupID= "Projector Overheating"  
pdmAlertSeverity = warning (4)  
The rest Object will respond default.

**Note 2:**

1. Other
2. Unknown
3. VGA
4. DVI-D
5. DVI-I
6. HDMI
7. Component Video BNC-5
8. Component Video BNC-3
9. DisplayPort
10. S-Video
11. RJ45
12. Wireless
13. RCA Plug Video-3
14. RCA Plug Audio
15. Mini jack 2 dot 5mm Audio
16. Mini jack 3 dot 5mm Audio
17. Coax Audio
18. Fibre Audio
19. Memory Card
20. USB Memory
21. USB Display
22. Intel® WiDi
23. Internal Memory
24. HDMI2
25. Wireless Display Dongle
26. Network

**Information in this document is subject to change without notice.**

**© 2016 Dell Inc. All rights reserved.**

Reproduction of these materials in any manner whatsoever without the written permission of Dell Inc. is strictly forbidden.

Trademarks used in this text: Dell and the DELL logo are trademarks of Dell Inc.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own.

September 2016 Rev. A00