

Dell™ D/Port

APR

/



:



:



:

© 2003 Dell Computer Corporation.

Dell Computer Corporation

: Dell DELL

Dell Computer Corporation

. Microsoft Windows Microsoft Corporation

. EMC EMC

Corporation

. Dell Computer Corporation

PR01X

2003 1 P/N J0834 Rev A00

: 2002 10 22

APR

Dell™ D/Port

- _____
 - [APR](#) _____
 - _____
 - _____
 - [APR](#) _____
- [APR](#) _____
 - _____
 - [Dell](#) _____
 - _____



: APR(Advanced Port Replicator)

D/Port


APR

 : APR

APR Dell APR
 Dell D/Port APR Dell D , APR AC

APR I/O












APR I/O




1	AC _____	8	_____
2	RJ-11 _____	9	_____
3	RJ-45 _____	10	_____

4	_____	11	S _____
5	PS/2 _____ (2)		
6	USB 2.0 _____		
7	S/PDIF _____		

APR

	AC — AC
	RJ-11 —
	RJ-45 —
	S — VCR TV
	—
	—
	—
	PS/2 (2) — PS/2 PS/2 CD PS/2 PS/2
	S/PDIF — (S/PDIF)
	USB 2.0 — USB USB 2.0 3
	—



1	_____
2	_____
3	_____



:

• — APR

• — APR

• —

○ —

○ —

—

— APR

• —

• —




:

APR

APR

APR




1	_____	3	_____
2	_____	4	Dell D/Bay USB _____

—

— APR

— APR

USB — Dell D/Bay **USB 2.0**



1	_____
2	_____

— APR APR

—

APR


()

➔ : 45.3kg(100lb) , APR



:

D/View



— APR



: APR

APR

1. APR()
- 2.
3. Microsoft® Windows®
- 4.



:

APR

APR

AC

APR


. AC

APR

Dell AC

AC

APR



1	AC
2	AC

1. " _____ "

2.

3. _____ , APR AC AC AC

4. APR ()

5. (APR).

6. APR



7.

➡ :

8.

➡ :

APR

APR

APR

APR			
APR			

9. APR

10. ("_____").

APR



:

1. APR

2. APR




3.

APR



APR



1	_____
2	_____

APR

(—) APR () APR APR
— APR



:

1.



:

2.

APR

3.


APR

- Windows 2000

PC

Windows XP

- APR



1	_____
2	_____
3	_____

4. _____ APR

➔ : _____ APR _____ APR

Dell

Dell Dell APR

Dell Network Interface APR

Serial/Infrared Ports APR Serial/Infrared

USB

Dell

:	53mm(2.09)
:	142mm(5.59)
:	276mm(10.87)

I/O

(DTE)	9 16	1 , 16550 ,
	25	, ECP 1
PS/2	6	DIN 2
:		
DVI(Digital Video Interface)	24	1
VGA	15	1

AC	:	
		100 - 240VAC, 50 - 60Hz
		1.5A

Dell™ D/Port

MIC ()

Dell™

- A
- B

I/O(Input/Output)

ITE(Information Technology Equipment)

Dell

EMC

Dell

Dell

accessories.us.dell.com/sna/category.asp?category_id=4117

Dell

B

A

EMC/EMI

MIC ()

(Dell Information and Communications)
A

(A B)

MIC
"A", B "B"

(Dell)

MIC(Ministry of

: MIC

- A
- B

기종별	사용자안내문
A급 기기 (업무용 정보통신기기)	이 기기는 업무용으로 전자파적합등록을 한 기기이오니 판매자 또는 사용자는 이 점을 주의하시기 바라며 만약 잘못 판매 또는 구입하였을 때에는 가정용으로 교환하시기 바랍니다.

A



1. 기기의 명칭(모델명):
2. 인증번호:(A)
3. 인증받은 자의 상호:
4. 제조년월일:
5. 제조자/제조국가:

기종별	사용자 안내문
B급 기기 (가정용 정보통신기기)	이 기기는 가정용으로 전자파적합등록을 한 기기로서 주거지역에서는 물론 모든 지역에서 사용할 수 있습니다.

B



1. 기기의 명칭(모델명):PR01X (D/Port Advanced Replicator)
 2. 인증번호:
 3. 인증받은 자의 상호:테크프론트(상하이)컴퓨터 (주)
 4. 제조년월일:
 5. 제조자/제조국가: Tech-Front (Shanghai) Computer Co. Ltd. / China
테크프론트(상하이)컴퓨터 (주) 중국
-

Dell™ D/Port

APR Dell

Dell

Dell™ D/Port

A B C D E F G H I K L M N P R S T U V W X Z

, DVD — CD, DVD DVD+RW CD
 , CD-RW , CD-RW/DVD
 — **x** X **y** X **z**

NIC(Network Interface Controller)

PC

(MS)
.hlp .chm

— APR

CPU(Central Processing Unit)

(RAM, ROM,)

RAM

RAM

TV

, PC

Dell Travellite™

. Windows

1 8

Windows

. Windows

, CD

(MHz)

I/O

. LPT

CD

CD
CD

CD

Resource CD

CD

. Windows

, X y

X z

x X y

)

()

(

Dell

(support.dell.com)

Dell

AC

20%

Windows

System Setup

setup.exe

install.exe

BIOS

System Setup

. 3.5

Windows

(, ,)

/

, CD DVD

Hz

()

IR

AC

()

Windows

I/O

L1

L2

(MHz)

Windows

(,)

Dell™

Dell

1

(

BIOS,

— 32° , 212°

 : PC

 : PC PC PC PC PC

A

AC — (Alternating Current) — AC

ACPI — (Advanced Configuration and Power Interface) —
Microsoft® Windows®

AGP — (Accelerated Graphics Port) —
AGP

APR — (Advanced Port Replicator) —

ASF — (Alert Standards Format) —
ASF

B

BIOS — (Basic Input/Output System) —
)

Bluetooth™ — (9m[29 feet])

bps — (bits per second) —

BTU — (British Thermal Unit) —

System Setup

(

C

C — (Celsius) — 0° , 100°

CD — (Compact Disc) —

CD — CD

CD — CD CD CD

CD-R — CD(CD Recordable) — CD CD-R

CD-RW — CD(CD ReWritable) — CD CD-RW
()

CD-RW — CD CD-RW(CD) CD-R(CD) CD-RW

CD-RW/DVD — CD DVD , CD-RW(CD) CD-R()
CD-RW CD-R

COA — (Certificate Of Authenticity) — Windows
COA **ID**

CRIMM — (Continuity Rambus In-line Memory Module) —
RIMM

D

DDR SDRAM — SDRAM(Double-Data-Rate SDRAM) —
SDRAM

DIN — DIN(Deutsche Industrinorm-Norm) 6 PS/2

DMA — (Direct Memory Access) — RAM

DMTF — (Distributed Management Task Force) —

DRAM — (Dynamic Random-Access Memory) —

DSL — (Digital Subscriber Line) —

DVD — (Digital Versatile Disc) — DVD CD DVD
CD

DVD — DVD CD

DVD — DVD DVD

DVD+RW — DVD(DVD ReWritable) — DVD DVD+RW
() (DVD+RW DVD-RW)

DVD+RW — DVD CD DVD+RW(DVD)

DVI — (Digital Video Interface) — , DVI

E

ECC — (Error Checking and Correction) —

ECP — (Extended Capabilities Port) — EPP ECP

EIDE — (Enhanced Integrated Device Electronics) — CD IDE

EMI — (ElectroMagnetic Interference) —

ENERGY STAR® —

EPP — (Enhanced Parallel Port) —

ESD — (ElectroStatic Discharge) — ESD

F

FCC — (Federal Communications Commission) —

FSB — (Front Side Bus) — RAM

FTP — (File Transfer Protocol) —

G

G — (Gravity) —

GB — (GigaByte) — 1024MB(1,073,741,824)
1,000,000,000

GHz — (GigaHertz) — 10 Hz 1000MHz
GHz

GUI — (Graphical User Interface) —
Windows GUI

H

HTML — (HyperText Markup Language) —

HTTP — (HyperText Transfer Protocol) —

Hz — (Hertz) — 1 (kHz), (MHz),
(GHz) (THz)

I

I/O — / (Input/Output) — I/O

I/O — RAM ()

IC — (Integrated Circuit) —

IC — (Industry Canada) — FCC

IDE — (Integrated Device Electronics) — CD

IEEE 1394 — Institute of Electrical and Electronics Engineers, Inc. — DVD IEEE 1394

IRQ — (Interrupt ReQuest) — 2 IRQ

ISP — (Internet Service Provider) — ISP

K

KB — (KiloByte) — 1024 1000

Kb — (Kilobit) — 1024

kHz — (kiloHertz) — 1000Hz

L

LAN — (Local Area Network) — LAN LAN WAN(Wide Area Network)

LCD — (Liquid Crystal Display) —

LED — (Light-Emitting Diode) —

LPT — (Line Print Terminal) —

M

MB — (MegaByte) — 1,048,576 1MB 1024KB
1,000,000

Mb — (Megabit) — 1024Kb

MB/sec — (MegaBytes per second) — 100

Mbps — (Megabits per second) — 100

MHz — (MegaHertz) — 100
MHz

ms — (millisecond) — 1/1000 ms

N

NIC —

ns — (nanosecond) — 1/10

NVRAM — (NonVolatile Random Access Memory) —
NVRAM

P

PC — PCMCIA I/O PC

PCI — (Peripheral Component Interconnect) — PCI
32 64

PCMCIA — (Personal Computer Memory Card International Association) — PC

PIN — (Personal Identification Number) —

PIO — / (Programmed Input/Output) —

POST — (Power-On Self-Test) — BIOS
POST

PS/2 — (Personal System/2) — PS/2

PXE — (Pre-boot eXecution Environment) —
WfM(Wired for Management)

R

RAID — (Redundant Array of Independent Disks) —
RAID PC RAID 0, 3, 5 :
• 0: 0
• 3: 0
• 5:

RAM — (Random-Access Memory) — RAM

readme — readme

RFI — (Radio Frequency Interference) — 10kHz ~100,000MHz

ROM — (Read-Only Memory) — ROM
RAM ROM

RPM — (Revolutions Per Minute) — 1 rpm

RTC — (Real Time Clock) —

RTCST — (Real-Time Clock ReSeT) —

S

S TV — TV

S/PDIF —	Sony/Philips	(Sony/Philips Digital Interface) —	
ScanDisk —		Microsoft	ScanDisk
SDRAM —		(Synchronous Dynamic Random-Access Memory) —	
	DRAM		
SVGA —		(Super-Video Graphics Array) —	SVGA 800
x 600	1024 x 768		
SXGA —		(Super-eXtended Graphics Array) —	1280 x 1024
SXGA+ —		(Super eXtended Graphics Array plus) —	1400 x
1050			

T

TAPI —		(Telephony Application Programming Interface) —	Microsoft Windows
---------------	--	---	-------------------

U

UPS —		(Uninterruptible Power Supply) —	
	UPS		UPS
USB —		(Universal Serial Bus) — USB	USB
		4	
UTP —		(Unshielded Twisted Pair) —	
UXGA —		(Ultra eXtended Graphics Array) —	1600 x 1200

V

V —	(Volt) —	1V	1A	1ohm
------------	----------	----	----	------

W

W —	(Watt) —	1W	1V	1A
Whr —	(Watt-Hour) —			66Whr
66W	1	33W	2	

X

XGA —		(eXtended Graphics Array) —	1024 x 768
--------------	--	-----------------------------	------------

Z

ZIF — (Zero Insertion Force) —

Zip — . Zip Zip .zip . Zip
.exe

Zip — Zip 3.5 Iomega Corporation
Zip 100MB

[Zip](#)