

DELL(TM) OPENMANAGE(TM) DEPLOYMENT TOOLKIT README FOR EMBEDDED LINUX
#####

Version 3.2.1
Release Date: February 2010

This file contains updated information for your "Dell OpenManage Deployment Toolkit User's Guide" and any other technical documentation included with the Deployment Toolkit (DTK).

The DTK documentation includes the "Command Line Interface Reference Guide" and the "User's Guide." See the Dell Support website at "support.dell.com" for the most current information.

CONTENTS
#####

- * Criticality
- * Compatibility/Minimum Requirements
- * Release Highlights - Features
- * Installation
- * Upgrading
- * User Notes
- * Known Issues

CRITICALITY
#####

3 - Optional

Dell recommends that you review the specifics about the update to determine if it applies to your system. The update contains changes that may impact only certain configurations, or provides new features that may or may not apply to your environment.

COMPATIBILITY/MINIMUM REQUIREMENTS
#####

The Deployment Toolkit version 3.2.1 supports the following Dell PowerEdge(TM) systems:

800, 830, 840, 850, 860, 1800, 1850, 1855, 2800, 2850, 6800,6850, 1900, 1950, 1955, 2900, 2970, 6950, 2950, T105, R200, R900, R805, M600, M605, T605, R300, T300, R805, R905, M805, M905, R610, R710, T610, M610, M710, T310, T410 and R410.

NOTE: Other systems may be supported with this release. See the Dell Support website at "support.dell.com" to verify the supported systems and to download the latest version of the toolkit.

The sample scripts included with DTK have been tested with the deployment of the following operating systems:

- Red Hat Enterprise Linux Server version 4 (32- and 64-bit)
- Red Hat Enterprise Linux Server version 5 (32- and 64-bit)
- SUSE(R) Linux Enterprise Server version 10 (64-bit)
- SUSE(R) Linux Enterprise Server version 11 (64-bit)

Installation Prerequisites

Before installing the DTK components for embedded Linux, ensure that you have:

- * The DTK ISO image, which contains the utilities, sample scripts, sample configuration files, and documentation you need to deploy your Dell system
- * A Linux workstation that has at least 200 MB of free hard-drive space

When building customized Linux ISOs, you might need to incorporate the following Red Hat Package Managers (RPMs) and scripts provided by DTK to ensure a successful build:

- * dell.tar.gz - Dell Deployment Toolkit which contains the DTK tools and sample scripts.
- * omreg.cfg - Configuration file for instrumentation software. Edit this file, if required, to point to where the DTK tools are placed. The modified file should be under the location "/etc."
- * start-hapi.sh - Startup script to load and configure the HAPI drivers. You need to run this script to load the OpenIPMI Modules and to create files required by HAPI.
- * start-raid.sh - Contains basic setup for RAID to work. You need to run this script to create device nodes required by RAIDCFG and files required by HAPI.
- * start-stage3.sh - A sample DTK startup script that loads all the modules and drivers required for the ISO to work. You will have to replicate this setup in your customized Linux ISO.
- * srvadmin-hapi RPM - Contains a set of libraries and drivers used by DTK tools to interact with the hardware.
- * srvadmin-omilcore RPM - Contains a set of libraries and drivers used by DTK tools to interact with the hardware.

If you have the DTK CD mounted under "/mnt/cdrom," you can extract the DTK tools, scripts, and other essentials to build your customized ISO image under the "tools" folder at the root of the CD.

=====
Deployment Prerequisites
=====

Before installing DTK components, ensure that you have:

- * Advanced knowledge of Linux and Linux scripting (BASH), Linux networking, installing and working with RPMs, and creating and modifying loop file systems.
- * Any third party deployment system or tool.
- * A workstation that has
 - At least 500 MB of free hard-drive space
 - A writable CD drive and CD-writing software (optional)
 - Network access
- * A minimum BIOS version is recommended on some of the platforms for all the DTK options to work correctly. In general, it is good practice to use the latest ("n") version of BIOS firmware or the "n-1" version that is available on "support.dell.com."

RELEASE HIGHLIGHTS - FEATURES
#####

Deployment Toolkit version 3.2.1 has the following new feature:

- * An error in the Virtual Media Key option, that caused the failure of syscfg -o and syscfg -i options, is fixed.

INSTALLATION
#####

For complete installation instructions, see the "Dell OpenManage Deployment Toolkit User's Guide."

UPGRADING
#####

When upgrading from a previous release (1.x) of the DTK, ensure that you create the new DTK version 3.x environment separately from your previous version of DTK. This step is necessary because the environments and requirements for DTK version 3.x are completely different.

#####

USER NOTES

#####

This section provides information that can help enhance your experience with the DTK.

SCRIPT NOTES

* The sample scripts are provided as examples for customers who want to develop their own deployment process. Some customers may find that the scripts work well in their environment, while some customers may need to develop their own scripts entirely from scratch. Customers deploying multiple systems need to provide unique information for each server when appropriate. For example, system host names, IP addresses, and BIOS asset tags need to be unique for each system. The batch scripts and configuration files need to be modified to reflect the unique information for each system being deployed. Many options are available to optimize this process.

* In the previous releases, you could use a system profile generated on a specific Dell system to deploy only that same system model. Beginning this release, you can use a system BIOS configuration profile generated for all systems belonging to the same generation.
For example, "syscfg_x8xx.ini" for x8xx systems, "syscfg_x9xx.ini" for x9xx systems, and so on.

* Because of security reasons, the "ssh" and "scp" services are not available from DTK 3.1.1 onwards. The mount command is available in the DTK CD.

TOOL NOTES

* SYSCFG:

- Some options may not be present on all systems, which may be due to the BIOS version or hardware feature set. The usage information generated by running SYSCFG without arguments shows only those options that are valid for your system.
- The "--devseq" option is present only if you have an available, bootable hard-disk partition. If this option is present in the configuration file, but not present on your system, you will receive a usage error.
- You may need to reboot your system for certain options to be enabled.

Dell recommends you use the "reboot" command on shell prompt or press the "Ctrl+Alt+Del" keys.

- If you perform operations that changes the "--redmem" option, reboot your system immediately. This is applicable to both command line and "--infile" usage.

NOTE: Additionally, the "--redmem" option should not be issued with any other command and should be immediately followed by a system reboot. This is important when you develop scripts that can alter the "--redmem" setting.

- For options that use text strings such as username, password, hostname, and community string, using characters such as <space>, "<," ">," "|," "=" on the command line can be misinterpreted by the command line parser and may cause errors. To avoid such errors, use only alphanumeric characters.
- If you set the username using syscfg username option, SOL access for the corresponding user will be enabled by default. You can disable SOL access for a user using "syscfg solaction --userid=<userid> --action=disable" command.
- The maximum reliably supported baud rates (--solbitrate) are:
 - 19200 for PowerEdge x8xx systems.
 - 57600 for PowerEdge x9xx systems without Dell Remote Access Controller 5 (DRAC 5).
 - 115200 for PowerEdge x9xx systems with DRAC 5.If you enter an unsupported baud rate, you may receive an error, "Parameter out of range."

* RAIDCFG:

- When creating virtual disks, the chunk (stripe) size is always in KBs. Do not specify any units of measure for the chunk size.
- When providing multiple physical disks for the "create virtual disk" command, do not separate the disks with spaces. For example, "-ad=1:4, 1:5" causes an error. The correct way to input multiple physical disks is "-ad=1:4,1:5,1:6" or "-ad=1:4:0,1:5:0,1:6:0".
- If you change the controller mode from SCSI to RAID mode, data loss may occur. Back up any data you require before changing the modes.

```
#####  
KNOWN ISSUES  
#####
```

RAIDCFG Issues:

- * You cannot delete a virtual disk on CERC SATA 2S when RAID 1 is created. The virtual disk can be cleared from the controller BIOS.
- * Due to a kernel issue, you need to reboot your PowerEdge 1855 system after creating a virtual disk on it, in order to use the virtual disk that you created. This affects PERC 4/IM controllers. (116779)
- * You can assign upto 10 Global Hotspares using Raidcfg. Use The Dell(TM) OpenManage(TM) Server Administrator Storage Management for assigning more than 10 Global Hot spares.
- * DTK does not support Non RAID (Volume) mode on s100/s300 controller.
- * S300 controller Cachepolicy setting is "Not Applicable". Hence VD created with different cachepolicy settings from OROM utility will be displayed as "Not Applicable".
- * USB keys should not be mounted to the /tmp directory. Inside the /tmp directory, create a new directory and mount the USB to this.

SYSCFG Issues:

- * The Demand-based Power Management (DBPM) option does not work on PowerEdge 1855 systems with BIOS versions earlier than A05.
- * The option for "powerctl," "softshutdown," causes your system to reboot. If you use a customized kernel with Advanced Configuration and Power Interface (ACPI) support, this option will work as designed.
- * Using the "solcfgparams" option may produce an error message saying "Hardware subsystem error" when an invalid value is used. This does not indicate a problem with the hardware. Check the option value and try again.
- * The "--solbitrate" option in "solcfgparams" and the "--msgcommbitrate" option in "serialcfgparams" accept a baud rate of 57600, but tools such as "ipmish" and "solproxy" do not function at this baud rate for PowerEdge x8xx systems.
- * On PowerEdge 1950, 2950 and PowerVault NX 1950 systems with internal USB, BIOS setting configuration for internal USB Port is possible only if User Accessible/external (UA) USB ports are set to "All Ports On." If UA USB ports are not set to "All Ports On" and you try to configure the BIOS setting for the internal USB port using SYSCFG, the configuration will appear to be successful but the changes will not take effect after the next reboot. If UA USB ports settings are changed from "All Ports On" to

"All Ports Off" or "Only Back Ports On," the USB port will be automatically Set to "Off" during the next reboot.

RACADM Issues:

* The "racadm gettracelog" option may cause the system to hang. You may need to restart the system.

* After generating the rac configuration file using the "racadm getconfig -f <file_name>" command, comment out the following properties in the configuration file before you update a configuration using the "racadm config -f <file_name>" command:

```
#cfgRacTuneCtrlEConfigDisable=0  
#cfgRacTuneLocalConfigDisable=0
```

* VLAN objects (cfgNicVlanEnable, cfgNicVlanId, and cfgNicVlanPriority) displayed using the local RACADM command "racadm getconfig -g cfgLanNetworking" or VLAN objects generated in the configuration file using the local RACADM command "racadm getconfig -f <file name>" do not contain the leading "#" symbol which indicate that they are read-only.

Operating system installation issues:

* Installation of legacy Red Hat Enterprise Linux operating systems may fail due to lack of support for new hardware. You should modify the '%post' section of "ks.cfg" to update to a newer version of the kernel or install the drivers from this section.

* The default root password for Linux installation is "root123." This could be changed to be encrypted in the template "ks.cfg" provided.

* The Red Hat Enterprise Linux operating system installation may fail on systems equipped with multiple RAID and/or SCSI controllers, whether installed on the system board or in PCI slots. This failure may occur when using "Server Setup" or performing a manual installation. When two or more RAID or SCSI controllers are present, install Red Hat Enterprise Linux with only one configured RAID or SCSI controller. Configure the other controllers after you install the Red Hat Enterprise Linux operating system.

Instrumentation issues:

* The "/opt/dell/srvadmin" directory in the DTK ISO image should be writable. This enables the instrumentation services to work properly.

* The file "omreg.cfg" should be present in the "/etc/" directory for the tools to function properly. This is applicable if DTK is being customized to fit in an embedded Linux environment other than the Dell-provided embedded Linux.

#####

Information in this document is subject to change without notice.
(C) 2010 Dell Inc. All rights reserved.

Reproduction of these materials in any manner whatsoever without the written permission of Dell is strictly forbidden.

Trademarks used in this text: "Dell," "PowerEdge," and "OpenManage" are trademarks of Dell Inc.; "Red Hat" and "Red Hat Enterprise Linux" are registered trademarks of Red Hat, Inc; SUSE is a registered trademark of Novell, Inc. in the United States and other countries.

Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own.

The sample scripts provided with the Dell OpenManage Deployment Toolkit are provided "as is." Dell disclaims any and all warranties, express, implied or statutory, with respect to the sample scripts, including, but not limited to, the implied warranties of merchantability, fitness for a particular purpose, title and any warranty of non-infringement. Use the sample scripts at your own risk. Dell shall not be liable for any direct or indirect damages incurred in using the sample scripts. In no event shall Dell or its suppliers be responsible for any direct or indirect damages whatsoever (including, without limitation, damages for loss of profits, loss of use, loss of data, business interruption, or other pecuniary loss, nor for punitive, incidental, consequential, or special damages of any kind, under any part of this agreement, even if advised or aware of the possibility of such damage.

February 2010