



Statement of Volatility – Dell D2020H

⚠ CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

The Dell D2020H contains both volatile and non-volatile (NV) components. Volatile components lose their data immediately after power is removed from the component. Non-volatile (NV) components continue to retain their data even after power is removed from the component. The following NV components are present on the Dell D2020H system board.

Table 1. List of Non-Volatile Components on System Board

Description	Reference Designator	Volatility Description	User Accessible for external data	Remedial Action (Action necessary to prevent loss of data)
FLASH MX25L402 6E(MXIC)	U5	Non-volatile Flash memory, 4M bit. To store firmware. Delta-E & Uniformity calibration data.	No	Part placed on Interface Board. It is hardware/software write protected.
EEPROM FM24C16D -SO-T-G SOP8(FMS H	U6	Non-volatile memory, 16Kbit, To store Scaler data.	No	Part placed on Interface Board. It is hardware/software write protected.
EEPROM 24C02	U2	Non-volatile memory, 2k bit. To store VGA EDID.	No	Part placed on Interface Board. It is hardware/software write protected.

⚠ CAUTION: All other components on the system board lose data if power is removed from the system. Primary power loss (unplugging the power cord) destroys all user data.

Copyright © 2019 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.