

Dell™

2330d/dn 2350d/dn

Dell:

1.



2.

- Dell

Dell

[www.dell.com/supplies](http://www.dell.com/supplies)

Dell.

---



© Dell, 2010

Dell

Dell Inc. *Microsoft Windows* : *Dell, DELL* OpenManage *Microsoft*  
*Windows Vista*

*Linux* *Red Hat. Debian* Novell *Red Hat* *SUSE*

Public Interest *Debian. Linspire* Software in the  
*Canonical Limited. Red Flag* Linspire. *Ubuntu*  
Red Flag Software Co., Ltd.

*Macintosh Mac OS* Apple,

Dell





(c)(1)(ii)  
252.227-7013,


FAR: Dell Inc., One Dell Way, Round Rock, Texas, 78682, USA.

DFARS


2330d/dn and 2350d/dn

2010 SRV HX750 Rev. A03

?	
	
<ul style="list-style-type: none"> <li>•</li> <li>•</li> <li>•</li> </ul>	
<ul style="list-style-type: none"> <li>•</li> <li>•</li> <li>•</li> <li>•</li> <li>•</li> <li>•</li> <li>•</li> </ul>	
<ul style="list-style-type: none"> <li>•</li> <li>• Dell™ Readme —</li> </ul>	

<p>?</p>	
<ul style="list-style-type: none"><li>•</li><li>• <a href="http://support.dell.com">support.dell.com</a></li><li>•</li></ul>	 <p>A diagram of a printer with a paper tray open. A callout bubble shows a close-up of the paper tray. Above the printer is a rectangular label with illegible text.</p>
<ul style="list-style-type: none"><li>•</li><li>•</li><li>•</li></ul>	<p>Dell <a href="http://support.dell.com">support.dell.com</a></p>
<ul style="list-style-type: none"><li>•</li><li>•</li><li>•</li></ul>	<p>Dell <a href="http://www.dell.com/supplies">www.dell.com/supplies</a></p>


- \_\_\_\_\_
  - \_\_\_\_\_
  - \_\_\_\_\_
- 



1		
2		
3		
4	( 1 )	250
5	550 ( 2 )	
6		
7		
8		



9



10

11

12

13



14	-	<a href="http://support.dell.com">support.dell.com</a>
15	-	<a href="http://www.dell.com/supplies">www.dell.com/supplies</a>




16	USB	USB ( )
17	( )	Ethernet ( )
18		( )
19		
20		
21		
22		

- 
- 
- 



1			
2			
3	" "		
4	" "		" "
5	" / "		
6			



7	" "		
8			<ul style="list-style-type: none"> <li>• —</li> <li>• —</li> <li>• —</li> </ul>

---

USB	USB 2.0
	IEEE-1284
10/100/1000 Ethernet	CAT-5E

- 
- " "
- 
- /
- 

" "
" "
/

1. ◇
2. ✓
3. " " > ✓
4. ◇
5. ✓

||

||

" "		<X>*
		* " "
		1 6) <X> ( x
/		<X>
*		

		: *
		.
		/
		1 <x> ( x 6)
*		

		*
		/
		1 6) <x> ( x
*		

		1 6) <x> ( x
*		

	Universal	-
		-
		Feed Direction (                      )
*		

1.



Paper.

2.



3.



4.



5.



	<p style="text-align: center;">.</p> <ul style="list-style-type: none"> <li>● &lt;X&gt;*       <ul style="list-style-type: none"> <li>●</li> </ul> </li> <li>●</li> <li>●</li> </ul> <p style="text-align: center;">"</p> <p style="text-align: center;">/</p> <p>" " " "</p> <p style="text-align: center;">"</p> <p style="text-align: center;">"</p> <p>" "</p>
	<ul style="list-style-type: none"> <li>● *—</li> </ul>
<p>* </p>	





	<p>• " .</p> <p>• &lt;x&gt; ( x</p> <p>6) 1</p> <p>•</p>
*	

/

<x>	<ul style="list-style-type: none"> <li>• A4* ( )</li> <li>• A5</li> <li>• A6</li> <li>• JIS B5</li> <li>• Letter* ( )</li> <li>• Legal</li> <li>• Executive</li> <li>• Folio</li> <li>• Statement</li> <li>• Universal</li> </ul> <p>Universal .</p>
<x>	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> <li>•</li> <li>•</li> <li>•</li> </ul>
*	

	<ul style="list-style-type: none"> <li>●</li> <li>●</li> <li>●</li> <li>●</li> <li>●</li> <li>●</li> <li>●</li> <li>●</li> </ul> <p>6) &lt;x&gt; ( x 1</p>
:	<ul style="list-style-type: none"> <li>● A4* ( )</li> <li>● A5</li> <li>● A6</li> <li>● JIS B5</li> <li>● Letter* ( )</li> <li>● Legal</li> <li>● Executive</li> <li>● Folio</li> <li>● Statement</li> <li>● Universal</li> </ul> <p>Universal .</p> <ul style="list-style-type: none"> <li>● 7 3/4</li> <li>● 9</li> <li>● 10</li> <li>● B5</li> <li>● 5</li> <li>● DL</li> <li>●</li> </ul>
:	<ul style="list-style-type: none"> <li>●</li> <li>●</li> </ul>
*	



	<p>'</p> <p>..</p> <ul style="list-style-type: none"><li>● *</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li></ul> <p>./</p> <p>'</p> <p>&lt;x&gt; ( x</p> <p>1</p> <p>6)</p>
	<p>'</p> <p>..</p> <ul style="list-style-type: none"><li>● A4*</li><li>● Letter</li><li>● Legal</li><li>● Oficio</li><li>● Folio</li><li>● Universal</li></ul>
	<p>'</p> <p>..</p> <ul style="list-style-type: none"><li>● *</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li><li>●</li></ul>
*	

	<ul style="list-style-type: none"> <li>•</li> <li>• . / .</li> <li>•</li> <li>• &lt;x&gt; ( x</li> <li>• 1</li> <li>6)</li> </ul>
-	<ul style="list-style-type: none"> <li>•</li> <li>• 7 3/4</li> <li>• 9</li> <li>• 10*</li> <li>• ( )</li> <li>• B5</li> <li>• 5</li> <li>• DL * (</li> <li>• )</li> <li>•</li> </ul>
-	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> <li>•</li> <li>• &lt;x&gt; ( x</li> <li>• 1</li> <li>6)</li> </ul>
*	

<p data-bbox="154 667 175 688">.</p> <p data-bbox="191 949 289 982">./ .</p> <p data-bbox="105 1066 259 1102">&lt;x&gt; ( x</p> <p data-bbox="105 1150 292 1186">6) 1</p>	<ul style="list-style-type: none"> <li data-bbox="409 256 425 277">•</li> <li data-bbox="409 289 425 310">•</li> <li data-bbox="409 319 425 340">•</li> </ul> <p data-bbox="609 247 625 268">*</p>
<p data-bbox="105 1207 126 1228">*</p>	

<p data-bbox="224 157 240 178">*</p> <p data-bbox="454 199 470 220">'</p> <p data-bbox="1079 199 1096 220">'</p> <p data-bbox="487 262 503 283">.</p> <ul data-bbox="406 304 430 409" style="list-style-type: none"><li>•</li><li>•</li><li>•</li></ul> <p data-bbox="609 367 625 388">*</p> <p data-bbox="186 955 219 976">./</p> <p data-bbox="105 1060 259 1102">&lt;x&gt; ( x</p> <p data-bbox="267 1123 292 1155">1</p> <p data-bbox="105 1155 138 1186">6)</p>	
<p data-bbox="105 1207 129 1228">*</p>	

	2-
	<ul style="list-style-type: none"> <li>• 2-</li> <li>• *</li> </ul>
<x> ( x 1	
6)	
*	

Universal

	<ul style="list-style-type: none"> <li>• * ( )</li> <li>• * ( )</li> </ul>
-	<ul style="list-style-type: none"> <li>• 3 – 14,17</li> <li>• 76–1219</li> </ul> <p>0,01". — 8,5".</p> <p>216 - 1</p>
-	<ul style="list-style-type: none"> <li>• 3 – 14,17"</li> <li>• 76–1219</li> </ul>
*	



	<p>0,01". — 14".</p> <p>356 - 1</p>
Feed Direction ( )	<p>• *</p> <p>" "</p>
*	


1.  "
2. ✓
3. " " > ✓
4. 



	<p>:</p> <ul style="list-style-type: none"> <li>•</li> <li>•</li> <li>•</li> </ul>
	<p>:</p> <ul style="list-style-type: none"> <li>•</li> <li>•</li> <li>•</li> <li>• USB Direct</li> </ul>
	<p>(</p> <p>,</p> <p>,</p> <p>,</p> <p>).</p> <p>:</p> <ul style="list-style-type: none"> <li>•</li> <li>•</li> </ul>

	<p>• TCP/IP</p> <p>• IPv6</p> <p>Compi: ,</p>
	<p>• PCL</p> <p>• PostScript</p>
	<p>( . . )</p>

/

/	
	" "
	"USB"
	" "

NIC

	*
*	

	PCL SmartSwitch
	PS SmartSwitch
	NPA
	PS-MAC

" " , .  
 " " (" " " . <x>").

1. ( ).



Network

2. ✓.

3. " " >



4.



PCL SmartSwitch	PCL <ul style="list-style-type: none"> <li>• *</li> <li>•</li> </ul>
PS SmartSwitch	PostScript <ul style="list-style-type: none"> <li>• *</li> <li>•</li> </ul>
NPA	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> <li>• 3 (</li> <li>• 1 )</li> </ul>
PS-MAC	PostScript Macintosh. <ul style="list-style-type: none"> <li>•</li> <li>• B</li> <li>• *</li> </ul>
	<ul style="list-style-type: none"> <li>•</li> <li>•</li> <li>• TCP/IP</li> <li>• IPv6</li> </ul>
*	

USB

USB	PCL SmartSwitch

	PS SmartSwitch
	NPA
	USB
	PS-MAC
	USB ENA
	Dell 3300 Wireless Print Adapter ( )

"USB"  
USB.

1. ( ).

2. ✓

3. " " >

4. ◇

5. ✓

USB



Network

PCL SmartSwitch	<p>PCL</p> <p>• *</p> <p>•</p>
PS SmartSwitch	<p>PostScript</p> <p>• *</p> <p>•</p>
NPA	<p>•</p> <p>• *</p>
USB	<p>USB.</p> <p>• *</p> <p>•</p> <p>• 3</p> <p>(</p> <p>1 )</p>
*	

<p>PS-MAC</p> <p>USB ENA</p>	<p>PostScript Macintosh.</p> <ul style="list-style-type: none"> <li>•</li> <li>• B .</li> <li>• *</li> </ul> <ul style="list-style-type: none"> <li>•</li> </ul> <p style="text-align: right;">—</p> <ul style="list-style-type: none"> <li>•</li> </ul> <p style="text-align: right;">USB</p> <p style="text-align: right;">—</p> <ul style="list-style-type: none"> <li>•</li> </ul> <p style="text-align: right;">USB</p> <p style="text-align: right;">—</p> <p style="text-align: right;">USB</p> <p style="text-align: right;">4- IP- (0.0.0.0)*</p>
<p>*</p>	



	Dell 3300 Wireless Print Adapter (            ).
*	

	PCL SmartSwitch
	PS SmartSwitch
	NPA
	2
	PS-MAC

1.

"

"



2.



3.

"

"



4.



5.



PCL SmartSwitch	PCL  • * •
PS SmartSwitch	PS  • * •
NPA	• * •
	• * • 3 • 1 ). (
	• * •
	"Fastbytes" ( "Fastbytes"), " " • Fastbytes*
	Init   Init
*	

	<ul style="list-style-type: none"> <li>• B . *</li> <li>• . *</li> </ul>
2	<ul style="list-style-type: none"> <li>• . *</li> <li>• . *</li> </ul>
MAC PS-	PostScript Macintosh. <ul style="list-style-type: none"> <li>•</li> <li>• B . *</li> <li>• . *</li> </ul>
	4- IP- (0.0.0.0*) <ul style="list-style-type: none"> <li>• . *</li> <li>• . *</li> <li>• . *</li> </ul>
*	

	" "
	" "
	" "

	" "
	"PostScript"
	" PCL"



1.



2.



3.



4.



5.



	<ul style="list-style-type: none"> <li>• English ( )*</li> <li>• Arabic ( )</li> <li>• Brazilian Portuguese ( )</li> <li>• Czech ( )</li> <li>• Danish ( )</li> <li>• Dutch ( )</li> <li>• Finnish ( )</li> <li>• French ( )</li> <li>• German ( )</li> <li>• Greek ( )</li> <li>• Hebrew ( )</li> <li>• Iberian Portuguese ( )</li> <li>• Italian ( )</li> <li>• Japanese (Kanji) ( )</li> <li>• Norwegian ( )</li> <li>• Polish ( )</li> <li>• Simplified Chinese ( )</li> <li>• Spanish ( )</li> <li>• Swedish ( )</li> <li>• Turkish ( )</li> </ul>
	<ul style="list-style-type: none"> <li>• Yes ( )*</li> <li>•</li> </ul>
<p>* </p>	

	<p style="text-align: center;">,</p> <p style="text-align: center;">.</p> <ul style="list-style-type: none"> <li>● *</li> <li>●</li> </ul>
	<p style="text-align: center;">(            )</p> <p style="text-align: center;">.</p> <ul style="list-style-type: none"> <li>●</li> <li>● 1-240</li> <li>● 60 *</li> </ul> <p style="text-align: center;">-</p> <ul style="list-style-type: none"> <li>● 15*-300</li> </ul> <p style="text-align: center;">.</p> <ul style="list-style-type: none"> <li>●</li> <li>● 1-255</li> <li>● 90 *</li> </ul> <ul style="list-style-type: none"> <li>●</li> <li>● 15-65535</li> <li>● 40 *</li> </ul> <ul style="list-style-type: none"> <li>●</li> <li>● 10-255</li> <li>● 90 *</li> </ul>
	:
<p>★</p>	

	<ul style="list-style-type: none"> <li>• *</li> <li>• 5-255</li> <li>• B</li> <li>• *</li> <li>• B</li> <li>• *</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>• *</li> </ul>
<p>*</p>	


1.



2.



3.

" "



4.



5.



" "

	<ul style="list-style-type: none"> <li>• PS</li> <li>• PCL*</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> </ul> <p>" "</p>
*	



	-
	( , )
	• * —
	• —
	38
*	

*	

	( )
	:
	-
	-
	.
	N-up (N
	( / )
	N-up (
	N )
	N

" "

1.



2.



3.

" "



4.





( )	<ul style="list-style-type: none"> <li>• 1- *</li> <li>• 2-</li> </ul>
:	<ul style="list-style-type: none"> <li>• Long Edge* ( )</li> <li>•</li> </ul>
-	<ul style="list-style-type: none"> <li>• 1*-999</li> </ul>
	<ul style="list-style-type: none"> <li>• Do Not Print* ( )</li> <li>•</li> </ul>
	<ul style="list-style-type: none"> <li>• — " " "2",</li> <li>• .3, .1, .2, .3. : .1, .2,</li> <li>• .* — " "</li> <li>• "2",</li> <li>• .1, .2, .2, .3, .3. : .1,</li> </ul>
-	<ul style="list-style-type: none"> <li>• None* ( )</li> <li>•</li> <li>•</li> <li>•</li> </ul>
*	

	<ul style="list-style-type: none"> <li>• &lt;x&gt;*</li> <li>•</li> </ul> <p>Feeder ( ) Paper ( ) MP Cassette ( ) Configure MP ( ).</p>
N-up (N ( / ))	<ul style="list-style-type: none"> <li>• *</li> <li>• 2 Up (2 / )</li> <li>• 3</li> <li>• 4</li> <li>• 6</li> <li>• 9</li> <li>• 12</li> <li>• 16 Up (16 / )</li> </ul>
N-up (N N )	<ul style="list-style-type: none"> <li>• Horizontal* ( )</li> <li>•</li> <li>•</li> <li>•</li> </ul> <p>( ).</p>
	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> <li>•</li> </ul>
N	<ul style="list-style-type: none"> <li>• None* ( )</li> <li>•</li> </ul>
*	

Quality ( )	

	Toner Darkness ( )

1.



2.



3.



4.



5.



	<ul style="list-style-type: none"> <li>• 600 dpi*</li> <li>• 1200 dpi</li> <li>• . 1200</li> <li>• . 2400</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> <li>•</li> <li>•</li> <li>•</li> </ul>
*	

<p>Toner Darkness ( )</p>	<ul style="list-style-type: none"> <li>• 1-10</li> <li>• 8*</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>• B</li> </ul> <p>PCL, Embedded Web Server      PostScript</p>
	<ul style="list-style-type: none"> <li>• *</li> <li>• " "</li> <li>• " "</li> </ul>
	<ul style="list-style-type: none"> <li>• -6 0 +6</li> <li>• 0*</li> </ul>
	<ul style="list-style-type: none"> <li>• 0-5</li> <li>• 0*</li> </ul>
<p>*</p>	

"

"


1. 
2. 
3. " " > 
4. 
5. 


"PostScript"

PostScript	PS

1. ◇ PostScript
2. ✓
3. " " > ✓
4. ◇
5. ✓

PostScript

PS	PostScript. <ul style="list-style-type: none"> <li>• B</li> <li>• *</li> </ul>
	<ul style="list-style-type: none"> <li>• *</li> <li>• -</li> </ul>
*	

PCL

PCL	



	PCL

1. PCL.



2.



3.



4.



5.



PCL

	"
	• * " "
	• : R0* – R90
	• : 10U PC-8
	PCL
•	( )
*	

PostScript	<ul style="list-style-type: none"> <li>• 1,00 – 1008,00</li> <li>• 12,00*</li> </ul> <p style="text-align: right;">0,25</p>
•	<ul style="list-style-type: none"> <li>• : 0,08 – 100,00</li> <li>• 10,00*</li> </ul> <p style="text-align: right;">0,01</p>
•	<ul style="list-style-type: none"> <li>• *</li> <li>•</li> </ul>
•	<ul style="list-style-type: none"> <li>• 1 – 255</li> <li>• 60*</li> </ul>
• A4	<p style="text-align: right;">A4.</p> <ul style="list-style-type: none"> <li>• 198 *</li> <li>• 203</li> </ul>
• CR LF	<p>(CR) (LF).</p> <ul style="list-style-type: none"> <li>• B</li> <li>• *</li> </ul>
• LF CR	<p>(LF) (CR).</p> <ul style="list-style-type: none"> <li>• B</li> <li>• *</li> </ul>
• • • <x> •	<ul style="list-style-type: none"> <li>• 200 = *</li> <li>• 0 – 199</li> </ul>
*	

•	
•	
*	

• \_\_\_\_\_ 550 \_\_\_\_\_

• \_\_\_\_\_

---

# 550

550



1.

2.

3.



4.



5.

6. *Windows Vista®*

i.  →

ii.

iii.

*Windows® XP 2000.*

i. →

ii.

iii.

7.

Dell

8.

9.

10.

11. OK.

12. OK, " "

---

160 M

288 M

128 M

256 M




1.

2.



3.





4.

5.



6.

7.

8.

9.

10. *Windows Vista*<sup>®</sup> :

i. 

ii.

iii.

*Windows® XP 2000.*

i. →

ii.

iii.

11. Dell

12.

13.



14.

15. OK.

16. OK, " "



- \_\_\_\_\_
- \_\_\_\_\_ 250 \_\_\_\_\_
- \_\_\_\_\_ 550 \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_



Dell™

2330d/2350d —



1.

2.

Me



Me " "

3.



4.



5.



6.



7.



8.



9.



Dell

2330dn/2350dn —

Dell.



Dell

Dell

2330dn/2350dn

1.

IP-



IP-

IP-

2.

"

"

3.

"

"

"

"

4.

5.

6.

7.

8.

9.

10.

11.

---

250

250

1.



2.

legal

folio

i.


ii.



3.

A6






4.



5.



6.



7.



8.



---

550

550

1.




2.

legal folio

i.


ii.




3.



4.



5.



6.



7.





---

( )



*	<ul style="list-style-type: none"><li>•</li><li>•</li><li>•</li></ul>
	<ul style="list-style-type: none"><li>•</li><li>•</li></ul>
*	

50

1.



2.



3.




4.



1.



( )



2.



3.

o





○



4.



•



•



•



•

---

" " " " " " " " " /

•

( : , <x>)

<X>

( : letter, A4, statement)



• [Windows®](#)

• [Mac OS®X. Print Center \( \) Printer Setup Utility \( \)](#).

• [Linux®](#)

## Windows®

Windows



Windows 7	USB
Microsoft® Windows Server 2008	
Microsoft® Windows Server 2008 R2	
Windows Vista™	
Windows XP	
Windows Server 2003	
Windows 2000	



Windows 7, Windows Server 2008, Windows Server 2008 R2, Windows Vista, Windows XP, Windows Server 2003, Windows 2000

1.



2.

3.

4.

5.

1.

2. *Windows Vista*<sup>®</sup>

( " " ):

i.  →

ii.

iii.

*Windows*<sup>®</sup> *XP* ( " " ):

i. →

ii.

iii.

USB

Windows® XP( " "): → →

Windows Vista® ( " ") Windows: →  
→

3.

4.

5.

6.

7.

8.



PCL-XL.

Windows 7	D:\Drivers\Print\Win_2kXP\, where D:\ -
Windows Server 2008	
Windows Server 2008 R2	
Windows Vista	
Windows XP	
Windows Server 2003	
Windows 2000	



OK.

9. OK.

10. (PCL, HBP PS)

11.

1.

2.

3.

# Mac OS® X. Print Center ( ) Printer Setup Utility ( )

USB Macintosh® OS X 10.3 USB-  
Print Center ( ) Printer Setup Utility ( )

1.

i.

ii.

iii.

Readme.

iv.

v.

vi.

vii.

OK.

viii.

2.

/ /

3.

*USB*

USB *USB*

---

Linux®

GNU/Linux, Ubuntu, Red Flag Linux Linspire.

Linux, , Red Hat, SUSE, Debian™

Linux:

1.

2.

D:\unix\docs\  
-

>\index.html , D:\ -

• [Windows®](#)

• \_\_\_\_\_ -

• [Mac OS®X.](#) [Print Center \( \\_\\_\\_\\_\\_ \)](#) [Printer Setup Utility \( \\_\\_\\_\\_\\_ \)](#).

• [Linux®](#)

• \_\_\_\_\_

---

## Windows®


Windows

- [TCP/IP Microsoft®](#) – Windows 7, Windows Server 2008, Windows Server 2008 R2, Windows Vista™, Windows XP, Windows Server 2003 Windows 2000
- [Line Printer Remote \(LPR\)](#) – Windows 7, Windows Server 2008, Windows Server 2008 R2, Windows Vista, Windows XP, Windows Server 2003 Windows 2000

TCP/IP.

*Line Printer Remote (LPR)*

# Windows



(

)



IP

1.

2.

3.

4.

5.

6.



*Control Language (PCL), PostScript (PS)*

Host Based Printing (HBP).

: a *Printer*

i.

ii.

iii.

iv.

v.

7.

8.

9.

i.



ii.

iii.

iv.

)

(

1.

2.

3.

4.

5.

6.



Control Language (PCL), PostScript (PS) Host Based Printing (HBP).

: Printer

i.

ii.

iii.

iv.

v.

7.

8.

9.

i.

ii.

iii.

iv.

USB  
Microsoft

Microsoft

Dell,



XP Professional

Windows 7, Windows Vista

Windows

1. *Windows Vista*<sup>®</sup> ( " " ):

i.  →

ii.

iii.

*Windows*<sup>®</sup> *XP* ( " " ):

i. →

ii.

iii.

*Windows Vista*<sup>®</sup> ( " ") Windows: →

*Windows*<sup>®</sup> *XP* ( " "): → →

2.

3.

4. *Windows Vista*<sup>®</sup>

5.

6.

7. OK.

i.

OK.

ii. *Windows Vista*

OK.

*Windows:*

OK.

8.

• Windows 2000

•

" " " "

-

" " "

- - -

1. Windows -

2. ,

3. ,

, " "

4. " ,

5. ,

i. *Windows Vista*<sup>®</sup> ( " " ):

1.  →

2. ,

3. ,

*Windows*<sup>®</sup> *XP* ( " " ):

1. →

2. ,

3. ,

*Windows XP* ( " " ): →

→

*Windows Vista*

Windows:

→

→

ii.

iii.

iv. Print Test Page.

-  
-

1. *Windows Vista*<sup>®</sup>

( " " ):

i.  →

ii.

iii.

*Windows*<sup>®</sup> *XP* ( " " ):

i. →

ii.

iii.

*Windows*<sup>®</sup> *XP* ( " " ): → →

Windows Vista® (

" ")

Windows:

→

→

2.

3.

4.

"

"

\\<

>|<

>.

-

OK.

5.

6.

7.

i. Windows Vista®

(

"

"

):

1.

→

2.

3.

Windows® XP(

"

"

):

1.

→

2.

3.

*Windows*<sup>®</sup> *XP* ( " "): → →

→ *Windows Vista*<sup>®</sup> ( " ") Windows:  
→ →

ii.

iii.

iv. Print Test Page.

---

Mac OS<sup>®</sup> X. Print Center  
( ) Printer Setup Utility ( )  
)

Macintosh<sup>®</sup> OS X 10.3  
Print Center ( ) Printer Setup Utility ( )  
)

1.

i.

ii.

iii. Readme.

iv.

v. Continue.



vi.

vii. , OK.

viii.

2. Printer Setup Utility ( / / ) ,

3. Printers ( ) Add Printer ( ).

4. *IP:*

i. "IP Printer" ( IP).

ii. IP-

iii. Printer Model ( )

iv. , Add ( ).

*AppleTalk:*

i. More Printers... ( ... ) AppleTalk

ii. AppleTalk.



"AppleTalk"

iii. , Add ( ).

5.
    - i. TextEdit ( ) /Applications.
    - ii. File ( ) Print ( ).
    - iii. Summary ( ) Copies & Pages ( ).
    - iv. "Error Reporting" ( ) PPD  
 "Error Reporting" ( ) PostScript,  
 Printer List ( ) Print Center  
 Printer Setup Utility,
- 

Linux®

Linux:

1. -
  2. D:\unix\docs\  
>\index.html , D:\ -
- 

IP- MAC-

1. 

2.

3.

✓

- \_\_\_\_\_
- \_\_\_\_\_ IP- \_\_\_\_\_
- \_\_\_\_\_ Dell
- \_\_\_\_\_
- \_\_\_\_\_ Dell
- \_\_\_\_\_ Dell
- \_\_\_\_\_
- \_\_\_\_\_ Dell

*Drivers and Utilities,*



Linux Macintosh



Windows®

“ ”

- 
- 
-

---

# IP-



IP-

Windows®

IP-

IP-

IP-

IP-

1.

IP-

2.

" TCP/IP".

3.

IP-

4.

IP-

Dell.

1.

(EWS),

IP-

2.

3.

TCP/IP.

4.

IP-

5.

IP-



6.

# Dell

1. *Windows Vista®* :

i.  →

ii. Dell .

iii. Dell .

*Windows® XP 2000.*

→  
Dell .

→ Dell →

2. Dell .

3. , , .

4. .

5. OK.

- ) (
- ( )
- ( )
- 
- 
- 
- 

---

Dell



?

Web-

Dell

Web-  
IP-

Dell.

" "

Web-

Dell

Web-

Dell

IP-

IP-

IP-

Web-

Dell

:

•

—

•

—

•

IP-

—



•

—

:

•

—

•

—

•

—



•

—

Web-

Dell





Windows 2000.

Dell



Windows

Dell

Dell



Dell:

1.



2.

Dell:

1. *Windows Vista*<sup>®</sup>

( " " ):

i.  →

ii. Dell .

iii. Dell .

*Windows*<sup>®</sup> *XP*.

Dell →

→ Dell →

2.

---

1. *Windows Vista*<sup>®</sup>

i.  →

ii. Dell .

iii. Dell .

*Windows*<sup>®</sup> *XP* *2000*.

→  
Dell .

→ Dell →

2. Dell .

3. .

4. .

5. - , ,

i. *Windows Vista*<sup>®</sup>  →

*Windows*<sup>®</sup> *XP* → M .

*Windows2000*, M .

ii. - , setup.exe .

iii. , ,

iv.

---

## Dell



Windows®

" " " (" " ")

" " " :

- ;
- ;

## Dell

" " " " "

-

- Dell

1. *Windows Vista*® (" " ):

i.  →

ii. Dell .

iii. Dell .

*Windows® XP 2000.*

→ Dell .

→ Dell →

2.

Dell .

3.

4.

•

•

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_ (N . / )
- \_\_\_\_\_

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_



1.

2.

3.

4.

5.

6.

7.

OK.



50

1.

→

2.

( ' )

3.

4.



5.

6.



7.

OK.

8.

" "

---

Long Edge ( )	Short Edge ( )
<p>( )</p> 	<p>( )</p> 

1. , → .

2. ( , ).

3. .

4. , ( , ).

5. OK.

6. OK.

(N ./ )

" (N- ./ )  
"2- ./ "

"

" , " " " "

1. , → .


2. ( , ).

3. " (n )

4. OK.

5. OK

---



1. , → .



2. ( , ).

3.

4.

5.

6. " ".

---

1.

2. , → .

3. ( , ).

4.

5.

6.

7. OK.

8.

" "

---

1.

- o 1 2 -



- o -



2. →

3. ( )

4.

5.


6.

7. OK.

8. " "

---

" "



1. , →

2. ( , ).

3.

4.

5.

6.

7.

8.

9.

---

1.

2.

3.

4.

5.

6.

7.





1. *Windows Vista*<sup>®</sup> ( " " ):

i.  →

ii.

iii.

*Windows*<sup>®</sup> *XP* ( " " ):

i. →

ii.

iii.

*Windows*<sup>®</sup> *XP* ( " " ); → →

*Windows Vista*<sup>®</sup> ( " " ) Windows: →

2.

3.

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_



Dell™

Dell.

[www.dell.com/supplies](http://www.dell.com/supplies).



Dell. Dell

Dell.

---

1. \_\_\_\_\_ Dell IP-

2. [www.dell.com/supplies](http://www.dell.com/supplies).

1. *Windows Vista*® ( " " ):

i.  →

ii. Dell .

iii. Dell .

*Windows® XP 2000:*

Dell → Dell →

2. Dell .

3. "Order Online" ( ).

---

• 21 °C 40%.

•

•

•

:

• , 40 °C (104 °F);

• ;

• ;

• ;

• ;

• ;

• .



30000

30000



1.



2.



3.



4.


5.



6.



7.



8.



9.

10.

PC.



11.



1.

2.



3.




4.



5.



6.



7.

---

1.



2.

3.



4.



5.

• \_\_\_\_\_

• \_\_\_\_\_

• \_\_\_\_\_

---

•

•

•

•

•

•

•

IP-



IP-

IP-

TCP/IP.

\_\_\_\_\_

---

PIN-

PIN-

PIN-

web-



1.

IP-

: *http://ip\_address/.*

2.

3.

4.

PIN-



PIN-

4

(0-9).

5.

PIN-

PIN-

---



1.

web-

2.

Enter.

IP

,

3.

.

4.

"

"

.

5.

..

6.

.



-

8

128

.

7.

.

/



- [\(FAQ\): Dell™ 2330d/dn 2350d/dn](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)
- [\\_\\_\\_\\_\\_](#)

(FAQ): Dell™  
2330d/dn

2350d/dn

USB ? Dell 2330d/dn 2350d/dn Windows ®

\_\_\_\_\_



USB

?

1. USB-

2. USB,

3.

Dell 2330d/dn 2350d/dn.



Windows

USB

USB

Dell 2330d/dn 2350d/dn.

550 ( 2)?

\_\_\_\_\_ 550 \_\_\_\_\_

550 ( 2)?

\_\_\_\_\_ 550 \_\_\_\_\_

legal?

\_\_\_\_\_ 250 \_\_\_\_\_ 550 \_\_\_\_\_

Dell 2330d/dn 2350d/dn

Windows?

\_\_\_\_\_

?



\_\_\_\_\_



?

\_\_\_\_\_

IP- MAC- ?

\_\_\_\_\_

IP- - Dell?

\_\_\_\_\_ Dell.

?



Dell Wireless Print Adapter 3300.

[support.dell.com](http://support.dell.com)  
[Dell Wireless Print Adapter 3300.](#)

Windows 7, Windows Server 2008, Windows Server 2008 R2, Windows Vista™,  
Windows XP, Windows Server 2003, Windows 2000, Macintosh® OS® 10.3

Windows ME, Windows NT, Windows 98, Windows 95, Macintosh OS 9x 10.2

USB.

• USB

USB-

1.

2. *Windows Vista*<sup>®</sup>

*Windows XP,*

→ M

*Windows 2000,*

M

3.

setup.exe

4.

5.

*Windows Vista*<sup>®</sup>

1. →

2.

Dell

*Windows XP* *Windows 2000:*

→  
Dell

→

Dell →

- 
- 
- 
- 

USB

USB

USB.

1. *Windows Vista*<sup>®</sup>

:

i.  →

ii.

iii.

*Windows XP,*

→

→

→

*Windows 2000,*

→

→

2.

Dell

3.

1. *Windows Vista*<sup>®</sup>

:

i.  →

ii.

iii.

*Windows XP,* → → →

*Windows 2000,* → →

2.

3.

4.

i. Dell

ii.

5.

USB-

USB-

1. *Windows Vista*<sup>®</sup>

i.  →

ii.

iii.

*Windows® XP,* → → →

*Windows® 2000* → →

2. Dell

3.

<X>

X

<

>

<

>

X

< > < >

X

< > < >

X

< > < > < >

X

< >

•

•

↪

•

X

< >



•

•

3

•

X

<

>

•

•

3

•

X

<

>


<

>

•

•

3

- 

—

- 

- 

↻

- 



30 Invalid Refill, Change Toner Cartridge ( )

31 Missing or Defective Cartridge ( )

- 

- 

31 Defective Toner Cartridge ( )

32 Unsupported Toner Cartridge ( )

34 Short Paper ( )

- 
- 
- 
- 

35 Insufficient Memory to Support Resource Save Feature ( )

- 
- 
- 
- 

37 Insufficient Memory to Collate Job ( )

- ↻

- ✖

- 

- 

### 37 Insufficient Defrag Memory ( )

- ↻

- ✖

- 

### 38 Memory Full ( )

- ↻

- ✖

- 

- 

### 39 Complex Page, Some Data May Not Have Printed ( )

- 

↻

- 

X

- 

- 

### 54 Standard Network Software Error ( )

- 

- 



- 

↻

- 

X

## 56 Standard Parallel Port Disabled ( )

- 
- 
- \_\_\_\_\_ " "

## 56 Standard USB Port Disabled ( )

USB

USB,

- 
- 
- \_\_\_\_\_USB. " USB"

## 58 Too Many Flash Options ( )

288

160

## 58 Too Many Trays Attached ( )

- 
- 
- 
- 

59 Unsupported Tray <x> ( <x> )

- 
- 
- 
- 
- 





81 Engine Code CRC Failure ( )

- 
- 



## 84 Imaging Drum Life Warning/PC Unit Life Warning ( )



- 
- 
- 
- 

## 84 Replace Imaging Drum/Replace PC Unit ( )

- 
- 

## 88 Toner Low ( )

- 
- 

## 88 Replace Toner Cartridge ( )



•

•

•



200

1.



2.



3.



4.



5.

201

1.



2.





3.



4.



5.

202

1.



2.



3.

231



1.



2.



3.

233

1.

1.



2.



3.

1.



## 234 Paper Jam — Check Duplex ( )

1. 1.



2.



3. 1.



4.



5.



6.

235 Paper Jam — Check Duplex ( )

—

1.



2.



3.

4.

1

24x

—

<X>

1

1.

1.





2.



3.



2

1.

2.



2.



3.



251



1.



2.



3.

4.



- 
- 
- 
- 
- 
- 
- 
- 

15°C - 30°C (59°F - 86°F).

10% 70%.

•

---

•

\_\_\_\_\_

•

•

•

•

•

•

---



1.



2.



3.



4.



5.

1.



2.



3.

1.



2.



3.



1.



2.

3.

1.



2.



3.

---

--

--

--



\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_ ( )
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_ " "

\_\_\_\_\_

\_\_\_\_\_

- "1.

- 

- 

- 

- 1.

- 

- 

- 

- 

- "1.

-

- 

1.

- 

- 

- 

- 

2

- 

- 

- 

2.

- 

- 

2.

-

•

2.

•

•

•

•

•

•

•

2.

•

•

•

" "

•

2.

\_\_\_\_\_

.) ( ;

- 
- " " , " "
- , Dell.
- " "

- 
- 2,
- 
- 
- 2,
- 

\_\_\_\_\_

•

•

•

2.

•

"

"

•

"

"

•

2.

•

•

•

"

"

•

•

"

"

•

•

•

• " "

• " "

( )

•

•

•

•

- 
- 

- 
- 
- 
- 

- 
- 
- 1           "          "
- 2



Macintosh (OS).

Mac OS.

Mac OS

<http://www.info.apple.com/support/downloads.html>.

## Mac OS X

?

Microsoft Word Adobe Reader

-	
/	

Acrobat Reader 5. PDF- Apple Preview Adobe

?

Macintosh MarkVision™ Professional. MarkVision  
Mac OS X

## Mac OS X

?

Mac OS X 10.4:

1. →

2. ...

3. +

4.

5.

6. OK

7.

8. OK.

Mac OS X

10.3:

1. →

2.

3.

4.



OK

5.

6.

“ ” “ ” ‘ ’

?

PostScript

PostScript

?

Apple Dell

?

/Users/Shared/Dell/Screen Fonts

Library/Fonts

Mac OS X

/System/Library/Fonts,

/System/Library.

Library,

Library

TBCP (

)?

:

1. IP-

2.

3.

AppleTalk.

4.

AppleTalk

5.

AppleTalk

TBCP,

Raw.

IOP/EOP,

•

•

•

•

•

•

•

•

•



Dell

[support.dell.com](http://support.dell.com)

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

MIB

	2330d/2350d	2330dn/2350dn
	32	32
	160	288
	USB 2.0	USB 2.0 10/100/1000 Ethernet
5% <sup>1</sup>	2000	2000
( )	700 /	700 /
( )	50000 / <sup>2</sup>	60000 / <sup>3</sup>
	120000	120000
1	ISO/IEC 19752. 5%	
2	Dell 2330d/dn.	
3	Dell 2350d/dn.	

		( )	
	16 32 °C ( 60 90 °F)	8 80%	0 2500 (8200 )
	0 40°C ( 32 104°F)	8 80%	
	- 20 40°C (- 4 104°F)	8 95%	0,25 ( 10300 ; 34000 )

,

	<ul style="list-style-type: none"> <li>• PostScript 3</li> <li>• HBP</li> <li>• PCL 5e</li> <li>• PCL 6</li> <li>• PPDS</li> </ul>
	<ul style="list-style-type: none"> <li>• Windows 7</li> <li>• Microsoft® Windows® Server 2008</li> <li>• Microsoft® Windows® Server 2008 R2</li> <li>• Windows Vista™</li> <li>• Windows XP</li> <li>• Windows Server 2003</li> <li>• Windows 2000</li> <li>• Debian GNU/Linux 4.0, 5.0</li> <li>• Linspire</li> <li>• Ubuntu 7.1.0, 8.0.4, 8.0.4 LTS, 9.04</li> <li>• Red Flag Linux® Desktop 5.0, 6.0</li> <li>• Red Hat Enterprise Linux WS 3, 4, 5</li> <li>• SUSE LINUX Enterprise Server 8, 9, 10, 11.0</li> <li>• SUSE Linux Enterprise Desktop 10, 11.0</li> <li>• open SUSE Linux 10.2, 10.3, 11, 11.1</li> <li>• Linpus LINUX Desktop 9.2, 9.3</li> <li>• HP-UX 11.11, 11.23, 11.31</li> <li>• Macintosh® OS® X</li> </ul>
	<ul style="list-style-type: none"> <li>•</li> <li>• USB</li> <li>• 10/100/1000 Ethernet ( )</li> </ul>

:

- Windows 7
- Microsoft Windows Server 2008
- Microsoft Windows Server 2008 R2
- Windows Vista
- Windows XP
- Windows Server 2003
- Windows 2000
- Debian GNU/Linux 4.0
- Linspire
- Ubuntu 7.1.0, 8.0.4, 8.0.4 LTS
- Red Flag Linux Desktop 5.0, 6.0
- Red Hat Enterprise Linux WS 3, 4, 5
- SUSE LINUX Enterprise Server 8, 9, 10
- SUSE Linux Enterprise Desktop 10
- openSUSE Linux 10.2, 10.3, 11
- Linpus LINUX Desktop 9.2, 9.3

- HP-UX 11.11, 11.23, 11.31

- Macintosh OS X

---

## MIB

(MIB) -  
(  
).  
MIB.  
, Dell OpenManage™, IT Assistant, Hewlett-Packard OpenView, CA Unicenter, Hewlett-Packard Web  
JetAdmin, Lexmark MarkVision Professional

---



- 70 /<sup>2</sup> (20 ).

- 
- 
- 
- ( ) 90 /<sup>2</sup> (24 )  
:

o ;



o

;

o

,

,

,

;

o

;

o

;

o

(

).

•

76,2x127

(3x5

).

163 /<sup>2</sup>

---

				1 ( )
250 ( 1)	A4, A5, A6 <sup>2</sup> , JIS B5, Letter, Legal, Executive, Folio, Statement, Universal  - 105 x 148 (4,13 x 5,82 ")  - 216 x 356 (8,5 x 14 ")	3	60-90 / <sup>2</sup> (16-24 )	250  50  50
550 ( 2)	A4, A5, JIS B5, Letter, Legal, Executive, Folio, Statement, Universal  - 149 x 210 (5,86 x 8,26 ")  - 216 x 356 (8,5 x 14 ")	3	60-90 / <sup>2</sup> (16-24 )	550  50
	A4, A5, A6 <sup>2</sup> , JIS B5, Letter, Legal, Executive, Folio,		60-163 / <sup>2</sup> (16-43 )	50  15
1			75 / 2 (20 )	
2	A6			
3		20		
4				
5	210 x 279 (8,3 x 11")		Universal	

				1 ( ) 4
	Statement, Universal, 7 3/4 Envelope, 9 Envelope, 10 Envelope, B5 Envelope, C5 Envelope, DL Envelope, Other Envelope	3		10 10 7
	- 76,2 x 127 (3,9 x 4,9 ")			
	( ) - 216 x 356 (8,5 x 14 ")			
	( ) - 216 x 356 (8,5 x 14 ")			
( )	A4, Folio, Letter, Legal, Oficio (Mexico), Universal <sup>5</sup>		60-90 / 2 (16-24 )	
1			75 / 2 (20 )	
2	A6			
3		20		
4				
5	210 x 279 (8,3 x 11")		Universal	

/	2330d/2330d+	2330dn//2330dn+
	(8.31M01)	(8.31M01)
PCL	2	2
PCL	89	89
PS	89	89

PCL

	PCL XL	/
Courier	Courier	S
Courier Italic	Courier It	S
Courier Bold	Courier Bd	S
Courier Bold Italic	Courier BdIt	S
CG Times	CG Times	S
CG Times Bold Italic	CG Times BdIt	S
Univers Medium	Univers Md	S
Univers Medium Italic	Univers MdIt	S
Univers Bold	Univers Bd	S
Univers Bold Italic	Univers BdIt	S
Times New Roman	TimesNewRmn	S
Times New Roman Italic	TimesNewRmn It	S
Times New Roman Bold	TimesNewRmn Bd	S
Times New Roman Bold Italic	TimesNewRmn BdIt	S
Arial	Arial	S
Arial Italic	Arial It	S
Arial Bold	Arial Bd	S
Arial Bold Italic	Arial BdIt	S
Letter Gothic	LetterGothic	S

	PCL XL	/
Letter Gothic Italic	LetterGothic It	S
Letter Gothic Bold	LetterGothic Bd	S
Univers Condensed Medium	Univers CdMd	S
Univers Condensed Medium	Italic Univers CdMdIt	S
Univers Condensed Bold	Univers CdBd	S
Univers Condensed Bold	Italic Univers CdBdIt	S
Garamond Antiqua	Garamond Antiqua	S
Garamond Kursiv	Garamond Krsv	S
Garamond Halbfett	Garamond Hlb	S
Garamond Kursiv Halbfett	Garamond KrsvHlb	S
CG Omega	CG Omega	S
CG Omega Italic	CG Omega It	S
CG Omega Bold	CG Omega Bd	S
CG Omega Bold Italic	CG Omega BdIt	S
Antique Olive	AntiqOlive	S
Antique Olive Italic	AntiqOlive It	S
Antique Olive Bold	AntiqOlive Bd	S
Albertus Medium	Albertus Md	S
Albertus Extra Bold	Albertus Xb	S
Clarendon Condensed Bold	Clarendon CdBd	S
Marigold	Marigold	S
Coronet	Coronet	S

	PCL XL	/
Helvetica	Helvetica	S
Helvetica Italic	Helvetica It	S
Helvetica Bold	Helvetica Ob	S
Helvetica Bold Italic	Helvetica BdOb	S
Helvetica Narrow	Helvetica Nr	S
Helvetica Narrow Italic	Helvetica NrOb	S
Helvetica Narrow Bold	Helvetica NrBd	S
Helvetica Narrow Bold Italic	Helvetica NrBdOb	S
Palatino Roman	Palatino Rmn	S
Palatino Italic	Palatino It	S
Palatino Bold	Palatino Bd	S
Palatino Bold Italic	Palatino BdIt	S
ITC Bookman Light	ITCBookman Lt	S
ITC Bookman Light Italic	ITCBookman LtIt	S
ITC Bookman Demi	ITCBookman Db	S
ITC Bookman Demi Italic	ITCBookman DbIt	S
ITC Avant Garde Book	ITCAvantGard Bk	S
ITC Avant Garde Book	ITCAvantGardBkOb	S
ITC Avant Garde Demi	ITCAvantGard Db	S
ITC Avant Garde Demi	ITCAvantGardDbOb	S
Century Schoolbook Roman	NwCentSchlBk Rmn	S
Century Schoolbook Italic	NwCentSchlBk It	S

	PCL XL	/
Century Schoolbook Bold	NwCentSchlBk Bd	S
Century Schoolbook Bold Italic	NwCentSchlBkBdIt	S
ITC Zapf Chancery Medium Italic	ZapfChanceryMdlIt	S
CourierPS	CourierPS	S
CourierPS Oblique	CourierPS Ob	S
CourierPS Bold	CourierPS Bd	S
CourierPS Bold Oblique	CourierPS BdOb	S
Times Roman	Times Rmn	S
Times Italic	Times It	S
Times Bold	Times Bd	S
Times Bold Italic	Times BdIt	S
Helvetica Light	Helvetica Lt	S
Helvetica Light Oblique	Helvetica LtOb	S
Helvetica Black	Helvetica Bk	S
Helvetica Black Oblique	Helvetica BkOb	S
Line Printer 16	Line Printer xxx	B
POSTNET Barcode	POSTNET Barcode	B
C39 Narrow		S
C39 Regular		S
C39 Wide		S
OCR-A		S
OCR-B		S
Wingdings		S
Symbol		S
SymbolPS		S

	PCL XL	/
ITC Zapf Dingbats		S

PCL

Latin 1	Legal Windows 3.0 Latin 1 Windows 98 Latin 1 ISO 8859-1 Latin 1 (ECMA-94) ISO 8859-15 Latin 9 PC-8 Code Page 437 PC-8 Danish/Norwegian (437N) PC-850 Multilingual PC-858 Multilingual Euro PC-860 Portugal PC-861 Iceland PC-863 Canadian French PC-865 Nordic PC-1004 OS/2 ABICOMP Brazil/Portugal ABICOMP International Roman-8 Roman-9 Roman Extension PS Text Macintosh Text DeskTop Ventura International
Latin 2	Windows 98 Latin 2



	ISO 8859-2 Latin 2 PC-852 Latin 2 PC-8 Polish Mazovia PC-8 PC Nova
Latin 5	Windows 98 Latin 5 ISO 8859-9 Latin 5 PC-857 Latin 5 (Turkish) PC-853 Latin 3 (Turkish) PC-8 Turkish (437T) Turkish-8
Latin 6	Windows 98 Latin 6 ISO 8859-10 Latin 6 PC-775 PC-8 Latin 6
Cyrillic	Windows 98 Cyrillic ISO 8859-2 Latin 5 PC-866 Cyrillic PC-855 Cyrillic Russian-GOST PC-8 Bulgarian
Greek ( )	Windows 98 Greek ISO 8859-2 Latin 7 PC-869 Greece PC-851 Greece PC-8 Latin/Greek Nova PC-8 Greek Alternate Greek-8
Specials	Ventura Math PS Math Math-8

	<p>Pi Font</p> <p>Microsoft Publishing</p> <p>PC-911 Katakana</p> <p>POSTNET Barcode</p> <p>OCR-A</p> <p>OCR-B</p> <p>C39 Bar Code (                    )</p> <p>C39 Bar Code (                    )</p> <p>C39 Bar Code (                    )</p> <p>Symbol</p> <p>Wingdings</p> <p>Ventura ITC Zapf Dingbats</p> <p>PS ITC Zapf Dingbats</p> <p>PCL ITC Zapf Dingbats</p>
7-bit ISO	<p>ISO 4:</p> <p>ISO 6: ASCII</p> <p>ISO 11:</p> <p>ISO 15:</p> <p>ISO 17:</p> <p>ISO 21:</p> <p>ISO 60:                    ,                    1</p> <p>ISO 69:</p> <p>ISO 2: IRV (Int'l Ref Version)</p> <p>ISO 25:</p> <p>ISO :</p> <p>ISO 14: JIS ASCII</p> <p>ISO 57:</p> <p>ISO 10:</p> <p>ISO :</p>

	ISO 85:
	ISO 16:
	ISO 84:
	ISO 61: , 2

PS

PostScript	
AlbertusMT	L1
AlbertusMT-Italic	L1
AlbertusMT-Light	L1
AntiqueOlive-Roman	L1, L2, L5, L6
AntiqueOlive-Italic	L1, L2, L5, L6
AntiqueOlive-Bold	L1, L2, L5, L6
AntiqueOlive-Compact	L1, L2, L5, L6
ArialMT	L1, L2, L5, L6, Cyr, Grk
Arial-ItalicMT	L1, L2, L5, L6, Cyr, Grk
Arial-BoldMT	L1, L2, L5, L6, Cyr, Grk
Arial-BoldItalicMT	L1, L2, L5, L6, Cyr, Grk
AvantGarde-Book	L1, L2, L5, L6
AvantGarde-BookOblique	L1, L2, L5, L6
AvantGarde-Demi	L1, L2, L5, L6
AvantGarde-DemiOblique	L1, L2, L5, L6
Bookman-Light	L1, L2, L5, L6
Bookman-LightItalic	L1, L2, L5, L6
Bookman-Demi	L1, L2, L5, L6
Bookman-DemiItalic	L1, L2, L5, L6
Coronet-Regular	L1, L2, L5, L6
2; L5 = ; L1 = 1; L2 = ; L6 = 5; L6 = 6; Cyr = ; Grk = .	



PostScript	
Intl-Courier-BoldOblique	L1, L2, L5, L6, Cyr, Grk
Intl-Univers-Medium	L1, L2, L5, L6, Cyr, Grk
Intl-Univers-MediumItalic	L1, L2, L5, L6, Cyr, Grk
Intl-Univers-Bold	L1, L2, L5, L6, Cyr, Grk
Intl-Univers-BoldItalic	L1, L2, L5, L6, Cyr, Grk
LetterGothic	L1, L2, L5, L6
LetterGothic-Slanted	L1, L2, L5, L6
LetterGothic-Bold	L1, L2, L5, L6
LetterGothic-BoldSlanted	L1, L2, L5, L6
Marigold	L1
NewCenturySchlbk-Roman	L1, L2, L5, L6
NewCenturySchlbk-Italic	L1, L2, L5, L6
NewCenturySchlbk-Bold	L1, L2, L5, L6
NewCenturySchlbk-BoldItalic	L1, L2, L5, L6
Optima	L1, L2, L5, L6
Optima-Italic	L1, L2, L5, L6
Optima-Bold	L1, L2, L5, L6
Optima-BoldItalic	L1, L2, L5, L6
Palatino-Roman	L1, L2, L5, L6
Palatino-Italic	L1, L2, L5, L6
Palatino-Bold	L1, L2, L5, L6
Palatino-BoldItalic	L1, L2, L5, L6
Symbol	
Times-Roman	L1, L2, L5, L6
Times-Italic	L1, L2, L5, L6
Times-Bold	L1, L2, L5, L6
Times-BoldItalic	L1, L2, L5, L6
2; L5 =                   : L1 =                   1; L2 = 5; L6 =                   6; Cyr = ; Grk =                   .	

PostScript	
TimesNewRomanPSMT	L1, L2, L5, L6, Cyr, Grk
TimesNewRomanPS-ItalicMT	L1, L2, L5, L6, Cyr, Grk
TimesNewRomanPS-BoldMT	L1, L2, L5, L6, Cyr, Grk
TimesNewRomanPS-BoldItalicMT	L1, L2, L5, L6, Cyr, Grk
Univers	L1, L2, L5, L6
Univers-Oblique	L1, L2, L5, L6
Univers Bold	L1, L2, L5, L6
Univers-BoldOblique	L1, L2, L5, L6
Univers-Condensed	L1, L2, L5, L6
Univers-CondensedOblique	L1, L2, L5, L6
Univers-CondensedBold	L1, L2, L5, L6
Univers-CondensedBoldOblique	L1, L2, L5, L6
Wingdings-Regular	
ZapfChancery-MediumItalic	L1, L2, L5, L6
ZapfDingbats	
2; L5 = ; Grk =	: L1 = 5; L6 = .
1; L2 = 6; Cyr =	

---

USB	USB 2.0
	IEEE-1284
10/100/1000 Ethernet	CAT-5E

---

USB-IF



- [Dell](#)
- [Dell](#)
- [Dell](#)

---

Dell

Dell,  
Dell.

Dell.

Dell  
Dell

Software & Peripherals (DellWare), ReadyWare

Custom Factory Integration (CFI/DellPlus).

---

Dell

DELL SUPPORT (

Dell

- [support.dell.com](http://support.dell.com).  
DELL)

WELCOME TO

Dell

:

- [www.dell.com/](http://www.dell.com/)

- [www.dell.com/ap/](http://www.dell.com/ap/) ( )

- [www.dell.com/jp/](http://www.dell.com/jp/) ( )

- [www.euro.dell.com](http://www.euro.dell.com) ( )

- [www.dell.com/la/](http://www.dell.com/la/) ( )



[www.dell.ca](http://www.dell.ca) ( )

- (FTP)

[ftp.dell.com](ftp://ftp.dell.com)

: anonymous,

- 

[mobile\\_support@us.dell.com](mailto:mobile_support@us.dell.com)

[support@us.dell.com](mailto:support@us.dell.com)

[la-techsupport@dell.com](mailto:la-techsupport@dell.com) ( )

[apsupport@dell.com](mailto:apsupport@dell.com) ( - )

[support.jp.dell.com](mailto:support.jp.dell.com) ( )

[support.euro.dell.com](mailto:support.euro.dell.com) ( )

- 

[apmarketing@dell.com](mailto:apmarketing@dell.com) ( - )

[sales\\_canada@dell.com](mailto:sales_canada@dell.com) ( )

---

Dell Inc. ("Dell")

Dell

[BSD License and Warranty statements](#)

[GNU License](#)

:

- Dell /
- GNU, 2, Dell, GNU, 2.1
- BSD
- Dell ; / GNU, Dell
- Dell, GNU, Dell

---

## BSD License and Warranty statements

Copyright (c) 1991 The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

## GNU License

### GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you". Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a. You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b. You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c. If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as

separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a. Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b. Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c. Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If

you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

1 April 1989

Lexmark International, Inc.

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.



The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a. The modified work must itself be a software library.

b. You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c. You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d. If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a. Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then

relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b. Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c. Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d. If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e. Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a. Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b. Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason

(not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

1 April 1990

Lexmark International, Inc.

That's all there is to it!