



Specifications

Copyright © 2015 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2015-07 Rev. A00

Regulatory model: P20T | Type: P20T004

Computer model: Inspiron 11-3153



Front

Front



Left



Right



Base



Display



Modes



Power/Battery status light

Indicates the power state and battery state of the computer.

Solid white — Power adapter is connected to the computer and the battery is being charged.

Solid yellow — Battery charge is low or critical.

Off — Power adapter is connected to the computer and battery is fully charged or power adapter is not connected to the computer.





Left

Front



Left



Right




Base



Display



Modes



Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

USB 3.0 port with PowerShare

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

PowerShare allows you to charge your USB devices even when your computer is turned off.

NOTE: If your computer is turned off or in Hibernate state, you must connect the power adapter to charge your devices using the PowerShare port. You must enable this feature in the BIOS setup program.

NOTE: Certain USB devices may not charge when the computer is turned off or in the Sleep state. In such cases, turn on the computer to charge the device.

USB 3.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

Headset port

Connect a headphone, a microphone, or a headphone and microphone combo (headset).



Right

Front



Left



Right



Base



Display



Modes



Power button

Press to turn on the computer if it is turned off or in Sleep state.

Press to put the computer in Sleep state if it is turned on. Press and hold for 4 seconds to force shut-down the computer.



NOTE: You can customize the power-button behavior in Power Options. For more information, see Me and My Dell at

www.dell.com/support/manuals.

Volume-control buttons (2)

Press to increase or decrease the volume...

USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

Media-card reader

Reads from and writes to media cards.

Security-cable slot

Connect a Noble security-cable to prevent unauthorized movement of your computer.





Front



Left



Right



Base



Display



Modes





1 Left-click area

Press to left click.

2 Touch pad

Move your finger on the touch pad to move the mouse pointer. Tap to left click.

3 Right-click area

Press to right click.



Front



Left



Right



Base




Display



Modes

Display



1 Left microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

Ambient-light sensor

Detects the ambient light and automatically adjusts the display brightness.

Camera

Allows you to video chat, capture photos, and record videos.

Camera-status light

Turns on when the camera is in use.

5 **Right microphone**

Provides high-quality digital sound input for audio recording, voice calls, and so on.

6 Windows button

Press to go to the Start screen.





Modes

Front







0 - -







Right



Stand





Display



Modes







Dimensions and weight

Height	19 mm (0.75 in)
Width	300 mm (11.81 in)
Depth	201 mm (7.91 in)
Weight	1.41 kg (3.11 lb)
	NOTE : The weight of your laptop varies depending on the configuration ordered and the manufacturing variability.

















Audio





















System information

Computer model	Inspiron 11-3153
Processor	6 th Generation Intel Core i3 Processor
	6 th Generation Intel Core i5 Processor
Chipset	Integrated in processor



































Memory

Slot One SODIMM slot

Type DDR3L

Speed 1600 MHz

Configurations supported: 4 GB and 8 GB









connectors











Display















Ports and connectors

External:		
Externat.		
USB	One USB 2.0 port	
	One USB 3.0 port	
	 One USB 3.0 port with PowerShare 	
Audio/video	One HDMI port	
	 One headphone and microphone combo (headset) port 	
Internal:		

One M.2 slot for Wi-Fi and Bluetooth combo card



M.2





































Communications

Wireless

- Wi-Fi 802.11ac
- Bluetooth 4.0
- Intel WiDi (optional)









Ports and connectors









Audio





















Video

Controller Intel HD Graphics

Memory Shared system memory





































Audio

Controller Conexant CX6008 with Waves MaxxAudio

Speakers Two

Speaker output:

Average 2 W Peak 2.5 W

Microphone Digital-array microphones in camera assembly

Volume controls Media-control shortcut keys and volume-control buttons



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display



Keyboard



Camera



Touch pad









Storage

Interface SATA 6 Gbps

Hard drive • One 2.5-inch drive

• One 2.5-inch solid-state drive

















Video



















Media-card reader

One SD card slot Type

















Communications





















Power adapter



Display

Type 11.6-inch HD WLED touch

Resolution (maximum) 1366 x 768

Dimensions:

 Height
 168.50 mm (6.63 in)

 Width
 256.13 mm (10.08 in)

 Diagonal
 294.64 mm (11.60 in)

Refresh rate 60 Hz

Operating angle 0 degrees (closed) to 360 degrees

Pixel pitch 0.1875 mm

Controls Brightness can be controlled using shortcut keys.



Dimensions and weight



System information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display



Keyboard





Touch pad



Power adapter



Computer environment



Keyboard

Type Chiclet keyboard Shortcut keys Some keys on your keyboard have two symbols on them. These keys can be

used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.

NOTE: You can change the behavior of the shortcut keys by pressing Fn+Esc or by changing **Function Key Behavior** in System Setup.

List of shortcut keys.




































Shortcut keys



Decrease volume

Increase volume

►/ II Play/Pause

P Open Search charm

Open Share charm

Open Devices charm


Open Settings charm

List recently-used apps

Display active app menu-bar

Decrease brightness

Increase brightness





Camera

Resolution:

Still image 0.72 megapixel

1280 x 720 (HD) at 30 fps (maximum) Video

Diagonal viewing angle 74 degrees







information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display













Power adapter





Touch pad

Resolution:

Horizontal 1207 dpi Vertical 1702 dpi

Dimensions:

Width 105.20 mm (4.14 in)

Height 60.20 mm (2.37 in)













Ports and connectors







Video



Audio



Storage



Media-card reader



Display

















Battery

3 cell Type

Dimensions:

Width 254 mm (10 in)

77.20 mm (3.04 in) Depth

6.80 mm (0.27 in) Height

Weight (maximum) 0.25 kg (0.55 lb)

11.4 VDC Voltage

Charging time when the

computer is off (approximate)

Operating time Varies depending on operating conditions and can significantly reduce under

Within 4 hours

certain power-intensive conditions.

Life span (approximate) 300 discharge/charge cycles

Temperature range:

0°C to 35°C (32°F to 95°F) Operating

Storage -40°C to 65°C (-40°F to 149°F)

Coin-cell battery CR-2032



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display



Keyboard



Camera



Touch pad





Power adapter





Power adapter

45 W Type

Input voltage 100 VAC-240 VAC

50 Hz-60 Hz Input frequency

1.30 A Input current

Output current 2.31 A

19.50 VDC Rated output voltage

Temperature range:

0°C to 40°C (32°F to 104°F) Operating

-40°C to 70°C (-40°F to 158°F) Storage



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display



Keyboard





Touch pad



Power adapter







Computer environment

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G [†]	160 G [‡]
Altitude (maximum)	–15.2 m to 3048 m (–50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

^{*} Measured using a random vibration spectrum that simulates user environment.





















Audio

















[†] Measured using a 2 ms half-sine pulse when the hard drive is in use.

[‡] Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.