



**Specifications** 

Copyright © 2015 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2015 - 07 Rev. A00

Regulatory model: P57G | Type: P57G002

Computer model: Inspiron 13-7359



### **Front**

Front

- ----

Left



Right



Base



Display



Modes

### Power/battery status light

Indicates the power state and battery state of the computer.

Solid white — Power adapter is connected to the computer and the battery is being charged.

Solid yellow — Battery charge is low or critical.

Off — Power adapter is connected to the computer and battery is fully charged or power adapter is not connected to the computer and the battery has sufficient charge.



Front

. . . . . . .

Left







Base




Display



Modes

## Left



#### Security-cable slot

Connect a Noble security-cable to prevent unauthorized movement of your computer.

### Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

#### HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

#### **USB 3.0 port with PowerShare**

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

PowerShare allows you to charge your USB devices even when your computer is turned off.

NOTE: If your computer is powered off or in Hibernate state, you must connect the power adapter to charge your devices using the PowerShare port. You must enable this feature in BIOS setup program.

NOTE: Certain USB devices may not charge when the computer is powered off or in Sleep state. In such cases, turn on the computer to charge the device.

### USB 3.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

#### 6 **Headset port**

Connect a headphone, a microphone, or a headphone and microphone combo (headset).

#### 7 Left speaker

Provides audio output from your computer.



# Right

Front



Left



Right



Base



Display



Modes



#### 1 **Power button**

Press to turn on the computer if it is turned off or in sleep state.

Press to put the computer in sleep state if it is turned on. Press and hold for 4 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see Me and My Dell at Dell.com/support/manuals.

#### **Volume-control buttons**

Press to increase or decrease the volume

### Right speaker

Provides audio output from your computer.

#### USB 3.0 port 4

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

#### Media-card reader

Reads from and writes to media cards.

#### Passive stylus

Allows you to draw, write text, and perform basic mouse functions



## Base

Front

. . . . . .

Left



Right




Base



Display



Modes



#### L Left-click area

Press to left-click.

### 2 Touch pad

Move your finger on the touch pad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

3 Right-click area

Press to right-click.

Front

- ----

Left



Right



Base




Display



Modes

## **Display**



#### 1 Left microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

### **Ambient-light sensor**

Detects the ambient light and automatically adjusts the display brightness.

#### Camera

Allows you to video chat, capture photos, and record videos.

#### Camera-status light

Turns on when the camera is in use.

#### 5 **Right microphone**

Provides high-quality digital sound input for audio recording, voice calls, and so on.

#### 6 Windows button

Press to display the Start menu/screen.





Modes

Front



**Tablet** 



Left



Right



Base



Display



Modes



**Tablet Stand** 



Tent





## **Dimensions and weight**

19 mm (0.75 in) Height Width 330 mm (13 in) 222 mm (8.74 in) Depth Weight (maximum) 1.66 kg (3.66 lb) NOTE: The weight of your laptop varies depending on the configuration ordered and the manufacturing variability.

















Video



















Power adapter



## **System information**

Computer model	Inspiron 13-7359
Processor	• 6 <sup>th</sup> Generation Intel Core i3
	6 <sup>th</sup> Generation Intel Core i5
	• 6 <sup>th</sup> Generation Intel Core i7
	6 <sup>th</sup> Generation Intel Pentium Dual-Core
Chipset	Integrated in the processor



















Audio





















## Memory

Slot One SODIMM slot

Type DDR3L

Speed 1600 MHz

Configurations supported 4 GB and 8 GB







information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display





Camera



Touch pad



Battery



Power adapter



environment



### Ports and connectors

External:

USB

• Two USB 3.0 ports

• One USB 3.0 port with PowerShare

Audio/video

• One HDMI port

• One headset port

Internal:

M.2 card

One M.2 card slot for Wi-Fi and Bluetooth combo card

















Video





















### Communications

Wireless

- Wi-Fi 802.11b/g/n
- Wi-Fi 802.11ac
- Bluetooth 4.0
- WiDi







































### Video

Controller Intel HD Graphics

Memory Shared system memory



















reader

















### **Audio**

Controller Conexant-CX6008

**Speakers** Two

Speaker output:

2 W Average

Peak 2.5 W

Microphone Digital-array microphones in camera assembly

Volume controls Media-control shortcut keys and volume-control buttons.



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display

Keyboard



Camera



Touch pad





Power adapter



environment



## **Storage**

Interface Hard drive SATA 6 Gbps

- One 2.5-inch drive
- One 2.5-inch hybrid drive
- One 2.5-inch solid-state drive









Ports and connectors













Media-card reader



Display Keyboard

















### Media-card reader

One SD card slot Type

Card supported SD card







connectors



Communications



Video



Audio



Storage







Display Keyboard

















## Display

Туре	<ul> <li>13.3-inch HD WLED touch</li> </ul>		
	13.3-inch Full HD WLED touch		
	HD	Full HD	
Resolution (maximum)	1366 x 768	1920 x 1080	
Dimensions:			
Height	164.97 mm (6.49 in)	165.10 mm (6.50 in)	
Width	293.42 mm (11.55 in)	293.60 mm (11.55 in)	
Diagonal	337.82 mm (13.30 in)	337.82 mm (13.30 in)	
Pixel pitch	0.2148 mm	0.1529 mm	
Refresh rate	60 Hz		
Operating angle	0 degrees (closed) to 360 degrees		
Viewing angle	160 degrees		



weight

Controls









Brightness can be controlled using shortcut keys.







Memory information









Media-card reader







Touch pad



### **Keyboard**

Type Backlit keyboard Shortcut keys Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type

the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.

**NOTE**: You can define the primary behavior of the function keys (F1–F12) by changing Function Key Behavior in BIOS setup program.

List of shortcut keys.









connectors









weight

Media-card
















# **Shortcut keys**

F1 ◀x	Mute audio
F2 <b>●</b>	Decrease volume
F3 <b>●</b> ")	Increase volume
F4 <b>►</b>	Play previous track/chapter
F5 ▶II	Play/Pause
F6 ►►	Play next track/chapter
F8	Switch to external display
F9 p	Search
F10	Toggle keyboard backlight
F11	Decrease brightness
F12 <b>☀</b>	Increase brightness





### Camera

Resolution:

Still image 0.92 megapixel

1280 x 720 (HD) at 30 fps (maximum) Video

Diagonal viewing angle 74 degrees







information



Memory



Ports and connectors







Video



Audio



Storage



Media-card reader



Display



Keyboard





Touch pad





Power adapter





### Touch pad

Resolution:

Horizontal 304.8 dpi

Vertical 304.8 dpi

Dimensions:

Width 102 mm (4.01 in)

Height 62 mm (2.44 in)



















Audio









Display

Keyboard















### **Battery**

3 cell (43 WHr) Type

Dimensions:

Width 77.20 mm (3.04 in)

254 mm (10 in) Depth

6.80 mm (0.27 in) Height

Weight (maximum) 0.25 kg (0.55 lb)

11.4 VDC Voltage

Charging time when the computer is off

(approximate)

Within 4 hours

Operating time Varies depending on operating conditions and can significantly reduce under

certain power-intensive conditions.

Life span (approximate) 300 discharge/charge cycles

Temperature range:

Operating 0°C to 35°C (32°F to 95°F)

-40°C to 65°C (-40°F to 149°F) Storage

CR-2032 Coin-cell battery



Dimensions and weight



information



Memory



Ports and connectors



Communications



Video



Audio



Storage



Media-card reader



Display Keyboard

















## Power adapter

Type	45 W	65 W
Input voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input frequency	50 Hz-60 Hz	50 Hz-60 Hz
Input current (maximum)	1.30 A	1.60 A/1.70 A
Output current (maximum)	2.31 A	3.34 A
Rated output voltage	19.50 VDC	19.50 VDC
Temperature range:		
Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)



Dimensions and weight



information



Memory



Ports and connectors







Video



Audio



Storage

















Power adapter



environment



### **Computer environment**

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G <sup>†</sup>	160 G <sup>‡</sup>
Altitude (maximum)	–15.2 m to 3048 m (–50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

<sup>\*</sup> Measured using a random vibration spectrum that simulates user environment.










connectors



























Touch pad

Power adapter

<sup>†</sup> Measured using a 2 ms half-sine pulse when the hard drive is in use.

<sup>‡</sup> Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.