



**Specifications** 

Copyright © 2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2014 - 09 Rev. A01

Regulatory model: P53G | Type: P53G002

Computer model: Inspiron 14-3441

**Front** 

# **Views**





### Power and battery-status light

Indicates the power state and battery state of the computer.

White light Battery is getting charged.

Amber Battery is low or critical.

Off

• Computer is plugged in and the battery is fully charged.

• Computer is running on battery and battery has more than 10% charge.

Left

Front



Left




#### Right



Base



Display



#### Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.

#### Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

#### **HDMI** port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

#### **Network port**

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access.

#### USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

#### USB 3.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

#### **Headset port**

Connect a headphone, a microphone, or a headphone and microphone combo (headset).

# Right

Front



Left




Right



Base



Display



#### Media-card reader

Reads from and writes to media cards.

### 2 USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

### **Optical drive**

Reads from and writes to CDs and DVDs.





Front



Left



Right



Base



Display

### **Base**



#### Power button

Press to turn on the computer if it is turned off or in Sleep state.

Press to put the computer in Sleep state if it is turned on. Press and hold for 10 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see Me and My Dell at dell.com/support.

#### 2 Right-click area

Press to right click.

#### **Touchpad**

Move your finger on the touchpad to move the mouse pointer. Tap to left click.

#### Left-click area

Press to left click.

Front



Left



Right



Base



Display

### **Display**



### Microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

#### Camera

Allows you to video chat, capture photos, and record videos.

### Camera-status light

Turns on when the camera is in use.



### **Dimensions and Weight**

Height:

Touch 26.6 mm (1.04 in)

Non-touch 25.4 mm (1 in)

Width 346 mm (13.62 in)

Depth 246 mm (9.68 in)

Weight (maximum):

Touch 2.11 kg (4.65 lb)

Non-touch 2.01 kg (4.43 lb)

**NOTE**: The weight of your laptop varies depending on the configuration ordered

and the manufacturing variability.

















Ports and Commun



Battery





Media-Card Reader











### **System Information**

Computer model	Inspiron 14-3441
Processor	• AMD E1-6010
	• AMD E2-6110
	• AMD A4-6210
	• AMD A6-6310
Chipset	Integrated in processor









Ports and Connectors





Video



Audio



Storage



Reader

















### Memory

Slot One SODIMM slot

Type DDR3L

Speed 1600 MHz

Configurations supported 2 GB and 4 GB







Memory



Ports and Connectors













Media-Card Reader



Keyboard















### **Ports and Connectors**

One RJ45 port Network

USB • One USB 3.0 port

• Two USB 2.0 ports

Audio/video • One HDMI port

• One headphone and microphone combo (headset) port

Internal:

Mini card One mini-card slot for Wi-Fi and Bluetooth combo card

















Memory



Camera









Media-Card Reader









Wireless

# **Specifications**

### Communications

10/100 Mbps Ethernet controller integrated on system board Ethernet

• 802.11 b/g/n

• Bluetooth 4.0









Connectors





























### Video

Controller:

Integrated • AMD Radeon R4 Graphics for AMD A6 Quad Core

• AMD Radeon R3 Graphics for AMD A4 Quad Core

• AMD Radeon R2 Graphics for AMD E1 Dual Core

• AMD Radeon R2 Graphics for AMD E2 Quad Core

Discrete AMD Radeon HD R5 M230

Memory:

Integrated Shared system memory

Up to 2 GB DDR3L Discrete











Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display

















#### **Audio**

Controller Realtek ALC3223

Speakers Two

Output:

Average 2 watt
Peak 2.5 watt

Microphone Digital microphone

Volume controls Media-control shortcut keys







Ports and Connectors













Audio







Display Keyboard















### **Storage**

Interface SATA 6 Gbps

Hard drive One 2.5-inch drive

Optical drive One 9.5 mm DVD+/-RW drive







Memory



Ports and Communications Connectors



Video



Audio



Storage



Reader



















### Media-Card Reader

One 3-in-1 slot Type Cards supported • SD card • SD High-Capacity (SDHC) card • SD Extended Capacity (SDXC) card with Ultra High Speed (UHS)









Connectors









Audio



Reader

















### Display

14.0-inch HD Type

Resolution (maximum) 1366 x 768

Dimensions:

205.6 mm (8.09 in) Height

Width 320.9 mm (12.63 in) Diagonal 355.6 mm (14 in)

Refresh rate 60 Hz

Operating angle 0 degrees (closed) to 135 degrees

Pixel pitch 0.2265 mm

Controls Brightness can be controlled using shortcut keys.



















Audio



Media-Card Reader



Display



Camera











### **Keyboard**

Shortcut keys

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.

**NOTE**: You can define the primary behavior of the shortcut keys by changing Function Key Behavior in System Setup.









Connectors





























### Camera

Resolution:

Still image 0.92 megapixel

1280 x 720 HD @ 30 FPS Video

Diagonal viewing angle 74 degrees







Memory



Ports and Connectors



Communications



Video



Audio



Storage







Display

















### **Touchpad**

Resolution:

Horizontal 1207 dpi 1702 dpi Vertical

Dimensions:

Width 102.4 mm (4.03 in)

Height 57.4 mm (2.25 in)







Memory



Ports and Communications Connectors



Video



Audio



Storage





















### **Battery**

4-cell "smart" lithium ion (40 WHr) Type

Dimensions:

Width 272.40 mm (10.72 in)

46.30 mm (1.82 in) Depth 20.00 mm (0.79 in)

Height Weight (maximum) 0.26 kg (0.57 lb)

14.80 VDC Voltage

Charging time when the 4 hours

computer is off (approximate)

Operating time Varies depending on operating conditions and can significantly reduce under

certain power-intensive conditions.

Life span (approximate) 300 discharge/charge cycles

Temperature range:

0°C to 35°C (32°F to 95°F) Operating

Storage -40°C to 65°C (-40°F to 149°F)

Coin-cell battery CR-2032



Dimensions and Weight



Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display



Camera













### **Power Adapter**

65 W Type

Input voltage 100 VAC-240 VAC

50 Hz-60 Hz Input frequency

Input current (maximum) 1.50 A/1.60 A/1.70 A/2.50 A

Output current (continuous) 3.34 A

19.50 VDC Rated output voltage

Temperature range:

0°C to 40°C (32°F to 104°F) Operating

Storage -40°C to 70°C (-40°F to 158°F)











Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Keyboard















### **Computer Environment**

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 40°C (32°F to 104°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G <sup>†</sup>	160 G <sup>‡</sup>

- \* Measured using a random vibration spectrum that simulates user environment.
- † Measured using a 2 ms half-sine pulse when the hard drive is in use.
- ‡ Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.







Memory



Connectors





