



Specifications

Copyright © 2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2014 - 05 Rev. A00

Computer model: Inspiron 5445

Regulatory model: P49G | Type: P49G002





Front

Front



Left



Right



Base



Display



Power and battery-status light

Indicates the power state and battery state of the computer.

White light — Power adapter is connected and the battery is being charged.

Amber — Battery charge is low or critical.

Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.





Left

Front



Left



Right



Base



Display



Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.

Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

Media-card reader

Reads from and writes to media cards.





Right

Front



Left




Right



Base



Display



Headset port

Connect a headphone, a microphone, or a headphone and microphone combo (headset).

USB 3.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access.



Base

Front



Left



Right



Base



Display



1 Power button

Press to turn on the computer if it is turned off or in Sleep state.

Press to put the computer in Sleep state if it is turned on. Press and hold for 4 seconds to force shut-down the computer.

NOTE: You can customize the power-button behaviour in Power Options. For more information, see *Me and My Dell* at **dell.com/support**.

2 Right-click area

Press to right click.

3 Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click.

4 Left-click area

Press to left click.



Front



Left



Right



Base



Display

Display



Left microphone 1

Provides high-quality digital sound input for audio recording, voice calls, and so on.

2 Camera-status light

Turns on when the camera is in use.

Camera

Allows you to video chat, capture photos, and record videos.

Right microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.



Dimensions and Weight

Height	21.60 mm (0.85 in)
Width	342 mm (13.46 in)
Depth	246 mm (9.69 in)
Weight	1.93 kg (4.25 lb)
	NOTE : The weight of your laptop varies depending on the configuration ordered and the manufacturing variability.









Connectors





























System Information

Computer model	Inspiron 5445
Processor	AMD A8-7100 APU with Radeon R5 Graphics
	 AMD A10-7300 APU with Radeon R6 Graphics
Chipset	AMD A76M FCH









Connectors











Keyboard











Media-Card Reader



Camera

Power Adapter



Memory

Slots One SODIMM slot

Type DDR3

Speed 1600 MHz

Configurations supported 4 GB and 8 GB

















deo





















Ports and Connectors

External:	

One RJ45 port Network

USB

• One USB 2.0 port • Two USB 3.0 ports

Audio/Video • One HDMI port

• One headphone and microphone combo (headset) port

Internal:

M.2 Card One M.2-2230 slot for Wi-Fi and Bluetooth combo card









Connectors









Video





















Wireless

Specifications

Communications

Ethernet 10/100 Mbps Ethernet controller integrated on system board

• Wi-Fi 802.11 b/g/n

• Bluetooth 4.0



















Media-Card Reader

















Video

Controller AMD Radeon R7 M265 Graphics

Memory 2 GB DDR3







































Audio

Controller Realtek ALC3234CG with Waves MaxxAudio

Speakers Two

Output:

2 watt Average Peak 2.5 watt

Microphone Digital array-microphones

Volume controls Media-control shortcut keys







Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display

Keyboard







Touchpad









Storage

Interface SATA 6 Gbps

Hard drive One 2.5-inch drive



































Media-Card Reader

Type One 5-in-1 slot

Cards supported

SD card
SD High-Capacity (SDHC) card
SD Extended Capacity (SDXC) card with Ultra High Speed (UHS)
Memory Stick (MS)
Memory Stick PRO (MS PRO)

















Memory

Ports and Communication







Media-Card Reader









Battery

Power Adapter



Display

14.0-inch HD Type

Resolution (maximum) 1366 x 768

Dimensions:

173.95 mm (6.85 in) Height

Width 309.40 mm (12.18 in)

Diagonal 355.60 mm (14 in)

Refresh rate 60 Hz

Operating angle 0 degrees (closed) to 135 degrees

Pixel pitch 0.2265 mm

Controls Brightness can be controlled using shortcut keys.



Dimensions and Weight



Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display



Keyboard



Touchpad











Keyboard

Shortcut keys

Type Standard keyboard

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.

NOTE: You can change the behavior of the shortcut keys by pressing Fn+Esc or by changing **Function Key Behavior** in System Setup.









Connectors



























Camera

Resolution:

Still image 0.92 megapixel

1280 x 720 (HD) at 30 fps Video

Diagonal viewing angle 74 degrees







Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display



Camera





Touchpad











Touchpad

Resolution:

Horizontal 1260 dpi 1207 dpi Vertical

Dimensions:

Width 105 mm (4.13 in) Height 80 mm (3.15 in)







Ports and Connectors







Video



Audio



Storage























Battery

• 3 cell "smart" lithium ion (43.50 WHr) Type

• 4 cell "smart" lithium ion (58 WHr)

Dimensions:

Voltage

208.25 mm (8.20 in) Width

Depth 124.70 mm (4.91 in)

7.80 mm (0.31 in) Height

4 cell 3 cell

0.28 kg (0.62 lb) 0.35 kg (0.77 lb) Weight (maximum) 7.40 VDC

Operating time Varies depending on operating conditions and can significantly reduce under

certain power-intensive conditions.

11.10 VDC

Life span (approximate) 300 discharge/charge cycles

Temperature range:

0°C to 35°C (32°F to 95°F) Operating -40°C to 65°C (-40°F to 149°F) Storage

Coin-cell battery CR-2032



Dimensions and Weight



Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display Keyboard



Camera













Power Adapter

65 W Type

Input voltage 100 VAC-240 VAC

50 Hz-60 Hz Input frequency

Input current (maximum) 1.50 A

Output current (continuous) 3.34 A

19.50 VDC Rated output voltage

Temperature range:

Operating 0°C to 40°C (32°F to 104°F)

Storage -40°C to 70°C (-40°F to 158°F)



Dimensions and Weight



Information



Memory



Ports and Connectors



Communications



Video



Audio



Storage



Media-Card Reader



Display

Keyboard















Computer Environment

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G [†]	160 G [‡]
Altitude (maximum)	–15.2 m to 3048 m (–50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

^{*} Measured using a random vibration spectrum that simulates user environment



































[†] Measured using a 2 ms half-sine pulse when the hard drive is in use.

[‡] Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.