



Views

Specifications

Copyright © 2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell[™] and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2014 - 11 Rev. A01 Regulatory model: P39F | Type: P39F001 Computer model: Inspiron 5542/Inspiron 5543





Right



Base



Display

1 Power and battery-status light

Indicates the power state and battery state of the computer.


White light — Power adapter is connected and the battery is being charged.

Amber light — Battery charge is low or critical.

2 Hard-drive activity light

Turns on when the computer reads from or writes to the hard drive.





Right



Base



Display

1 Security-cable slot

Connect a security cable to prevent unauthorized movement of your computer.

2 Power-adapter port

Connect a power adapter to provide power to your computer and charge the battery.

3 USB 2.0 port

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 480 Mbps.

4 Media-card reader

Reads from and writes to media cards.





Right



Base



Display

1 Headset port

Connect a headphone, a microphone, or a headphone and microphone combo (headset).

2 USB 3.0 ports (2)

Connect peripherals such as storage devices, printers, and so on. Provides data transfer speeds up to 5 Gbps.

3 HDMI port

Connect a TV or another HDMI-in enabled device. Provides video and audio output.

4 Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or internet access.



Base



Right

Front

Left



Base



Display

1 Power button

Press to turn on the computer if it is turned off or in sleep state.

Press to put the computer in sleep state if it is turned on. Press and hold for 4 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see *Me and My Dell* at dell.com/support/manuals.

2 Right-click area

Press to right click.

3 Touch pad

Move your finger on the touch pad to move the mouse pointer. Tap to left-click.

4 Left-click area

Press to left click.



Display





Left



Base



Display



1 Microphone

Provides high-quality digital sound input for audio recording, voice calls, and so on.

2 Camera

Allows you to video chat, capture photos, and record videos.

3 Camera-status light

Turns on when the camera is in use.



Dimensions and Weight


Height:	
Touch screen (Inspiron 5542 only)	23.20 mm (0.91 in)
Non-touch screen	22.70 mm (0.89 in)
Width	380.40 mm (14.98 in)
Depth	259 mm (10.20 in)
Weight:	
Touch screen (Inspiron 5542 only)	2.31 kg (5.09 lb)
Non-touch screen	2.13 kg (4.70 lb)
	NOTE : The weight of your laptop varies depending on the configuration ordered and the manufacturing variability.





System Information

Computer model	Inspiron 5542Inspiron 5543
Processor	
Inspiron 5542	 4th Generation Intel Core i3 ULV 4th Generation Intel Core i5 ULV
Inspiron 5543	5 th Generation Intel Core i5 ULV
L3 cache	3 MB
Chipset	Integrated in processor





Memory

Slots	Two SODIMM slots	
Туре	Dual channel DDR3L	
Speed	1600 MHz	
Configurations supported	2 GB, 4 GB, 6 GB, and 8 GB	





Ports and Connectors

External:	
Network	One RJ45 port
USB	One USB 2.0 port
	Two USB 3.0 ports
HDMI	One HDMI port
Audio	One headset port
Internal:	
M.2	One M.2-2230 slot for WLAN, Bluetooth, and Intel WiDi (optional)



Communications

Ethernet

Wireless

10/100 Mbps Ethernet controller integrated on system board

- Wi-Fi 802.11b/g/n/ac
- Bluetooth 4.0
- Intel WiDi (optional)
- Miracast (Windows 8.1)





Video


	Controller	Memory
Integrated	Inspiron 5542—Intel HD Graphics 4400	Shared system memory
	Inspiron 5543—Intel HD Graphics 5500	
Discrete	AMD Radeon R5 M240 Graphics	2 GB DDR3





Audio


Controller	Realtek ALC3234CG with Waves MaxxAudio
Speakers	Two
Speaker output:	
Average	2 W
Peak	2.5 W
Microphone	Digital microphone
Volume controls	Media-control shortcut keys





Storage

Interface Hard drive SATA 6 Gbps One 2.5-inch drive (supports Intel Smart Response Technology)



Media-Card Reader

Туре

Cards supported

One 5-in-1 slot

- SD card
- SD 3.0 card
- SD High-Capacity (SDHC) card
- Memory Stick
- Memory Stick Pro





Display

Туре	15.6-inch HD15.6-inch HD touch screen (Inspiron 5542 only)				
Refresh rate	60 Hz				
Operating angle	0 degree (closed) to 135 degrees				
Controls	Brightness can be controlled using shortcu	ut keys.			
Resolution (maximum)	1366 x 768				
Pixel pitch	0.252 mm				
	Non-touch screen Touch screen (Inspiron 5542 only)				
Dimensions:					
Height	224.30 mm (8.83 in) 225.06 mm (8.86 in)				
Width	344.20 mm (13.55 in) 344.23 mm (13.55 in)				
Diagonal	360 mm (14.17 in) 366.63 mm (14.43 in)				





Keyboard

Туре	Standard keyboard
Shortcut keys	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.
	NOTE : You can define the primary behavior of the shortcut keys by changing Function Key Behavior in BIOS setup program.





Camera

Resolution:	
Still image	0.92 megapixels
Video	1280 x 720 (HD) at 30 fps
Diagonal viewing angle	74 degrees





Touch Pad

Resolution:	
Horizontal	1260 dpi
Vertical	1207 dpi
Dimensions:	
Width	105 mm (4.13 in)
Height	80 mm (3.15 in)






Battery

Туре		 3-cell "smart" lithium ion (43.50 WHr) 4 cell "execut" lithium ion (58.10/Lur) 				
.	• 4-C6	 4-cell "smart" lithium ion (58 WHr) 				
Dimensions:						
Width		5 mm (8.20 in				
Depth		mm (4.91 in)				
Height	7.80 m	ım (0.31 in)				
Life span (approximate)	300 di	scharge/char	ge cycles			
Operating time			n operating cond sive conditions.	itions and can sig	gnificantly reduc	e under
Temperature range:						
Operating	0°C to	35°C (32°F to	o 95°F)			
Storage	-40°C	to 65°C (-40	D°F to 149°F)			
Coin-cell battery	CR-20	32				
		:	3 cell		4 cell	
Weight (maximum)		0.28 kc	g (0.62 lb)		0.35 kg (0.77 l	b)
Voltage		-	0 VDC		7.40 VDC	
Charging time when the computer is off (approximate)		4 hours				
Dimensions and		Ports and				
Weight System	Memory	Connectors	Communications	Video	Audio	Storage
			Ţ	4		\$
Media-Card Reader Display	Keyboard	Camera	Touch Pad	Battery	Power Adapter	Computer Environment



Power Adapter

Туре	65 W
Input voltage	100 VAC-240 VAC
Input frequency	50 Hz-60 Hz
Input current	1.50 A
Output current	3.34 A
Rated output voltage	19.50 VDC
Temperature range:	
Operating	0°C to 40°C (32°F to 104°F)
Storage	–40°C to 70°C (–40°F to 158°F)



Computer Environment

Airborne contaminant level	G1 as defined by ISA-S71.04-1985	
	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G [†]	160 G [‡]
Altitude (maximum)	-15.2 m to 3048 m (-50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

* Measured using a random vibration spectrum that simulates user environment.

† Measured using a 2 ms half-sine pulse when the hard drive is in use.

‡ Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.

