

Specifications

© 2012-2013 Dell Inc.

Dell[™], the DELL logo, and Inspiron[™] are trademarks of Dell Inc. Microsoft[®] and Windows[®] are either trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Intel[®] is a registered trademark and Core[™] is a trademark of Intel Corporation in the U.S. and other countries. Bluetooth[®] is a registered trademark owned by Bluetooth SIG, Inc. and is used by Dell under license.

2013 - 10

Regulatory Model: P15E | Type: P15E001 Computer Model: Inspiron 5720/7720

Dimensions

Height (front and back)	31.70 mm to 37.10 mm (1.25 inches to 1.46 inches)
Table height (front and back)	36.10 mm to 39.70 mm (1.42 inches to 1.56 inches)
Width	416.80 mm (16.41 inches)
Depth	276.00 mm (10.87 inches)
Weight (with 6-cell battery)	
Inspiron 17R-5720	3.24 kg (7.14 lb)
Inspiron 17R-7720	3.42 kg (7.54 lb)
	NOTE: The weight of your laptop will vary depending on the configuration ordered and the manufacturing variability

System information

Computer Model	Inspiron 17R-5720
	Inspiron 17R-7720
Processor	Intel Pentium dual core
	Intel Core i3
	Intel Core i5
	Intel Core i7
System chipset	Intel HM77 chipset

Memory

Connectors	two internally-accessible DDR3 SODIMM sockets
Capacities	2 GB and 4 GB
Minimum memory	2 GB
Maximum memory	4 GB
Memory type	1333/1600 MHz DDR3 SODIMM
Memory configurations supported	2 GB, 4 GB, 6 GB, and 8 GB

Communications

Modem (optional)	external V.92 56 K USB modem
Network adapter	10/100 Mbps Ethernet LAN on system board
Wireless	WLAN, WiMax, Wi-Fi abgn/bgn, Wi-Di (optional), and Bluetooth wireless technology
	NOTE: Inspiron 17R-7720 with 3D support does not support WiDi.

Ports and connectors

Audio	one microphone-in port
	one stereo headphone/speaker/microphone combo port
	one digital microphone
Mini-Card	one half-size Mini-Card slot
	one full-size Mini-Card slot (optional)
HDMI	one 19-pin port
Network adapter	one RJ45 port
USB	three 9-pin USB 3.0-compliant ports
	one 9-pin USB 3.0-compliant port with PowerShare and Windows debugging
Media Card Reader	one 8-in-1 slot
Video	one 15-hole port
mSATA (optional)	one mSATA port that supports up to 32 GB

Audio

Controller	IDT 92HD94
Speaker	2 W
Internal microphone support	single digital microphone in camera assembly
Volume controls	program menus and keyboard media control keys

Video

Inspiron 17R-5720	
Integrated	Intel HD graphics
Discrete	NVIDIA GeForce GT 630M
Video memory	
Integrated	1 GB
Discrete	1 GB
Inspiron 17R-7720	
Discrete	NVIDIA GeForce GT 650M
Video memory	
Discrete	2 GB

Media Card Reader

Cards supported	Secure Digital (SD) memory card
	Secure Digital High Capacity (SDHC)
	Secure Digital Extended Capacity (SDXC) with ultra high speed
	Memory Stick
	Memory Stick PRO (MS-PRO)
	Memory Stick Extended Capacity (MSXC)
	MultiMedia Card (MMC)
	MultiMedia Card plus (MMC+)

Power adapter connector

Туре	65 W/90 W/130 W
Input voltage	100-240 VAC
Input current (maximum)	1.50 A/1.60 A/1.70 A/2.30 A/2.50 A
Input frequency	50-60 Hz
Output current (continuous)	3.34 A/4.62 A/6.70 A
Output power	65 W/90 W/130 W
Rated output voltage	19.50 ± 1 VDC
Temperature range	
Operating	0°C to 40°C (32°F to 104°F)
Storage	–40°C to 70°C (–40°F to 158°F)

Touchpad

X/Y position resolution (graphics table mode)	240 срі
Size	
Height	52.7 mm (2.07 inches) sensor-active area
Width	97.0 mm (3.82 inches) rectangle

Backlit keyboard

Number of keys	102 (U.S.); 103 (United Kingdom); 106 (Japan);
	105 (Brazil)

Battery

6-cell "smart" lithium ion	
Height	20 mm (0.79 inches)
Width	208 mm (8.19 inches)
Depth	51 mm (2.00 inches)
Weight	0.33 kg (0.73 lb)
Voltage	11.1 VDC
Charge time (approximate)	4 hours (when the computer is turned off)
Operating time	battery operating time varies depending on operating conditions and can be significantly reduced under certain power-intensive conditions
Coin-cell battery	CR-2032

Display

Туре	
Inspiron 17R-5720	17.3" HD+ WLED TrueLife (1600 x 900)
Inspiron 17R-7720	17.3" FHD WLED, AG (1920 x 1080); 17.3" FHD WLED, TrueLife with NVIDIA 3D support (optional) (1920 x 1080)
Maximum resolution	1920 x 1080
Dimensions	
Height/Width	214.92 mm (8.46 inches)/381.89 mm (15.04 inches)
Diagonal	438.21 mm (17.25 inches)
Refresh rate	60 Hz; 120 Hz (3D)
Operating angle	0° (closed) to 140°
Horizontal viewing angle	40/40 for HD+; 60/60 for FHD
Vertical viewing angle	15/30 (H/L) for HD+; 50/50 for FHD
Pixel pitch	0.23 mm x 0.23 mm (HD+);
	0.20 mm x 0.20 mm (FHD)
Controls	brightness can be controlled through keyboard shortcuts
Camera	

Camera resolution	720p HD; 1280 x 720 pixels
Video resolution (maximum)	1280 x 720 pixels
Diagonal viewing angle	60°

Computer environment

Temperature range		
Operating	0 °C to 35 °C (32 °F to 95 °F)	
Storage	–40 °C to 65 °C (–40 °F to 149 °F)	
Relative humidity (maximum)		
Operating	10% to 90% (non-condensing)	
Storage	10% to 95% (non-condensing)	
Maximum vibration (using a random vibration spectrum that simulates user environment)		
Operating	0.66 GRMS	
Storage	1.3 GRMS	
Maximum shock (Measured with hard drive in operating status and a 2-ms half-sine pulse for operating. Also measured with hard drive in head-parked position and a 2-ms half-sine pulse for storage)		
Operating	110 G	
Storage	160 G	
Altitude (maximum)		
Operating	–15.2 m to 3048 m (–50 ft to 10,000 ft)	
Storage	–15.2 m to 10,668 m (–50 ft to 35,000 ft)	
Airborne contaminant level	G1 as defined by ISA-S71.04-1985	