


Dell™



Dell:

1.



2.

Dell web: www.dell.com/supplies.

3.

Dell



Dell.



μ ,



:



:



:

© 2006 Dell Inc.

Dell Inc.

Dell Ink Management System
Microsoft Corporation.

Dell Inc.

Dell,


DELL,
Microsoft Windows

Dell Picture Studio

Dell Inc.

946

2006 SRV KJ941 . A00

;	
<ul style="list-style-type: none"> • • 	<p><i>CD Drivers and Utilities</i></p>  <p>Dell, CD, readme</p>
	
<ul style="list-style-type: none"> • • • 	
	

<ul style="list-style-type: none"> • μ • μ • μ 	<p style="text-align: right;">μ</p> <hr style="border: 1px solid blue;"/> <p>Dell Web</p> <p>Dell Web online</p> <p>:</p> <ul style="list-style-type: none"> • — μ online μ μ μ , • μ — μ μ , . . . • μ μ — , • μ — μ μ • — μ
<ul style="list-style-type: none"> • Windows XP μ • μ 	<p style="text-align: right;">Windows XP</p> <ol style="list-style-type: none"> 1. μ → 2. μ μ 3. μ μ μ . 4. μ μ .

- _____
- _____
- _____

- _____
- _____

PictBridge.




_____ (_____)




DSL : _____ modem DSL _____


μ



1	(ADF)	Legal.
2		
3		
4		
5		
6	PictBridge	PictBridge
7	(ADF)	(ADF).
8	(ADF)	



9		www.dell.com/supplies .
10		<ul style="list-style-type: none"> • support.dell.com



11	USB	(). USB
12		
13		
14		

15	PHONE (2 —)	modem () PHONE (2 —)
16	FAX (—)	Line/ Network/ FAX (—) DSL (Digital Subscriber ISDN (Integrated Services Digital)



Professional X64 Edition.

Microsoft® Windows® 2000, Windows XP Windows XP



modem

PHONE (2 —)


ISDN, DSL ADSL,
Internet

" μ μ "

PictBridge



-
-
-



1			
2			
3			
4			• •
5			• • •

M

- _____
- _____
- _____ fax
- _____ μ _____ μ
- _____
- _____ PictBridge

μ μ μ μ . : , , fax,

μ μ PictBridge , PictBridge. μ , μ
_____ Pictbridge.

μ	μ
	μ
	μ

- 3x5"
- 3,5x5"
- 4x6"
- 5x7"
- 10x15
- 13x18

- *
-
-
-
-

- 50%
- 100%*
- 150%
- 200%
- %
- %
- 2x2
- 3x3
- 4x4
- 2,25x3,25"
- 3x5"
- 3,5x5"
- 4x6"
- 5x7"
- 8x10"
- 8,5x11"
- 8,5x14"
- L
- 2L
- Hagaki
- 60x80
- 9x13
- 10x15
- 13x18
- 20x25
- A4

- 1*
- 4
- 9
- 16

1, 100%.



	<ul style="list-style-type: none"> • 1 • 2 • 4
	<ul style="list-style-type: none"> • 8,5x11" • 2,25x3,25" • 3x5" • 3,5x5" • 4x6" • 5x7" • 8x10" • L • 2L • Hagaki • A6 • A5 • B5 • A4 • 60x80 • 9x13 • 10x15 • 13x18 • 20x25
	<ul style="list-style-type: none"> • • •
*	

μ	μ
	μ
Fax	
μ	
μ	

1.

μ

,

μ

μ

.

2.

μ

,

μ

μ

μ



μ

3.

μ



μ



μ

,

4.

μ

μ



μ

μ

μ

μ

,

μ




“


”

µ		
fax		
µ		
µ fax		
		fax
		fax
fax		
		µ fax
		fax
		µ fax
		µ fax
		µ
		µ
		µ µ fax
µ fax		/

	<ul style="list-style-type: none"> • fax • fax <p style="text-align: center;">fax, <u>fax.</u></p>
	<p style="text-align: center;">fax</p> <ul style="list-style-type: none"> • fax. fax - fax • fax. fax - fax • fax. • fax. • fax. • fax. • fax. • fax. • fax. • fax. • fax <p style="text-align: center;">, <u>fax.</u></p>
fax	<ul style="list-style-type: none"> • / • fax, <p style="text-align: center;"><u>fax.</u></p>

fax

1. 
2. 
3. 
4. 
5. 

1. 
 2. 
 3. 
 4. 
 5. 
- " "

:	:
P P	P  P P
P	P P  P
PP	P P  PP P
P	P  P P


PictBridge

PictBridge. PictBridge PictBridge

	μ
Pictbridge	

1. μ

PictBridge,



2. μ μ



3. μ μ



"

PictBridge"

μ	:
μ	μ
	<ul style="list-style-type: none"> • 3,5x5" • 4x6" • 5x7" • 8,5x11"* • L • 2L • Hagaki • A6 • A5 • B5 • A4* • 10x15 • 13 x 18
	μ μ
	μ
	<ul style="list-style-type: none"> • 2,25x3,25" • 3,5x5" • 4x6"* • 5x7" • 8x10" • 8,5x11"

- L
- 2L
- Hagaki
- A6
- A5
- B5
- A4
- 60x80
- 9x13
- 10x15
- 13x18
- 20x25
-

μ

μ

μ

μ

μ



- μ.*
-
- 1
- 2
- 3
- 4
- 6
- 8
- 16
- 1 μ

μμ

()

- μ.*
-
-
-
-

- *
-
-
-
-

*

μ

μ

μ :



μ :



3.

μ .





3.

4.

5.




PictBridge


1.

2.

USB PictBridge



μ μ μ



1. μ μ μ

2. μ μ μ

3. μ μ μ

4. μ μ μ

5. μ μ μ

a. μ μ μ

b. μ μ μ

b. μ μ μ

-
- 1.
 - 2.
 3.  →  →  → Dell → Dell AIO Printer
 4. Dell .
Dell .
Dell .
 :  Dell  
 5.  " " .  "O"
 - 6.
-

-   
- 1.
 - 2.
 3.  →  →  → Dell → Dell AIO Printer
 4. Dell .
Dell .
Dell .
 :  Dell  
 5.  . 

6. ;

7. ;

8. ;

9. ;



;

μ

1. ;

2. ;



3. → μ → Dell → Dell AIO Printer

4. Dell .

Dell .



;

Dell



5. ;



;

(

)

6. ;

7. ;

8. ;

- _____
- _____ / _____
- _____
- _____
- _____
- _____ (_____)
- _____
- _____

_____ / _____



_____ / _____

<p>_____</p>	<p>_____</p>	<p>_____</p>
<ul style="list-style-type: none"> • _____ • _____ (_____) 	<p>_____</p>	<p>_____</p> <p>_____</p> <p>_____</p>
<ul style="list-style-type: none"> • _____ • _____ (_____) • _____ (_____) 	<ul style="list-style-type: none"> • _____ • _____ • _____ 	<p>_____</p>
<ul style="list-style-type: none"> • _____ • _____ (_____) • _____ (_____) • _____ (_____) 	<p>_____</p> <p>_____</p>	<p>_____</p> <p>_____</p> <p>_____</p>
<ul style="list-style-type: none"> • _____ • _____ (_____) • modem (_____) • _____ (_____) • _____ USB (_____) 	<p>_____</p>	<p>_____ modem</p> <p>_____</p>



:


()

μ

.

μ

μ




1.

FAX (FAX —)

2.

μ



1.


FAX (FAX —)

2. PHONE (PHONE —).

3. PHONE (PHONE —).

☞ : (PHONE (PHONE —)), (PHONE —)

μ



1. FAX (FAX —)


2. PHONE (PHONE —).

3. PHONE —

4. PHONE (PHONE —)

☞ : (PHONE (PHONE —)), (PHONE —)


modem



1. FAX (FAX —)
2. PHONE (PHONE —)
3. modem PHONE (PHONE —)
4. modem

: PHONE (PHONE —), (PHONE —)

DSL (DSL);



: ISDN () modem

1. DSL
2. DSL.

// >

uu u , , μ

d. μ ⊙



: μ , μ , μ

3. μ μ μ

a. μ , μ μ μ Fax μ ⊙ < >

b. μ μ μ μ μ fax μ ⊙

c. μ μ μ μ μ μ ⊙

d. μ μ μ μ μ μ μ fax μ ⊙

e. μ μ μ μ μ μ < >

f. μ μ μ μ μ μ μ μ μ μ ⊙

μ

1. μ μ μ μ μ μ μ

2. μ μ μ μ μ μ μ μ μ μ

a. μ , μ μ μ μ μ μ μ μ Fax μ μ μ μ μ μ ⊙ < >

b. μ μ μ μ μ μ μ μ μ μ

C.

3.

3355#

DELL# (3355#)

modem

modem

FAX (FAX —

modem)

LINE (—

modem)

modem

μμ (DSL);

μμ DSL

μμ modem DSL,
μμ modem

DSL

modem


 : ISDN (modem

1.

DSL

2.

DSL.



:

⊥

DSL

(splitter) ⊥

DSL

/

⊥

modem

⊥

Dell

1.

2.

3.

→

⊥⊥

⊥⊥

→

Dell → Dell AIO Printer

946.

4.

Dell .

5.

⊥

⊥

fax .

6.

⊥

⊥

fax

Dell

fax

Dell

⊥

1.

→

2.

⊥

fax

Dell

3.

OK

⊥

modem (modem)

/ modem

(Windows 2000) : LINE () modem
(Windows XP)

-
- Dell

Windows XP

1. → μ →

2. μ

μ

3. Windows .

4. ,

5. μ .

CD Windows

6. .

7. μ , μ μ .

" (Windows 2000) (Windows XP) "

1. μ → μ → (Windows 2000). → Fax → (Windows XP)

5.



1.

2.

3.

Fax

4.

fax

5.

6.

7.

24

8.

9.

a.

b.

a.

b.




μ

- Dell
- Dell Picture Studio
- Dell Ink Management System

- Dell -
- Dell Picture Studio™ -
- Dell Ink Management System™ -

Dell



Dell :

- Dell -

Dell Picture Studio

Dell

Dell Picture Studio,
 Picture Studio:

- Paint Shop Photo Album 5

→
 Photo Album 5 → Paint Shop Photo Album 5.

→ Dell Picture Studio 3 → Paint Shop

- Paint Shop Pro Studio

→
 Pro Studio → Jasc Paint Shop Pro Studio.

→ Dell Picture Studio 3 → Paint Shop

Dell Ink Management System



µ

1. → Dell → Dell AIO Printer 946.
2. Dell AIO Printer 946.
- 3.
- 4.
5. CD Drivers and Utilities

 - a. Windows XP, →
 - Windows 2000, µ
 - b. µ CD-ROM ,

setup.exe.

c.


||

||

d.

||

μ



Dell Dell
www.dell.com/supplies
Dell Dell Dell
Dell.


μ

1.

2.



3.



4. Insert the cable into the port.




5. Push the blue component into the device until it is seated properly. (The component will be pushed into the device when the lid is closed.)

6. Push the lid of the device closed.



Do not attempt to force the blue component into the device. (The component will be pushed into the device when the lid is closed.)



7.



8.

2. µ , µ µ

3. µ 

4. µ µ µ µ 

5. µ 

µ µ µ µ µ µ µ µ

µ µ

µ µ :

1. _____

2. *Windows XP,* → → →

Windows 2000, → µ →

3. Dell AIO Printer 946.

4. µ

µ

5. µ

6. µµ

7. µ

µ µ µ µ µ µ µ µ

µ µ

µ µ

µ :

- µ µ µ µ
- µ µ µ


μ

μ

μ

μ

μ



-    :
-     ,  .



Windows XP, Windows XP Professional x64 Edition Windows 2000.

USB.

-  USB 
-  USB

1.      ,
2.  CD *Drivers and Utilities* .
 *Windows XP*, →  .
 *Windows 2000*, 
3.   setup.exe.  CD-ROM , ,
4.   ,
5. 

→  →  →  →  Dell

Dell AIO Printer 946

USB

1. *Windows XP,* → →
→
Windows 2000, → →
2. Dell AIO Printer 946

1. *Windows XP,* → →
→
Windows 2000, → →
 - 2.
 - 3.
 - 4.
 - 5.
- USB

CD *Drivers and Utilities.*

μ μ	μ	μ
μ μ		


μ

μ μ		
μ μ		

μ

// (ADF)

1.




2.

3.

μ μ

(ADF).



- 4.
- 5.

- 1.



- 2.
- 3.
- 4.
- 5.

- 1.



- 2.
3. 
4.  
- 5.



- 2.
- 3.
4.  
- 5.

-   :
-    inkjet,
-   
- 

μ

support.dell.com.

μ

μ

μ μ :	:	:
μ	μ	μ μ μ ⊗
		μ ⊗
	μ	μ μ
		μ μ μ
	μ	μ
	μ	μ μ μ
	μ μ μ	μ μ μ
μ		μ μ μ

<p>TSR</p>	<p>TSR</p>	<p>TSR</p>
<p>TSR</p>	<p>TSR</p>	<p>TSR</p>
<p>TSR</p>	<p>TSR</p>	<p>TSR</p>
<p>TSR</p>	<p>TSR</p>	<p>TSR</p>
<p>TSR</p>	<p>TSR</p>	<p>TSR</p>

- Dell
 - Dell
- - ()

3.


μ , μ μ

4.

5.



support.dell.com.



μ	<ul style="list-style-type: none"> • 32 MB SDRAM • 4 MB FLASH • 2 MB Fax
	USB 2.0
	<ul style="list-style-type: none"> • : 18.000 • : 18.000 • ADF: 18.000

μ /

	μ	()
	61° 90° F	8 80%
	34° 140° F	5 80%
	-14° 140° F	5 100%

μ

	110 V
	60 Hz
	90 VAC
	255 VAC
	0,39 A
	7W 14W

100 dpi ().

-
-

DSL modem DSL, modem

modem ISDN (Integrated Services Digital Network/ modem. ISDN modem fax

72 19.200 dpi.
Dell

		/	μ
	150 x 150 ppi	600 x 600 dpi	300 x 600 dpi
	300 x 300 ppi	1200 x 1200 dpi	600 x 600 dpi
	600 x 600 ppi	4800 x 1200 dpi	1200 x 1200 dpi

μ

:

Windows XP Professional x64

Windows XP

Windows 2000

μ

μ

μ

Windows Vista, μ

www.support.dell.com

μ μ

μ

μ

μ	(Mhz)	RAM (MB)	
Windows XP Professional x64	AMD Athlon 64, AMD Opteron, Intel Xeon μ Intel EM64T Intel Pentium 4 μ Intel EM64T	256	1,5 GB
Windows XP	Pentium II 300	128	500 MB
Windows 2000	Pentium II 233	128	500 MB

μ

μ :	μ μ :	:
	<ul style="list-style-type: none"> • Letter: 8,5x11 (215,9x279,4 .) • A4: 8,27x11,69 (210,0x296,9 .) • Legal: 8,5x14 (215,9x355,6 .) • B5 • A5 • A6 • L • 2L 	100
Banner	<ul style="list-style-type: none"> • Letter Banner: 8,5x11 (215,9x279,4 .) • A4 Banner: 8,27x11,69 (210,0x296,9 .) 	20
	<ul style="list-style-type: none"> • 6 3/4 : 3 1/4x6 1/2 • 7 3/4 : 3 7/8x7 1/2 • 9 : 3 7/8x8 7/8 • 10 : 4 1/8x9 1/2 • Baronial 5 1/2 : 4 3/8x5 3/4 inches • Baronial A2 : 111x146 . • B5 : 176x250 . • C5 : 162x229 . • C6 : 114x162 . • DL : 110x220 . • Chokei 3 : 120x235 . • Chokei 4 : 90x205 . • Chokei 40 : 90x225 . • Kakugata 3 : 216x277 . • Kakugata 4 : 197x267 . • Kakugata 5 : 190x240 . • Kakugata 6 : 162x229 . 	15
, μ	<ul style="list-style-type: none"> • / μ • : 4x6 • : 3x5 • Hagaki 	35
/ μ	<ul style="list-style-type: none"> • Letter: 8,5x11 (215,9x279,4 .) • 4x6 • 5x7 • 8x10 	75
	<ul style="list-style-type: none"> • 8,5x11 (215,9x279,4 .) 	25
	<ul style="list-style-type: none"> • 8,5x11 (215,9x279,4 .) 	75
		35
μ μ μ	<ul style="list-style-type: none"> • : 3,0–8,5 (76,2x215,9 .) • : 5,0x14,0 (127,0x355,6 .) 	100

||

(USB) ().





Dell

Dell

Dell

Dell

Dell.

online

Dell.

Dell

Software & Peripherals (DellWare),

ReadyWare

Custom Factory Integration (CFI/DellPlus),



Dell

Dell

support.dell.com.

WELCOME TO DELL SUPPORT

Dell

• World Wide Web

www.dell.com/

www.dell.com/ap/ ()

www.dell.com/jp/ ()

www.euro.dell.com ()

www.dell.com/la/ ()

• Anonymous file transfer protocol (FTP)

ftp.dell.com/

: anonymous,

• Electronic Support Service

mobile_support@us.dell.com

support@us.dell.com

apsupport@dell.com (/)

support.jp.dell.com/jp/jp/tech/email/ ()

support.euro.dell.com (¶)

- apmarketing@dell.com (¶ /)



Dell Inc. (¶ "Dell") ¶ ¶
¶ ¶ Dell ¶ ,

μ

μ

- Dell /
- Dell GNU, 2, GNU,
- BSD
- Independent JPEG Group.

- [BSD](#)
- [GNU](#)

Dell /

Dell

Dell

CD Drivers and Utilities (Dell) Dell, Dell"