

Dell PowerConnect W-AirWave Wireless Management Suite Wireless Infrastructure Compatibility Matrix

| W-AirWave Wireless Management Suite | Dell | | Aruba | | | | Alcatel-Lucent | | | Cisco | | | | | | | ProCurve Networking by HP | | | | | | Symbol/Motorola | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------|-------|--------|--------|---------|---------|----------------|--------|---------|---------|-----|------|-----|-------|-------|-------|---------------------------|-------|----------|----------|-------|-------|-----------------|----------|----------|------|------|------|-------|-------|------|-------|--------|----------|----------|-------------|-----|------|------|------|--------------|-------------|---------|------------|------|------------|------------|------|------|----------|----------|----------------------|------------|------------|------------|------|------|-------|-----|-----|-----------------|--------------|---------|--------------|--------|------|------|------|------|------|--------|-------|-------|-------|--------|--------|-------|-------|-------|---------|--------|--------|-------|-------|
| | W-620 | W-650 | W-AP92 | W-AP93 | W-AP105 | W-AP124 | W-3600 | W-3400 | W-AP124 | W-AP125 | 200 | 3200 | 62X | AP-4x | AP-5x | AP-6X | AP-7x | AP-8x | AP-124/5 | AP-58(P) | AP-92 | AP-93 | AP-105 | AP-120/1 | AP-124/5 | 6000 | AP41 | AP70 | AP105 | AP124 | AP85 | AP125 | RAP2WG | RAP5(WN) | OAW 4306 | 4306 (G/GW) | 43x | 4x04 | 5000 | 6000 | Aironet 4800 | VxWorks 340 | IOS 350 | 1100, 1130 | 1140 | 1200, 1240 | 1300, 1400 | 1250 | 871w | IOS 1140 | IOS 1250 | WLC 4xxx, 2x00, 5500 | 1000, 1130 | 1200, 1240 | 1300, 1500 | 1140 | 1250 | 520wl | 420 | 530 | xlzl WESM RP210 | MSM7xx RP220 | MSM3xxR | (11n) MSM7xx | MSM7xx | 3021 | 4121 | 4131 | 5131 | 5181 | 7131/N | AP100 | AP200 | AP300 | WS5000 | WS2000 | AP100 | AP200 | AP300 | AAP5131 | WSS100 | RFS000 | AP100 | AP200 |
| Parameters | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Monitoring Parameters | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SYS - Name, Desc., Location, Contact, & Uptime | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Serial Number | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Device Bandwidth In/Out | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rogue Scan Support | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User (MAC) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User (IP) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User (VLAN) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User (SSID) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User (Radio Mode) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User Signal Quality | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User Bandwidth In/Out | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User 802.11n Mode | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User Authentication Type | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| User Cipher | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Wired User | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 802.11 dot11Counters | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesh / Bridge Link Monitoring | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WiFi Tags | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CPU / Memory Resources | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unassociated Client Tracking | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Channel Utilization | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Configuration Support | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Template Configuration | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Firmware Update | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMP | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CLI | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Web | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Device Settings | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| System Name, Location, Contact | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Channel | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IP address (or DHCP) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Radio Enabled/Disabled | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Antenna Configuration | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Transmit Power Level | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Interface / VLAN | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Protocol Port Mapping (SNMP/Telnet/HTTP(S)) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Group Basic Settings | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMP Trap Destination | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IP Provisioning | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SysLog Servers | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spanning Tree Protocol | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Regulatory Domain | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NTP Servers | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Group Radio Settings | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aironet Extensions | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Auto Channel Select | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Radio Cell Role | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Load Balancing | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 802.11n Operating Mode | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Software Configurable abg mode (a,b,g,b&g) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4.9 GHz Public Safety Radio Configuration | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3.5 GHz WIMAX Radio Configuration | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Group Security Settings | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SSID | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 802.1x authentication | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MAC authentication (RADIUS Lookup) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MAC ACL | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| *Closed* Network | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Publicly Secure Packet Forwarding | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Enhanced Message Integrity Check | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RADIUS/ACS Servers | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple SSIDs | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VLAN Tagging per SSID | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEP | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WEP Key Rotation Interval | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LEAP | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WPA (TKIP) or Pre WPA TKIP | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WPA2 PSK | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| WPA2 (AES) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Compatibility Mode | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Guest Access Provisioning | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Discovery | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Layer 2 | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SNMP Scanning | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HTTP Scanning | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CDP Discovery (SNMP Switch/Router) | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

NOTE: - indicates that the feature is not supported on AP or not supported via W-AirWave configuration interface.

Dell PowerConnect W-AirWave Wireless Management Suite Wireless Infrastructure Compatibility Matrix

| W-AirWave Wireless Management Suite | BeIAir | | LANCOM | | Systemax | Teklogix | | Vivato | | Funkwerk | Hirschmann | Universal |
|--|--------|-------|------------------|------------------------|-----------------|----------|------|--------|------------------|-----------------------------|------------|-----------------------|
| | 200 | L-54g | L-54ag IAP-54 | 3050 3550 OAP-54 | AirSPEED 542 | 9150 | 9160 | VP1200 | VA2200 VP2200 | Artem ComPoint W-1000 | BAT-54 | Any SNMP Device |
| Parameters | | | | | | | | | | | | |
| Monitoring Parameters | | | | | | | | | | | | |
| SYS - Name, Desc., Location, Contact, & Uptime | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Serial Number | - | - | - | - | ● | - | - | - | - | - | - | - |
| Device Bandwidth In/Out | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Rogue Scan Support | - | ● | ● | ● | ● | - | - | - | - | - | ● | - |
| User (MAC) | - | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | - |
| User (IP) | - | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | - |
| User (VLAN) | - | - | - | - | - | - | - | - | - | - | - | - |
| User (SSID) | - | - | - | - | - | - | - | - | - | - | - | - |
| User (Radio Mode) | - | ● | ● | ● | ● | ● | - | - | - | - | ● | - |
| User Signal Quality | - | ● | ● | ● | ● | - | - | - | - | - | ● | - |
| User Bandwidth In/Out | - | ● | ● | ● | ● | - | ● | ● | ● | ● | ● | - |
| User 802.11n Mode | - | - | - | - | - | - | - | - | - | - | - | - |
| User Authentication Type | - | - | - | - | - | - | - | - | - | - | - | - |
| User Cipher | - | - | - | - | - | - | - | - | - | - | - | - |
| Wired User | - | - | - | - | - | - | - | - | - | - | - | - |
| 802.11 dot11Counters | - | ● | ● | ● | ● | ● | - | ● | ● | ● | ● | - |
| Mesh / Bridge Link Monitoring | - | - | - | - | - | - | - | - | - | - | - | - |
| WiFi Tags | - | - | - | - | - | - | - | - | - | - | - | - |
| CPU / Memory Resources | - | - | - | - | - | - | - | - | - | - | - | - |
| Unassociated Client Tracking | - | - | - | - | - | - | - | - | - | - | - | - |
| Channel Utilization | - | - | - | - | - | - | - | - | - | - | - | - |
| Configuration Support | | | | | | | | | | | | |
| Template Configuration | - | - | - | - | - | - | - | - | - | - | - | - |
| Firmware Update | - | - | - | - | - | - | - | - | - | NDC API | - | - |
| SNMP | - | - | - | - | - | - | - | - | - | - | - | - |
| CLI | - | - | - | - | - | - | - | - | - | - | - | - |
| Web | - | - | - | - | - | - | - | - | - | - | - | - |
| Device Settings | | | | | | | | | | | | |
| System Name, Location, Contact | - | - | - | - | ● | - | - | - | - | ● | - | - |
| Channel | - | - | - | - | ● | - | - | - | - | ● | - | - |
| IP address (or DHCP) | - | - | - | - | - | - | - | - | - | - | - | - |
| Radio Enabled/Disabled | - | - | - | - | - | - | - | - | - | - | - | - |
| Antenna Configuration | - | - | - | - | ● | - | - | - | - | - | - | - |
| Transmit Power Level | - | - | - | - | - | - | - | - | - | - | - | - |
| Interface / VLAN | - | - | - | - | ● | - | - | - | - | - | - | - |
| Protocol Port Mapping (SNMP/Telnet/HTTP(S)) | ● | - | - | - | - | - | - | - | - | ● | - | - |
| Group Basic Settings | | | | | | | | | | | | |
| SNMP Trap Destination | - | - | - | - | - | - | - | - | - | - | - | - |
| IP Provisioning | - | - | - | - | - | - | - | - | - | - | - | - |
| SysLog Servers | - | - | - | - | - | - | - | - | - | - | - | - |
| Spanning Tree Protocol | - | - | - | - | - | - | - | - | - | - | - | - |
| Regulatory Domain | - | - | - | - | - | - | - | - | - | - | - | - |
| NTP Servers | - | - | - | - | - | - | - | - | - | - | - | - |
| Group Radio Settings | | | | | | | | | | | | |
| Aironet Extensions | - | - | - | - | ● | - | - | - | - | - | - | - |
| Auto Channel Select | - | - | - | - | ● | - | - | - | - | - | - | - |
| Radio Cell Role | - | - | - | - | - | - | - | - | - | - | - | - |
| Load Balancing | - | - | - | - | ● | - | - | - | - | - | - | - |
| 802.11n Operating Mode | - | - | - | - | - | - | - | - | - | - | - | - |
| Software Configurable abg mode (a,b,g,b&g) | - | - | - | - | - | - | - | - | - | - | - | - |
| 4.9 GHz Public Safety Radio Configuration | - | - | - | - | - | - | - | - | - | - | - | - |
| 3.5 GHz WIMAX Radio Configuration | - | - | - | - | - | - | - | - | - | - | - | - |
| Group Security Settings | | | | | | | | | | | | |
| SSID | - | - | - | - | ● | - | - | - | - | ● | - | - |
| 802.1x authentication | - | - | - | - | ● | - | - | - | - | - | - | - |
| MAC authentication (RADIUS Lookup) | - | - | - | - | ● | - | - | - | - | - | - | - |
| MAC ACL | - | - | - | - | ● | - | - | - | - | - | - | - |
| *Closed* Network | - | - | - | - | ● | - | - | - | - | - | - | - |
| Publicly Secure Packet Forwarding | - | - | - | - | - | - | - | - | - | - | - | - |
| Enhanced Message Integrity Check | - | - | - | - | ● | - | - | - | - | - | - | - |
| RADIUS/ACS Servers | - | - | - | - | - | - | - | - | - | - | - | - |
| Multiple SSIDs | - | - | - | - | - | - | - | - | - | - | - | - |
| VLAN Tagging per SSID | - | - | - | - | ● | - | - | - | - | - | - | - |
| WEP | - | - | - | - | ● | - | - | - | - | ● | - | - |
| WEP Key Rotation Interval | - | - | - | - | - | - | - | - | - | ● | - | - |
| LEAP | - | - | - | - | ● | - | - | - | - | - | - | - |
| WPA (TKIP) or Pre WPA TKIP | - | - | - | - | ● | - | - | - | - | - | - | - |
| WPA2 PSK | - | - | - | - | ● | - | - | - | - | - | - | - |
| WPA2 (AES) | - | - | - | - | - | - | - | - | - | - | - | - |
| Compatibility Mode | - | - | - | - | - | - | - | - | - | - | - | - |
| Guest Access Provisioning | - | - | - | - | - | - | - | - | - | - | - | - |
| Discovery | | | | | | | | | | | | |
| Layer 2 | - | - | - | - | ● | - | - | - | - | - | - | - |
| SNMP Scanning | ● | ● | ● | ● | ● | ● | ● | - | - | ● | ● | - |
| HTTP Scanning | - | - | - | - | - | - | - | - | - | - | - | - |
| CDP Discovery (SNMP Switch/Router) | - | - | - | - | - | - | - | - | - | - | - | - |

NOTE: - indicates that the feature is not supported on AP or not supported via W-AirWave configuration interface.