

1 Base Server and
2 Physical Asset Profile

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23 **Document Number: DCIM1004**

24 **Document Type: Specification**

25 **Document Status: Published**

26 **Document Language: E**

27 **Date: 2012-03-08**

28 **Version: 1.0.0**

29

30



31
32
33 THIS PROFILE IS FOR INFORMATIONAL PURPOSES ONLY, AND MAY CONTAIN TYPOGRAPHICAL
34 ERRORS AND TECHNICAL INACCURACIES. THE CONTENT IS PROVIDED AS IS, WITHOUT
35 EXPRESS OR IMPLIED WARRANTIES OF ANY KIND. ABSENT A SEPARATE AGREEMENT
36 BETWEEN YOU AND DELL™ WITH REGARD TO FEEDBACK TO DELL ON THIS PROFILE
37 SPECIFICATION, YOU AGREE ANY FEEDBACK YOU PROVIDE TO DELL REGARDING THIS
38 PROFILE SPECIFICATION WILL BE OWNED AND CAN BE FREELY USED BY DELL.

39
40 © 2008 – 2012 Dell Inc. All rights reserved. Reproduction in any manner whatsoever without the express
41 written permission of Dell, Inc. is strictly forbidden. For more information, contact Dell.
42

43 *Dell* and the *DELL* logo are trademarks of Dell Inc. Other trademarks and trade names may be used in
44 this document to refer to either the entities claiming the marks and names or their products. Dell
45 disclaims proprietary interest in the marks and names of others.

46
47

CONTENTS

49	1	Scope	5
50	2	Normative References.....	5
51	3	Terms and Definitions	6
52	4	Symbols and Abbreviated Terms	7
53	5	Synopsis.....	7
54	6	Description	7
55	7	Implementation Description.....	9
56	7.1	DCIM_ComputerSystem – Host Computer System	9
57	7.2	DCIM_ComputerSystemPackage - Computer System Package	11
58	7.3	DCIM_CSEnabledLogicalElementCapabilities - Enabled Logical Element Capabilities	12
59	7.4	DCIM_Chassis - Chassis.....	13
60	7.5	DCIM_RegisteredProfile - DMTF Base Server Profile Registration	15
61	7.6	DCIM_RegisteredProfile - DMTF Physical Asset Profile Registration.....	15
62	7.7	DCIM_LCRegisteredProfile	16
63	8	Methods.....	17
64	8.1	DCIM_ComputerSystem.RequestStateChange().....	17
65	9	Use Cases	18
66	10	CIM Elements.....	18
67	11	Privilege and License Requirement	18
68		ANNEX A : Related MOF Files	Error! Bookmark not defined.
69			

70	Figures	
71	Figure 1 – Base Server and Physical Asset Profile ImplementationImplementation Description.....	8
72		

73	Tables	
74	Table 1 – Related Profiles.....	7
75	Table 2 – Class Requirements: Base Server and Physical Asset Profile	9
76	Table 3 – DCIM_ComputerSystem - Operations	10
77	Table 4 – DCIM_ComputerSystem - Properties	10
78	Table 5 – DCIM_ComputerSystemPackage - Operations	12
79	Table 6 – DCIM_ComputerSystemPackage – Properties	12
80	Table 7 – DCIM_CSEnabledLogicalElementCapabilities - Operations	13
81	Table 8 – DCIM_CSEnabledLogicalElementCapabilities - Properties	13
82	Table 9 – DCIM_Chassis - Operations	14
83	Table 10 – DCIM_Chassis - Properties	14
84	Table 11 – DCIM_RegisteredProfile - Operations	15
85	Table 12 – DCIM_RegisteredProfile	15
86	Table 13 – DCIM_RegisteredProfile - Operations	16
87	Table 14 – DCIM_RegisteredProfile	16
88	Table 15 – DCIM_LCRegisteredProfile - Operations.....	17
89	Table 16 – DCIM_LCRegisteredProfile.....	17
90	Table 17 – DCIM_ComputerSystem.RequestStateChange() Method: Return Code Values	18
91	Table 18 – DCIM_ComputerSystem.RequestStateChange() Method: Parameters	18
92	Table 19 – DCIM_ComputerSystem.RequestStateChange() Method: Standard Messages.....	18
93	Table 20 – Privilege and License Requirements	19
94		

Base Server and Physical Asset Profile

96 1 Scope

97 The *Base Server Profile* is the autonomous profile that defines the classes used to describe basic server
98 hardware and its related software. The scope of this profile is limited to simple servers that are directly
99 realized in physical components. The profiles referenced by the *Base Server Profile* extend the
100 management capabilities by adding the capability to represent server configuration, boot control,
101 provisioning, and hardware.

102 2 Normative References

103 Refer to the following documents for more information.

104 **NOTE:** For dated references, only the edition cited applies. For undated references, the latest edition of
105 the referenced document (including any amendments) applies.

- 106 • DMTF DSP1033, *Profile Registration Profile 1.0.0*
- 107 • DMTF DSP1004, *Base Server Profile 1.0.0*
- 108 • DMTF DSP1011, *Physical Asset Profile 1.0.0*
- 109 • *Dell Lifecycle Controller Best Practices Guide 1.0*,
110 http://en.community.dell.com/techcenter/extras/m/white_papers/20066173.aspx
- 111 • *Dell WSMAN Licenses and Privileges 1.0*
- 112 • DMTF DSP0226, *Web Services for Management (WS-Management) Specification 1.1.0*
- 113 • DMTF DSP0227, *WS-Management CIM Binding Specification 1.0.0*
- 114 • *Dell SMBIOS Implementation Specification 2.0*
- 115 • *Dell Lifecycle Controller Best Practices Guide v1.0*, <link TBD>
- 116 • Dell Tech Center MOF Library: <http://www.delltechcenter.com/page/DCIM.Library.MOF>
- 117 • Related Managed Object Format (MOF) files:
 - 118 ○ DCIM_ComputerSystem.mof
 - 119 ○ DCIM_ComputerSystemPackage.mof
 - 120 ○ DCIM_Chassis.mof
 - 121 ○ DCIM_SystemComponent.mof
 - 122 ○ DCIM_CSEnabledLogicalElementCapabilities.mof
 - 123 ○ DCIM_CSElementCapabilities.mof
 - 124 ○ DCIM_RegisteredProfile.mof
 - 125 ○ DCIM_ElementConformsToProfile.mof
 - 126 ○ DCIM_LCRegisteredProfile.mof
 - 127 ○ DCIM_LCElementConformsToProfile.mof

128 **3 Terms and Definitions**

129 **3.1**

130 **Conditional** – Indicates requirements to be followed strictly in order to conform to the document when the
131 specified conditions are met.

132 **3.2**

133 **Mandatory** – Indicates requirements to be followed strictly in order to conform to the document and from
134 which no deviation is permitted.

135 **3.3**

136 **May** – Indicates a course of action permissible within the limits of the document.

137 **3.4**

138 **Optional** – Indicates a course of action permissible within the limits of the document.

139 **3.5**

140 **Referencing profile** – Indicates a profile that owns the definition of this class and can include a reference
141 to this profile in its “Related Profiles” table.

142 **3.6**

143 **Shall** – Indicates requirements to be followed strictly in order to conform to the document and from which
144 no deviation is permitted.

145 **3.7**

146 **FQDD** – Fully Qualified Device Descriptor is used to identify a particular component in a system.

147 **3.8**

148 **Interop Namespace** – Interop Namespace is where instrumentation instantiates classes to advertise its
149 capabilities for client discovery.

150 **3.9**

151 **Implementation Namespace** – Implementation Namespace is where instrumentation instantiates
152 classes relevant to executing core management tasks.

153 **3.10**

154 **ENUMERATE** – Refers to WS-MAN ENUMERATE operation as described in Section 8.2 of
155 DSP0226_V1.1 and Section 9.1 of DSP0227_V1.0

156 **3.11**

157 **GET** – Refers to WS-MAN GET operation as defined in Section 7.3 of DSP00226_V1.1 and Section 7.1
158 of DSP0227_V1.0

159 **4 Symbols and Abbreviated Terms**

160 **4.1**

161 **CIM** – Common Information Model

162 **4.2**

163 **iDRAC** – Integrated Dell Remote Access Controller to perform out-of-band operations on Blades and
164 Rack and Towers.

165 **4.3**

166 **CMC** – Chassis Manager Controller to perform out-of-band operations on Blade systems.

167 **4.4**

168 **FQDD** – Fully Qualified Device Description – a user-friendly name for the object

169 **5 Synopsis**

170 **Profile Name:** Base Server and Physical Asset Profile

171 **Version:** 1.0.0

172 **Organization:** Dell

173 **CIM Schema Version:** 2.26 Experimental

174 **Dell Schema Version:** 1.0.0

175 **Interop Namespace:** root/interop

176 **Implementation Namespace:** root/dcim

177 **Central Class:** DCIM_ComputerSystem

178 **Scoping Class:** DCIM_ComputerSystem

179 The Dell Base Server and Physical Asset Profile is a component profile that contains the Dell specific
180 implementation requirements for computer system.

181 DCIM_ComputerSystem is the Central Class.

182 Table 1 lists profiles that are related to this profile.


183 **Table 1 – Related Profiles**

Profile Name	Organization	Version	Relationship
Base Server Profile	DMTF	1.0	Specializes
Physical Asset Profile	DMTF	1.0	Specializes

184 **6 Description**

185 The *Base Server Profile* is an autonomous profile that defines the minimum top-level object model
186 needed to model simple server hardware and related software. Other profiles add additional management
187 objects to this basic server model to provide system configuration, boot control, and other provisioning
188 capabilities. DCIM_ComputerSystem represents the server system

189 Figure 1 presents the class schema for the BaseServer Profile.



190

191 **Figure 1 – Base Server and Physical Asset Profile ImplementationDescription**

192 7 Implementation Description

193 This section describes the requirements and guidelines for implementing BaseServer Profile.

194 **Table 2 – Class Requirements: Base Server and Physical Asset Profile**

Element Name	Requirement	Description
Classes		
DCIM_ComputerSystem	Mandatory	The class is implemented in the Implementation Namespace. See section 7.1.
DCIM_ComputerSystemPackage	Mandatory	The class is implemented in the Implementation Namespace. See section 7.2.
DCIM_CSEnabledLogicalElementCapabilities	Mandatory	The class is implemented in the Implementation Namespace. See section 7.3.
DCIM_SystemComponent	Mandatory	The class is implemented in the Implementation Namespace. See section 7.1.
DCIM_CSElementCapabilities	Mandatory	The class is implemented in the Implementation Namespace. See section 7.1 and 7.3.
DCIM_Chassis	Mandatory	The class is implemented in the Implementation Namespace. See section 7.4.
DCIM_LCRegisteredProfile	Mandatory	The class is implemented in the Interop Namespace. See section 7.7.
DCIM_LCElementConformsToProfile	Mandatory	The class is implemented in both the Interop and implementation Namespaces. See section 7.7.
DCIM_RegisteredProfile	Mandatory	The class is implemented in the Interop Namespace. See section 7.6.
DCIM_ElementConformsToProfile	Mandatory	The class is implemented in both the Interop and implementation Namespaces. See section 7.6.

195 7.1 DCIM_ComputerSystem – Host Computer System

196 This section describes the implementation for the DCIM_ComputerSystem class. This class is instantiated
197 in the Implementation Namespace. The DCIM_ElementConformsToProfile association(s) references the
198 DCIM_ComputerSystem instance(s).

199 7.1.1 Resource URIs for WinRM®

200 The class Resource URI is:

201 "http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_ComputerSystem?__cimnamespace=root/dcim"

203 The key properties are CreationClassName, Name.

204 The instance Resource URI for DCIM_ComputerSystem instance is:
205 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_ComputerSystem?__cimnamespace=root/dcimName=srv:system+CreationClassName=DCIM_ComputerSystem”
206
207

208 7.1.2 Operations

209 The following table lists the implemented operations on DCIM_ComputerSystem.

210 **Table 3 – DCIM_ComputerSystem - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance Resource URI
Enumerate	Mandatory	Class Resource URI
Invoke	Mandatory	Instance Resource URI and Method parameters
Associators	Mandatory	Instance Resource URI
References	Mandatory	Instance Resource URI

211 7.1.3 Class Properties

212 The table details the implemented properties for DCIM_ComputerSystem instance in a system. The
213 “Requirements” column shall denote whether the property is implemented (for requirement definitions,
214 see section 3). The “Additional Requirement” column shall denote either possible values for the property,
215 or requirements on the value formulation

216 **Table 4 – DCIM_ComputerSystem - Properties**

Property Name	Type	Requirement	Additional Requirement
CreationClassName	string	Mandatory	The property value shall be “DCIM_ComputerSystem”
Name	string	Mandatory	The property value shall be “srv:system”
EnabledState	uint16	Mandatory	This property value shall be one of the following: <ul style="list-style-type: none">• 2 (Enabled) – Host system is powered on• 3 (Disabled) – Host system is powered off
RequestedState	uint16	Mandatory	This property shall be 0 (Unknown).
OperationalStatus[]	uint16	Mandatory	OperationalStatus shall indicate the current health of the computer system and its sub-components excluding storage sub-systems. Only the first element of the array shall be populated. The first element value shall be one of the following: <ul style="list-style-type: none">• 0(Unknown)• 2(OK)• 3(Degraded)• 6>Error).

Property Name	Type	Requirement	Additional Requirement
HealthState	uint16	Mandatory	<p>HealthState shall indicate the current health of the computer system and its sub-components excluding storage sub-systems.</p> <p>The property value shall be one of the following:</p> <ul style="list-style-type: none"> • 0(Unknown) • 5 (OK) • 10 (Degraded/Warning) • 25(Error)
PrimaryStatus	uint16	Mandatory	<p>The property shall contain up-to-date information on health state of the system excluding storage sub-systems. PrimaryStatus provides a high level status value, intended to align with Red-Yellow-Green type representation of status.</p> <p>The property value shall be one of the following:</p> <ul style="list-style-type: none"> • 0(Unknown) • 1(OK) • 2 (Degraded) • 3 (Error)
IdentifyingDescriptions[]	String	Mandatory	<p>The property shall be an array of strings providing explanations and details behind the entries in the OtherIdentifyingInfo array. Each element of this array shall be related to the entry in OtherIdentifyingInfo that is located at the same index.</p> <p>The array property value shall be ["CIM:GUID", "CIM:Tag", "DCIM:ServiceTag"]</p>
OtherIdentifyingInfo[]	String	Mandatory	This array property shall contain [<the platform GUID>, "mainsystemchassis", <the platform service tag>].
ElementName	String	Mandatory	ElementName property value shall be the host name of the system.
Dedicated	Uint16	Mandatory	This property value shall be 0 (Not Dedicated).

217 **7.2 DCIM_ComputerSystemPackage - Computer System Package**

218 This section describes the implementation for the DCIM_ComputerSystemPackage class. This class is
219 instantiated in the Implementation Namespace.

220 **7.2.1 Resource URIs for WinRM®**

221 The class Resource URI is:

222 "http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_ComputerSystemPackage?__cimnamespace=root/dcim"

224 The key properties are Antecedent and Dependent.

225 The instance Resource URI for DCIM_ComputerSystemPackage instance is:

226 "http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_ComputerSystemPackage?__cimnamespace=root/dcim+Antecedent=<Reference to DCIM_ComputerSystem>+Dependent=<Reference to DCIM_Chassis>"

229

230 **7.2.2 Operations**

231 The following table lists the implemented operations on DCIM_ComputerSystemPackage.

232 **Table 5 – DCIM_ComputerSystemPackage - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance Resource URI
Enumerate	Mandatory	Class Resource URI

233 **7.2.3 Class Properties**

234 The following table lists the implemented properties for DCIM_ComputerSystemPackage instance in a
235 system. The “Type” column shall denote the corresponding property type. The “Requirements” column
236 shall denote whether the property is implemented (for requirement definitions, see section 3). The
237 “Additional Requirement” column shall denote either possible values for the property, or requirements on
238 the value formulation.

239 **Table 6 – DCIM_ComputerSystemPackage – Properties**

Properties Name	Type	Requirement	Additional Requirements
Antecedent	Reference	Mandatory	The property value shall reference the DCIM_ComputerSystem instance.
Dependent	Reference	Mandatory	The property value shall reference DCIM_Chassis instance.
PlatformGUID	string	Mandatory	The property value shall represent the platform GUID of the system.

240 **7.3 DCIM_CSEnabledLogicalElementCapabilities - Enabled Logical Element
241 Capabilities**

242 This section describes the implementation for the DCIM_CSEnabledLogicalElementCapabilities class.
243 This class is instantiated in the Implementation Namespace.

244 **7.3.1 Resource URIs for WinRM®**

245 The class Resource URI is

246 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_CSEnabledLogicalElementCapabilities?__cimnamespace=root/dcim”

248 The key property is the InstanceID.

249 The instance Resource URI for DCIM_CSEnabledLogicalElementCapabilities instance is:

250 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_CSEnabledLogicalElementCapabilities?__cimnamespace=root/dcim+InstanceId=DCIM:ComputerCap.1”

253

254 **7.3.2 Operations**

255 The table lists the implemented operations on DCIM_CSEnabledLogicalElementCapabilities.

256 **Table 7 – DCIM_CSEnabledLogicalElementCapabilities - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance Resource URI
Enumerate	Mandatory	Class Resource URI
Associators	Mandatory	Instance Resource URI
References	Mandatory	Instance Resource URI

257 **7.3.3 Class Properties**

258 The table lists the implemented properties for DCIM_CSEnabledLogicalElementCapabilities instance in a
259 system. The “Type” column shall denote the corresponding property type. The “Requirements” column
260 shall denote whether the property is implemented (for requirement definitions, section 3). The “Additional
261 Requirement” column shall denote either possible values for the property, or requirements on the value
262 formulation.

263 **Table 8 – DCIM_CSEnabledLogicalElementCapabilities - Properties**

Property Name	Type	Requirement	Additional Requirement
InstanceId	string	Mandatory	The property value shall be “DCIM:ComputerCap:1”
RequestedStatesSupported[]	uint16	Mandatory	This array property value shall be [2(Enabled), 3(Disabled), 11(Restart)]
ElementName	string	Mandatory	The property value is “Computer System Capabilities”
ElementNameEditSupported	boolean	Mandatory	This property value shall be FALSE.

264 **7.4 DCIM_Chassis - Chassis**

265 This section describes the implementation for the DCIM_Chassis class. This class is instantiated in the
266 Implementation Namespace.

267 **7.4.1 Resource URIs for WinRM®**

268 The class Resource URI is

269 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_Chassis?__cimnamespace=root/dcim”

270 The key property is the CreationClassName and Tag.

271 The instance Resource URI for DCIM_Chassis instance is:

272 “http://schemas.dell.com/wbem/wscim/1/cim-schema/2/DCIM_Chassis?__cimnamespace=root/dcim&CreationClassName=DCIM_Chassis&Tag=mainsystemchassis”

275 **7.4.2 Operations**

276 The following table details the implemented operations on DCIM_Chassis.

277 **Table 9 – DCIM_Chassis - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance Resource URI
Enumerate	Mandatory	Class Resource URI

278

279 **7.4.3 Properties**

280 The table lists the implemented properties for DCIM_Chassis instance in a system. The “Type” column
281 shall denote the corresponding property type. The “Requirements” column shall denote whether the
282 property is implemented (for requirement definitions, see section 3). The “Additional Requirement”
283 column shall denote either possible values for the property, or requirements on the value formulation

284 **Table 10 – DCIM_Chassis - Properties**

Property Name	Type	Requirement	Additional Requirement
CreationClassName	string	Mandatory	This property value shall be “DCIM_Chassis”
Tag	string	Mandatory	This property value shall be “mainsystemchassis”
Manufacturer	string	Mandatory	The property shall identify the manufacturer of the platform.
Model	string	Mandatory	The property shall identify the platform model.
PartNumber	string	Mandatory	This property shall be set to NULL.
SerialNumber	string	Mandatory	This property value shall be the platform’s service tag.
SKU	string	Mandatory	This property value shall be the platform’s ePPID that uniquely identifies the platform. For more information see Dell SMBIOS Specification.
ChassisPackageType	uint16	Mandatory	This property value shall be 17(Main System Chassis).
ElementName	String	Mandatory	This property value shall have the format “DCIM <Model> Chassis”
PackageType	uint16	Mandatory	This property value shall be 3(Chassis/Frame) for monolithic platforms, or 16 (Blade) for blade platform.
CanBeFRUed	boolean	Mandatory	This property value shall be TRUE.
SystemID	uint16	Mandatory	This property value shall be the 3 digit Dell System ID for the platform.

285 **7.5 DCIM_RegisteredProfile - DMTF Base Server Profile Registration**

286 This section describes the implementation for the DCIM_RegisteredProfile class. This class shall be
287 instantiated in the Interop Namespace. The DCIM_ElementConformsToProfile association(s) shall
288 reference the DCIM_RegisteredProfile instances.

289 **7.5.1 Resource URIs**

290 The class Resource URI shall be "http://schemas.dmtf.org/wbem/wscim/1/cim-
291 schema/2/CIM_RegisteredProfile?__cimnamespace=root/interop"

292 The key property shall be the InstanceID property.

293 The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-
294 schema/2/DCIM_RegisteredProfile?__cimnamespace=root/interop+InstanceId=
295 DCIM:CSRegisteredProfile:1"

296 **7.5.2 Operations**

297 The following table details the implemented operations on for DCIM_RegisteredProfile.

298 **Table 11 – DCIM_RegisteredProfile - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

299 **7.5.3 Class Properties**

300 The table lists the implemented properties for DCIM_RegisteredProfile instance representing Base Server
301 and Physical Asset Profile implementation. The "Requirements" column shall denote whether the property
302 is implemented (for requirement definitions, see section 3.1, 3.2, and 3.4). The "Additional Requirement"
303 column shall denote either possible values for the property, or requirements on the value formulation.

304 **Table 12 – DCIM_RegisteredProfile Properties**

Property Name	Type	Requirement	Additional Requirements
InstanceId	string	Mandatory	This property value shall be "DCIM:CSRegisteredProfile:1".
RegisteredName	string	Mandatory	This property value shall be "Base Server".
RegisteredVersion	string	Mandatory	This property value shall be "1.0.0".
RegisteredOrganization	uint16	Mandatory	This property value shall be 2 (DMTF).
AdvertiseTypes[]	uint16	Mandatory	This property value shall be [1,1].
AdvertiseTypeDescriptions[]	string	Mandatory	This property value shall be ["WS-Identify", "Interop Namespace"].

305 **7.6 DCIM_RegisteredProfile - DMTF Physical Asset Profile Registration**

306 This section describes the implementation for the DCIM_RegisteredProfile class. This class shall be
307 instantiated in the Interop Namespace. The DCIM_ElementConformsToProfile association(s) shall
308 reference the DCIM_RegisteredProfile instances.

309 **7.6.1 Resource URIs**

310 The class Resource URI shall be "http://schemas.dmtf.org/wbem/wscim/1/cim-
311 schema/2/CIM_RegisteredProfile?__cimnamespace=root/interop"

312 The key property shall be the InstanceID property.
313 The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-
314 schema/2/DCIM_RegisteredProfile?__cimnamespace=root/interop+InstanceId=
315 DCIM:PhysicalAssetRegisteredProfile:1""

316 **7.6.2 Operations**

317 The following table details the implemented operations on for DCIM_RegisteredProfile.

318 **Table 13 – DCIM_RegisteredProfile - Operations**

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

319 **7.6.3 Class Properties**

320 The following table details the implemented properties for DCIM_RegisteredProfile instance representing
321 Base Server and Physical Asset Profile implementation. The "Requirements" column shall denote
322 whether the property is implemented (for requirement definitions, section 3). The "Additional
323 Requirement" column shall denote either possible values for the property, or requirements on the value
324 formulation

325 **Table 14 – DCIM_RegisteredProfile**

Property Name	Type	Requirement	Additional Requirements
InstanceId	string	Mandatory	This property value shall be "DCIM:PhysicalAsset:1.0.0".
RegisteredName	string	Mandatory	This property value shall be "Physical Asset".
RegisteredVersion	string	Mandatory	This property value shall be "1.0.0".
RegisteredOrganization	uint16	Mandatory	This property value shall be 2 (DMTF).
AdvertiseTypes[]	uint16	Mandatory	This property value shall be [1 (Other) ,1 (Other)].
AdvertiseTypeDescriptions[]	string	Mandatory	This property value shall be ["WS-Identify", "Interop Namespace"].

326 **7.7 DCIM_LCRegisteredProfile**

327 This section describes the implementation for the DCIM_LCRegisteredProfile class. This class shall be
328 instantiated in the Interop Namespace. The DCIM_ElementConformsToProfile association(s) shall
329 reference the DCIM_LCRegisteredProfile instance.

330 **7.7.1 Resource URIs for WinRM®**

331 The class Resource URI shall be "http://schemas.dmtf.org/wbem/wscim/1/cim-
332 schema/2/CIM_RegisteredProfile?__cimnamespace=root/interop"

333 The key property shall be the InstanceID property.

334 The instance Resource URI shall be: "http://schemas.dell.com/wbem/wscim/1/cim-
335 schema/2/DCIM_LCRegisteredProfile?__cimnamespace=root/interop+InstanceId=
336 DCIM:BaseServerAndPhysicalAsset:1.0.0"

337 **7.7.2 Operations**

338 The following table details the implemented operations on for DCIM_LCRegisteredProfile.

339

Table 15 – DCIM_LCRegisteredProfile - Operations

Operation Name	Requirements	Required Input
Get	Mandatory	Instance URI
Enumerate	Mandatory	Class URI

340 **7.7.3 Class Properties**

341 The following table details the implemented properties for DCIM_LCRegisteredProfile instance
 342 representing Base Server and Physical Asset Profile implementation. The "Requirements" column shall
 343 denote whether the property is implemented (for requirement definitions, section 3). The "Additional
 344 Requirement" column shall denote either possible values for the property, or requirements on the value
 345 formulation

346 **Table 16 – DCIM_LCRegisteredProfile**

Property Name	Type	Requirement	Additional Requirements
InstanceId	string	Mandatory	This property value shall be "DCIM:BaseServerAndPhysicalAsset:1.0.0".
RegisteredName	string	Mandatory	This property value shall be "Base Server and Physical Asset".
RegisteredVersion	string	Mandatory	This property value shall be "1.0.0".
RegisteredOrganization	uint16	Mandatory	This property value shall be 1 (Other).
OtherRegisteredOrganization	string	Mandatory	This property value shall be "DCIM".
AdvertiseTypes[]	uint16	Mandatory	This property value shall be [1,1].
AdvertiseTypeDescriptions[]	string	Mandatory	This property value shall be ["WS-Identify", "Interop Namespace"].

347 **8 Methods**

348 This section details the requirements for supporting extrinsic methods for the DCIM_ComputerSystem
 349 class.

350 **8.1 DCIM_ComputerSystem.RequestStateChange()**

351 Invoking the DCIM_ComputerSystem.RequestStateChange() method changes the element's state to the
 352 value specified in the RequestedState parameter.

- 353 • A value of 2 (Enabled) shall correspond to a request to power on the system.
- 354 • A value of 3 (Disabled) shall correspond to a request to power off the system.
- 355 • A value of 11 (Reset) shall correspond to a request to power cycle the system.

356 The method shall be successful, if upon the completion of the method the system has been requested to
 357 transition to the desired state indicated by the RequestedState parameter. An actual change in the state
 358 may not occur, even if the the method was executed sucessfully. The EnabledState property shall
 359 indicate the current state of the system.

360 Detailed requirements of the RequestStateChange() method are specified in Table 17 and Table 18.

361 Invoking the DCIM_ComputerSystem.RequestStateChange() method multiple times could result in earlier
 362 requests being overwritten or lost.

363

Table 17 – DCIM_ComputerSystem.RequestStateChange() Method: Return Code Values

Value	Description
0	Request was successfully executed.
2	Error occurred

364

Table 18 – DCIM_ComputerSystem.RequestStateChange() Method: Parameters

Qualifiers	Name	Type	Description/Values
IN, REQ	RequestedState	uint16	Valid state values : 2 (Enabled) 3 (Disabled) 11 (Reset)
OUT	MessageID	string	Error Message ID- can be used to index into Dell Message registry files
OUT	Message	string	Error Message in English corresponding to MessageID is returned if the method fails to execute
OUT	MessageArguments[]	string	Substitution variables for dynamic error messages

365

Table 19 – DCIM_ComputerSystem.RequestStateChange() Method: Standard Messages

MessageID (OUT parameter)	Message	MessageArguments[]
SYS002	The command failed	
SYS003	Missing parameter(s) %s	RequestedState
SYS004	Invalid parameter value for %s	RequestedState
SYS021	The command failed to set %s	RequestedState

366

8.1.1 DCIM_ComputerSystem.RequestStateChange() Conditional Support

When the DCIM_CSEnabledLogicalElementCapabilities.RequestedStatesSupported property contains at least one value, the DCIM_ComputerSystem.RequestStateChange() method shall be implemented and supported. The DCIM_ComputerSystem.RequestStateChange() method shall not return a value of 1 (Not Supported).

371

9 Use Cases

372

See *Lifecycle Controller (LC) Integration Best Practices Guide*.

373

10 CIM Elements

374

No additional details specified.

375

11 Privilege and License Requirement

376
377
378

The following table describes the privilege and license requirements for the listed operations . For the detailed explanation of the privileges and licenses, refer to the Dell WSMAN Licenses and Privileges specification.

Table 20 – Privilege and License Requirements

Class and Method	Operation	User Privilege Required	License Required
DCIM_ComputerSystem	ENUMERATE , GET	Login	None.
DCIM_ComputerSystem. RequestStateChange()	INVOKE	Login, System Control	None.
DCIM_ComputerSystemPackage	ENUMERATE , GET	Login	None.
DCIM_CSEnabledLogicalElementCa pabilities	ENUMERATE , GET	Login	None.
DCIM_SystemComponent	ENUMERATE , GET	Login	None.
DCIM_CSElementCapabilities	ENUMERATE , GET	Login	None.
DCIM_Chassis	ENUMERATE , GET	Login	None.
DCIM_RegisteredProfile	ENUMERATE , GET	Login	None.
DCIM_ElementConformsToProfile	ENUMERATE , GET	Login	None.
DCIM_LCRegisteredProfile	ENUMERATE , GET	Login	None.
DCIM_LCElementConformsToProfile	ENUMERATE , GET	Login	None.