

**Dell OpenManage Systems Management
Software
Version 6.0 Compatibility Matrix**



Notes, Cautions, and Warnings

 **NOTE:** A NOTE indicates important information that helps you make better use of your computer.

 **CAUTION:** A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

Copyright © 2014 Dell Inc. All rights reserved. This product is protected by U.S. and international copyright and intellectual property laws. Dell™ and the Dell logo are trademarks of Dell Inc. in the United States and/or other jurisdictions. All other marks and names mentioned herein may be trademarks of their respective companies.

2014 - 03


Rev. A00

Contents

1 Overview.....	5
Acronyms Used In This Document.....	5
Supported Operating Systems.....	6
Matrix Information Structure.....	7
Naming Convention For Dell PowerEdge Systems.....	7
2 Dell OpenManage Software Compatibility Matrix.....	9
Compatibility Of Server Administrator Web Server And Managed Nodes.....	9
Compatibility Of Dell Change Management (Update) Products.....	9
Compatibility Of Dell Deployment Suite Of Products.....	11
Compatibility Of Dell Embedded Management Products.....	11
Compatibility Of Dell Maintenance Products.....	14
Compatibility Of Dell Monitoring Products.....	14
Compatibility for Dell Remote Management Products.....	16
Compatibility Of Dell Systems Management - Server, Storage Monitoring, Diagnostics, And Management Products.....	19

Overview

This document provides information about the interoperability of the Dell OpenManage software products.

 **NOTE:** Upgrade the OpenManage components to the latest version to effectively use the latest features.

 **NOTE:** For information on compatibility of Dell OpenManage Connections products, see the *Dell OpenManage Connections Compatibility Matrix* at dell.com/OMConnectionsEnterpriseSystemsManagement

For more information, see the *Dell Systems Software Support Matrix* at dell.com/openmanagemanuals.

Acronyms Used In This Document

The following table lists the acronyms used in this document:



Table 1. Acronyms

Acronym	Product Name
BMC MU	Dell Baseboard Management Controller Management Utility
CMC	Dell Chassis Management Controller
DMC	Dell Management Console
DRAC	Dell Remote Access Controller
DRAC Tools	Dell Remote Access Controller Tools consisting of the Remote Access Controller Administrator
DRAC/MC	Dell Remote Access Controller Modular Chassis
DRM	Dell Repository Manager
DTK	Dell OpenManage Deployment Toolkit
DUP	Dell Update Packages
iDRAC	Integrated Dell Remote Access Controller
Lifecycle Controller (LC) For Dell PowerEdge 12G systems: Lifecycle Controller 2 (LC2)	Dell Lifecycle Controller - Lifecycle Controller Enabled Unified Server configurator (USC) Unified Server Configurator-Lifecycle Controller Enabled (USC-LCE) Remote Enablement (RE)
MN	Dell Managed Nodes (Instrumentation and Remote Enablement)
iSM	Dell iDRAC Service Module


Acronym	Product Name
For Dell PowerEdge 12G systems	
OMCI	Dell OpenManage Client Instrumentation
OME	Dell OpenManage Essentials
OMSM	Dell OpenManage Storage Management
SBUU	Dell Systems Build and Update Utility
Server Administrator / OMSA	Dell OpenManage Server Administrator
SUU	Dell Server Update Utility
YUM	Yellowdog Updater, Modified

Supported Operating Systems

Table 2. Operating Systems

Dell OpenManage 7.4 Supported OS	Microsoft Windows Server 2012 R2
	Microsoft Windows Server 2012
	Microsoft Windows Server 2008 x86 and x64 SP2
	Microsoft Windows Small Business Server 2011
	Microsoft Windows Server 2008 R2 SP1
	Microsoft Windows Server 2003
	 NOTE: OMSA supports Windows Server 2003 only on Dell PowerEdge 11G and earlier systems.
	SUSE Linux Enterprise Server 11 SP3 (64-bit)
	Red Hat Enterprise Linux 5.9 (32 and 64-bit)
	 NOTE: iSM supports only Red Hat Enterprise Linux 5.9 (64-bit)
	Red Hat Enterprise Linux 6.5 (64-bit)
	VMware ESX 4.1 U3
	VMware ESXi 4.1 U3
	VMware ESXi 5.0 U3
	VMware ESXi 5.5
	VMware ESXi 5.1 U2
Hyper-V for Windows Server 2008	
Hyper-V R2 SP1 for Windows Server 2008	
Citrix XenServer 6.1	
Citrix XenServer 6.2	

For more information on the supported operating systems, Network Interface Cards (NIC), and PowerEdge RAID Controller (PERC), see the *Dell Systems Management Software Support Matrix* located at dell.com/openmanagemanuals.

 **NOTE:** iSM does not support VMware ESX 4.1 U3, ESXi 4.1 U3, VMware ESXi 5.0 U3 and Citrix XenServer 6.1.

Matrix Information Structure

The products on the left-hand side of the matrix are the main products under the various categories and the products on the right-hand side of the matrix are the other products that are required by the main product to function, or are compatible with the main product.

***** indicates that the product on the left-hand side is dependent on the particular product version on the right-hand side.

NA indicates that the product on the left-hand side is not dependent or not applicable for the product on the right-hand side.

NA# indicates that the particular product needs to be available and enabled for some of the features in the other product to function as expected.

Naming Convention For Dell PowerEdge Systems

The naming convention used for Dell PowerEdge systems is as follows:

For the 9th generation of PowerEdge systems: **9G** where G denotes generation.

For example, in a 2950 server, 2 indicates the server class, 9 indicates the generation, 5 indicates that it is a rack server, and 0 indicates that it has an Intel processor.

For example, in a M710 server, M indicates that it is a Modular Server, 7 indicates the server class, 1 indicates that it is a 11th generation server, and 0 indicates that it has an Intel processor.

Dell OpenManage Software Compatibility Matrix


This section describes the compatibility among the Dell OpenManage products.

Compatibility Of Server Administrator Web Server And Managed Nodes

The following table describes the compatibility of Server Administrator web server and managed nodes.

Table 3. Server Administrator Web Server and Managed Nodes

Server Administrator Web Server Version	MN (Instrumentation + Remote Enablement) Version
7.4.0	7.4.0 7.3.0 7.2.0
7.3.0	7.3.0 7.2.0 7.1.0
7.2.0	7.2.0 7.1.0 7.0.0


 **NOTE:** For more information on managed node instrumentation and remote enablement, see the *Server Administrator Installation Guide (Linux and Windows)*.

Compatibility Of Dell Change Management (Update) Products

The following table describes the compatibility of Dell Change Management products.

Table 4. Change Management Products

Product Name	Version	Other product versions required to operate with the main product								
		DUP	SUU	YUM	DRM	CMC	Lifecycle Controller (LC)	iDRAC 6 (Rack and Tower)	iDRAC 6 Blade	iDRAC 7 with LC 2
SUU	7.4	7.4	NA	NA	All versions	All versions	All versions	All versions	All versions	All versions
	7.3	7.3	NA	NA	All versions	All versions	All versions	All versions	All versions	All versions
	7.2	7.2	NA	All versions	All versions	All versions	All versions	All versions	All versions	All versions
DUP	7.4	NA	7.4	7.4	1.8	All versions	All versions	All versions	All versions	All versions
	7.3	NA	7.3	7.3	1.6	NA	All versions	All versions	All versions	All versions
	7.2	NA	7.2	7.2	1.5	NA	All versions	All versions	All versions	All versions
YUM Repository	7.4	NA	NA	NA	NA	NA	NA	All versions	All versions	All versions
	7.3	NA	NA	NA	NA	NA	NA	All versions	All versions	All versions
	7.2	NA	NA	NA	NA	NA	NA	All versions	All versions	All versions
DRM	1.8	All versions	All versions	NA	NA	NA	NA	NA	NA	NA
	1.7	All versions	All versions	NA	NA	NA	NA	NA	NA	NA
	1.6	All versions	All versions	NA	NA	NA	NA	NA	NA	NA

 **NOTE:** It is recommended to use the latest BIOS available at dell.com/support.

Compatibility Of Dell Deployment Suite Of Products

The following table describes the compatibility of Dell Deployment Suite of Products.

Table 5. Deployment Suite of Products

Main Product Name	Version	Other product versions required to operate with the main product									
		Server Administrator	iDRAC	M1000e CMC	VRTX CMC	BMC MU	DMC	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	iDRAC 7 with LC 2	DUP
iDRAC 7 with Lifecycle Controller 2 (LC 2)	1.55.55 with 1.4.0	7.4	NA	4.5	1.3	NA	NA	NA	NA	NA	7.4
	1.40.40 with 1.1.5	7.3	NA	4.45	1.25	NA	NA	NA	NA	NA	7.3
	1.30.30 with 1.1	7.2	NA	4.3	NA	NA	NA	NA	NA	NA	7.2
Lifecycle Controller	1.6	7.3	NA	4.45	NA	NA	1.1 - 2.0	1.95	3.5	NA	7.3
	1.5.5	7.2	NA	3.2 - 4.1	NA	NA	1.1 - 2.0	1.92	3.42	NA	7.2
	1.5.2	7.1	NA	3.2 - 4.1	NA	NA	1.1 - 2.0	1.90	3.40	NA	7.1
DTK	4.4	7.4	1.65	4.0 - 4.50	1.3	NA	NA	1.97	3.60	1.55.55 with 1.4.0	7.4
	4.3	7.3	1.6	3.2 - 4.0	NA	NA	NA	1.95	3.5	1.40.40 with 1.1.5	7.3
	4.2	7.2	1.6	3.2 - 4.0	NA	NA	NA	1.92	3.42	1.30.30 with 1.1	7.1 - 7.2
SBUU	2.4	7.4	1.65	4.0 - 4.50	NA	NA	NA	NA	NA	1.55.55 with 1.4.0	7.4
	2.3	7.3	1.6	3.3 - 4.0	NA	NA	NA	NA	NA	1.40.40 with 1.1.5	7.3
	2.2	7.2	1.5 - 1.6	3.3 - 4.0	NA	NA	NA	NA	NA	1.30.30 with 1.1	7.1 - 7.2


Compatibility Of Dell Embedded Management Products


The following table describes the compatibility for Dell Embedded Management products.


Table 6. Embedded Management Products

Product Name	Version	Supported Dell Systems	Other product versions required to operate with the main product									
			Server Administrator	Lifecycle Controller (LC)	iDRAC 7 with LC 2	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	M1000e CMC	VRTX CMC	iSM	BMC MU	DMC
iDRAC 7 with LC 2	1.55.5 with 1.4.0	Dell PowerEdge 12G systems	7.4	NA	NA	NA	NA	4.5	1.3	1.0	NA	NA
	140.40 with 1.1.5	Dell PowerEdge 12G systems	7.3	NA	NA	NA	NA	4.45	1.25	NA	NA	NA
	1.30.30 with 1.1	Dell PowerEdge 12G systems	7.2	NA	NA	NA	NA	4.3 or later	NA	NA	NA	NA
iDRAC 6 - Rack and Tower Systems	1.97	Dell PowerEdge 11G systems Dell PowerVault systems	7.4	1.6	NA	NA	NA	NA	NA	NA	4.6	NA
	1.95	Dell PowerEdge 11G systems Dell PowerVault systems	7.3	1.6	NA	NA	NA	NA	NA	NA	4.6	NA
	1.92	Dell PowerEdge 11G systems Dell PowerVault systems	7.2	1.5.5	NA	NA	NA	NA	NA	NA	4.6	NA
iDRAC 6 - Blade	3.60	Dell PowerEdge 11G Systems Dell PowerVa	7.4	1.6	NA	NA	NA	4.5	NA	NA	NA	NA

Product Name	Version	Supported Dell Systems	Other product versions required to operate with the main product									
			Server Administrator	Lifecycle Controller (LC)	iDRAC 7 with LC 2	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	M1000e CMC	VRT X CMC	iSM	BMC MU	DMC
		ult systems										
	3.5	Dell PowerEdge 11G Systems Dell PowerVault systems	7.3	1.6	NA	NA	NA	4.45	NA	NA	NA	NA
	3.42/3.45	Dell PowerEdge 11G systems Dell PowerVault systems	7.2	1.5.5	NA	NA	NA	4.3 or later	NA	NA	NA	NA
iSM	1.0	Dell PowerEdge 12G systems	NA	NA	1.55.55 with 1.4.0	NA	NA	NA	NA	NA	NA	NA
Lifecycle Controller LC	1.6	Dell PowerEdge 11G systems	NA	NA	NA	1.95	3.5	4.45	NA	NA	NA	1.1 - 2.0
	1.5.5	Dell PowerEdge 11G systems	NA	NA	NA	1.90	3.40	4.3 or later	NA	NA	NA	1.1 - 2.0
	1.5.2	Dell PowerEdge 11G systems	NA	NA	NA	1.85	3.35	4.0 or later	NA	NA	NA	1.1 - 2.0

 **NOTE:** The iDRAC7 features vary based on the license purchased. For more information, see the *iDRAC 7 User's Guide*.

 **NOTE:** Using Dell Embedded Management, you can perform out-of-band hardware configuration, operating system deployment, hardware updates, and so on.


 **NOTE:** It is recommended to use the latest BIOS available at dell.com/support.

Compatibility Of Dell Maintenance Products

The following table describes the compatibility of Dell maintenance products.

Table 7. Maintenance Products

Main Product Name	Version	Other product versions required to operate with the main product			
		LC	iDRAC 7 with LC 2	iDRAC 6 (Blade)	iDRAC 6 (Rack and Tower)
iDRAC 7 with LC 2	1.55.55 with 1.4.0	NA	NA	NA	NA
	1.40.40 with 1.1.5	NA	NA	NA	NA
	1.30.30 with 1.1	NA	NA	NA	NA
iDRAC 6 (Rack and Tower)	1.97	1.6	NA	NA	NA
	1.95	1.6	NA	NA	NA
	1.90	1.5.5	NA	NA	NA
iDRAC 6 (Blade)	3.60	1.6	NA	NA	NA
	3.5	1.6	NA	NA	NA
	3.40	1.5.5	NA	NA	NA
LC	1.6	NA	NA	3.5	1.95
	1.5.5	NA	NA	3.40	1.90
	1.5.2	NA	NA	3.35	1.85

 **NOTE:** It is recommended to use the latest BIOS available at dell.com/support.

Compatibility Of Dell Monitoring Products

The following table describes the compatibility of Dell monitoring products.

Table 8. Monitoring Products

Main Product Name	Version	Other product versions required to operate with the main product									
		Server Administrator	iDRAC	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	iDRAC 7 with LC 2	ISM	M1000e CMC	VXT X CMC	DMC	OME
Server Administrator	7.4	NA	1.65	1.97	3.60	1.55.55 with 1.4.0	NA	4.5	1.3	NA	1.3
	7.3	NA	1.65	1.95	3.5	1.40.40 with 1.1.5	NA	4.45	1.25	1.1 - 2.0.3	1.2, 1.2.1
	7.2	NA	1.65	1.92	3.42/3.45	1.30.30 with 1.1	NA	4.30	NA	1.1 - 2.0.3	1.1
iDRAC 7 with LC 2	1.55.55 with 1.4.0	7.4	NA	NA	NA	NA	1.0	4.5	1.3	NA	1.3
	1.40.40 with 1.1.5	7.3	NA	NA	NA	NA	NA	4.45	1.25	NA	1.2
	1.30.30 with 1.1	7.2	NA	NA	NA	NA	NA	4.30	NA	NA	NA
iDRAC 6 (Rack and Tower)	1.97	7.4	1.6	NA	NA	NA	NA	NA	NA	NA	1.3
	1.95	7.3	1.6	NA	NA	NA	NA	NA	NA	NA	1.2
	1.92	7.2	1.5 - 1.6	NA	NA	NA	NA	NA	NA	NA	1.0.1
iDRAC 6 (Blade)	3.60	7.4	NA	NA	NA	NA	NA	4.5	NA	NA	1.3
	3.5	7.3	NA	NA	NA	NA	NA	4.45	NA	NA	1.0.1
	3.42/3.45	7.2	NA	NA	NA	NA	NA	4.3	NA	2.0.3	1.0.1
iDRAC (Blade)	1.60	6.5 - 7.1	1.5 - 1.6	NA	NA	NA	NA	3.1 - 4.3	NA	2.0.3	1.0.1
DRAC 5	1.65	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1.6	7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
	1.5	7.0	NA	NA	1.1 - 2.0	NA	NA	NA	NA	1.1 - 2.0.3	1.0 - 1.0.1
M1000e CMC	4.5	7.4	NA	NA	3.60	1.55.55 with 1.4.0	NA	NA	NA	NA	1.3
	4.45	7.3	NA	NA	3.5	1.40.40 with 1.1.5	NA	NA	NA	NA	1.2

Main Product Name	Version	Other product versions required to operate with the main product									
		Server Administrator	iDRAC	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	iDRAC 7 with LC 2	iSM	M1000e CMC	VRTX CMC	DMC	OME
	4.30	7.2	NA	NA	3.45	1.30.30 with 1.1	NA	NA	NA	NA	1.1
VRTX CMC	1.3	7.4	NA	NA	3.5	1.55.55 with 1.4.0	NA	NA	NA	NA	1.3
	1.25	7.3	NA	NA	3.5	1.40.40 with 1.1.5	NA	NA	NA	NA	1.2
DMC	2.0.3	6.5 - 7.1*	1.45 - 1.6	1.7 - 1.8	3.2 - 3.3	1.0.0 with 1.0	NA	3.2 - 4.0	NA	NA	NA
	2.02	4.3 - 7.0*	1.45 - 1.6	1.5 - 1.7	3.0 - 3.2	NA	NA	3.1 - 3.2	NA	NA	NA
	1.1	4.3 - 6.2*	1.45 - 1.5	1.3 - 1.5	2.2 - 3.0	NA	NA	3.0 - 3.1	NA	NA	NA
OME	1.3	7.4	1.6	1.97	3.5	1.55.55 with 1.4.0	NA	4.5	1.3	NA	NA
	1.2	7.3	1.6	1.95	3.5	1.45.45 with 1.1	NA	4.45	1.25	NA	NA
	1.1	7.1 - 7.2	1.5 - 1.6	1.8	3.3	1.20.20 with 1.0.8	NA	3.2 - 4.0	NA	NA	NA

Compatibility for Dell Remote Management Products

The following table describes the compatibility for Dell remote management products.


Table 9. Remote Management Products

Product Name	Version	Supported Dell Systems	Other product versions required to operate with the main product							
			Server Administrator	Lifecycle Controller	iDRAC 7 with LC 2	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	M1000e CMC	VRTX CMC	BMC MU
iDRAC 7 with LC 2	1.55.55 with 1.4.0	Dell PowerEdg	7.4	NA	NA	NA	NA	4.5	1.3	NA

Product Name	Version	Supported Dell Systems	Other product versions required to operate with the main product							
			Server Administrator	Lifecycle Controller	iDRAC 7 with LC 2	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	M1000e CMC	VRTX CMC	BMC MU
		e 12G systems								
	1.40.40 with 1.1.5	Dell PowerEdge 12G systems	7.3	NA	NA	NA	NA	4.45	1.25	NA
	1.30.30 with 1.1	Dell PowerEdge 12G systems	7.2	NA	NA	NA	NA	4.30	NA	NA
iDRAC 6 - Rack and Tower Systems	1.97	Dell PowerEdge 11G systems Dell PowerVault systems	7.4	1.6	NA	NA	NA	NA	NA	4.6
	1.95	Dell PowerEdge 11G systems Dell PowerVault systems	7.3	1.6	NA	NA	NA	NA	NA	4.6
	1.92	Dell PowerEdge 11G systems Dell PowerVault systems	7.2	1.5.5	NA	NA	NA	NA	NA	4.6
iDRAC 6 - Blade	3.60	Dell PowerEdge 11G systems Dell PowerVault systems	7.4	1.6	NA	NA	NA	4.5	NA	NA
	3.5	Dell PowerEdge 11G systems Dell	7.3	1.6	NA	NA	NA	4.45	NA	NA

Product Name	Version	Supported Dell Systems	Other product versions required to operate with the main product							
			Server Administrator	Lifecycle Controller	iDRAC 7 with LC 2	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	M1000e CMC	VRTX CMC	BMC MU
		PowerVault systems								
	3.42/3.45	Dell PowerEdge 11G systems Dell PowerVault systems	7.2	1.5.5	NA	NA	NA	3.1 - 4.3	NA	NA
iDRAC - Blade	1.60	Dell PowerEdge 10G systems Dell PowerVault systems	6.5 - 7.1	NA	NA	NA	NA	3.1 - 4.3	NA	NA
DRAC 5	1.65	Dell PowerEdge Rack and Tower 10G systems	7.2	NA	NA	NA	NA	NA	NA	1.29 or later
	1.60	Dell PowerEdge Rack and Tower 10G systems	7.1	NA	NA	NA	NA	NA	NA	1.29 or later
	1.50	Dell PowerEdge Rack and Tower 10G systems	6.2	NA	NA	NA	NA	NA	NA	1.29 or later
M1000e CMC	4.5	Dell PowerEdge M1000e	7.4	1.6	1.55.55 with 1.4.0	NA	3.6	NA	NA	NA
	4.45	Dell PowerEdge M1000e	7.3	1.6	1.40.40 with 1.1.5	NA	3.5	NA	NA	NA
	4.3	Dell PowerEdge M1000e	7.2	1.5.5	1.30.30 with 1.1	NA	3.42	NA	NA	NA

Product Name	Version	Supported Dell Systems	Other product versions required to operate with the main product							
			Server Administrator	Lifecycle Controller	iDRAC 7 with LC 2	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	M1000e CMC	VRTX CMC	BMC MU
VRTX CMC	1.3	Dell PowerEdge M1000e	7.4	1.6	1.55.55 with 1.4.0	NA	NA	NA	NA	NA
	1.25	Dell PowerEdge M1000e	7.3	1.6	1.40.40 with 1.1.5	NA	NA	NA	NA	NA
BMC MU	4.6	Dell PowerEdge 12G systems (Blade)	6.4 - 7.0	1.5	1.0.0 with 1.0	1.8	3.3	NA	NA	NA
	4.5	Dell PowerEdge 11G systems (Blade)	6.3 - 6.5	1.5	NA	NA	NA	NA	NA	NA

 NOTE: It is recommended to use the latest BIOS available at dell.com/support.

Compatibility Of Dell Systems Management - Server, Storage Monitoring, Diagnostics, And Management Products


The following table describes the compatibility of server, storage monitoring, diagnostics, and management products.


Table 10. Systems Management


Main Product Name	Version	Other product versions required to operate with the main product												
		Server Administrator	OME	DMC	iDRAC	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	iDRAC 7 with LC 2	iSM	M1000e CMC	VRTX CMC	BMC MU	DUP	Lifecycle Controller (LC)
Server Administrator	7.4	NA	1.3	NA	1.65	1.97	3.6	1.55.55 with 1.4.0	NA	4.5	1.3	NA	7.4	1.6
	7.3	NA	1.2	NA	1.65	1.95	3.5	1.40.40 with 1.1.5	NA	4.45	1.25	4.6	7.3	1.6

Main Product Name	Version	Other product versions required to operate with the main product												
		Server Administrator	OME	DMC	iDRAC	iDRAC 6 (Rack and Tower)	iDRAC 6 (Blade)	iDRAC 7 with LC 2	iSM	M1000e CMC	VRTX CMC	BMC MU	DUP	Lifecycle Controller (LC)
	7.2	NA	1.1	2.0.3	1.65	1.92	3.42 - 3.45**	1.30.30 with 1.1	NA	4.3	NA	4.6	7.2	1.5.5
OME	1.3	7.4	NA	NA	NA	1.97	3.6	1.55.55 with 1.4.0	NA	4.5	1.3	NA	7.4	1.6
	1.2	7.3	NA	NA	NA	1.95	3.5	1.45.45 with 1.0.8	NA	4.45	1.25	NA	7.3	1.5.5
	1.1	7.1 - 7.2	NA	NA	1.5 - 1.6	1.8	3.3	1.20.20 with 1.0.8	NA	3.2 - 4.0	NA	4.6	7.0 - 7.2	1.5.5
iSM	1.0	NA	NA	NA	NA	NA	NA	1.55.55 with 1.4.0	NA	NA	NA	NA	NA	NA
DMC	2.0.3	6.5.0 - 7.1.0	NA	NA	1.45 - 1.6	1.7 - 1.8	3.2 - 3.3	1.0.0 with 1.0	NA	3.2 - 4.0	NA	4.6	6.5 - 7.0	1.5.1
	2.0.2	4.3.0 - 6.5.0	NA	NA	1.45 - 1.6	1.5 - 1.7	3.0 - 3.2	NA	NA	3.1 - 3.2	NA	4.5	4.3 - 6.5	1.3 - 1.4
	1.1	4.3.0 - 6.2.0	NA	NA	1.45 - 1.6	1.3 - 1.5	2.2 - 3.0	NA	NA	3.0 - 3.1	NA	4.4	4.3 - 6.5	1.3 - 1.4
Online Diagnostics	2.2.0	7.0 - 7.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.1	NA
	2.19.0	6.0 - 6.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.5	NA

** – iDRAC6 Blade 3.45 is only supported on PowerEdge M910 and PowerEdge M915.

 **NOTE:** OMSM is part of Server Administrator. However OMSM has its own version. For example, OMSA 7.0 has OMSM 4.0.

 **NOTE:** It is recommended to use the latest BIOS available at dell.com/support.

 **NOTE:** OME 1.0 and DRM 1.8 must be installed on the same system; however, DRM 1.8 can access OME 1.1 and higher versions inventory data from a remote system. In DRM 1.8, you must click **Connect** to obtain inventory data from OME irrespective of the version of OME it interacts.