

iDRAC9 with Lifecycle Controller Version 3.00.00.00

Redfish API Guide

Notes, cautions, and warnings

 **NOTE:** A NOTE indicates important information that helps you make better use of your product.

 **CAUTION:** A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

Copyright © 2017 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Contents

Overview.....	10
What is new in this release.....	10
Benefits.....	10
Key technologies.....	11
Other documents you may need.....	11
Redfish-based systems management.....	12
URL support.....	12
Redfish configuration.....	12
Redfish schema.....	13
Redfish authentication and authorization.....	13
iDRAC licensing.....	14
HTTP methods.....	14
GET.....	14
HEAD.....	14
POST.....	15
PUT.....	15
PATCH.....	15
DELETE.....	15
HTTP headers.....	15
HTTP status codes and error messages.....	16
SSL certificates of iDRAC.....	16
Eventing.....	16
Event delivery retry settings in RACADM.....	17
Eventing operations.....	17
Redfish resources.....	18
AccountService.....	19
Description.....	19
URL.....	19
Supported HTTP methods and privileges.....	19
Chassis.....	19
Description.....	19
URL.....	19
Supported HTTP methods and privileges.....	19
Navigation URL.....	19
Supported HTTP methods and privileges.....	20
Supported status codes.....	20
Supported properties and values.....	20
Supported action — Reset.....	21
URL.....	21
ComputerSystem.....	22
Description.....	22
URL.....	22

Supported HTTP methods and privileges.....	22
Navigation URL.....	22
Supported HTTP methods and privileges.....	23
Supported status codes and error messages.....	23
Supported properties and values.....	23
Implementation notes.....	24
Supported action — Reset.....	24
EthernetInterfaces.....	25
Description.....	25
URL.....	25
Supported HTTP methods and privileges.....	25
URL.....	25
Supported HTTP methods and privileges.....	26
Updatable properties.....	26
Supported status codes and Error Message Codes.....	26
Reference Properties.....	26
EventService.....	27
Description.....	27
URL.....	27
Supported HTTP methods and privileges.....	27
Supported status codes.....	28
EventDestination.....	28
Description.....	28
URL.....	28
Supported HTTP methods and privileges.....	28
Updatable properties.....	28
Supported status codes.....	28
JSONSchemas.....	29
Description.....	29
URL.....	29
Supported HTTP methods and privileges.....	29
Supported status codes.....	29
LogEntry.....	29
Description.....	29
URL.....	30
Supported HTTP methods and privileges.....	30
Supported status codes.....	30
Reference Properties.....	30
/redfish/v1/Managers/<ID>/Logs/Sel.....	31
LogService.....	31
Description.....	31
URL.....	31
Supported HTTP methods and privileges.....	31
Supported status codes.....	31
Reference Properties.....	32

Supported action — ClearLog.....	33
Manager.....	33
Description.....	33
URL.....	33
Supported HTTP methods and privileges.....	34
Supported status codes.....	34
Supported properties and values.....	34
Supported action — Reset.....	34
OEMManager.....	35
Description.....	35
Supported action — Export, Import, and Preview.....	35
ManagerAccount.....	37
Description.....	37
URL.....	37
Supported HTTP methods and privileges.....	37
Navigation URL.....	38
Supported HTTP methods and privileges.....	38
Updatable properties.....	38
Supported status codes.....	38
Contained resources.....	38
ManagerNetworkProtocol.....	38
Description.....	38
URL.....	39
Supported HTTP methods and privileges.....	39
Updatable properties.....	39
Supported status codes and error messages.....	39
MessageRegistry.....	40
Description.....	40
URL.....	40
Supported HTTP methods and privileges.....	40
Supported status codes.....	40
Power.....	40
Description.....	40
URL.....	40
Supported HTTP methods and privileges.....	40
Supported status codes.....	41
Reference Properties.....	41
Processor.....	43
Description.....	43
URL.....	43
Supported HTTP methods and privileges.....	43
Supported status codes.....	43
Supported properties and values.....	44
Implementation notes.....	44
Role.....	44

Description.....	44
URL.....	44
Supported HTTP methods and privileges.....	44
Supported status codes.....	44
SerialInterfaces.....	45
Description.....	45
URL.....	45
Supported HTTP methods and privileges.....	45
Navigation URL.....	45
Supported HTTP methods and privileges.....	45
Updatable properties.....	45
Supported status codes.....	45
Supported properties and values.....	46
ServiceRoot.....	46
Description.....	46
URL.....	46
Supported HTTP methods and privileges.....	46
Supported status codes.....	47
Session.....	47
URL.....	47
Description.....	47
Supported HTTP methods and privileges.....	47
Updatable properties.....	47
Supported status codes.....	47
/redfish/v1/Sessions/<session-id>.....	48
SessionService.....	48
Description.....	48
URL.....	48
Updatable properties.....	49
Supported HTTP methods and privileges.....	49
Supported status codes.....	49
SimpleStorage.....	49
Description.....	49
URL.....	49
Supported HTTP methods and privileges.....	50
Supported status codes.....	50
TaskService.....	50
Description.....	50
URL.....	50
Supported HTTP methods and privileges.....	50
Supported status codes.....	50
Tasks.....	51
Thermal.....	51
Description.....	51
URL.....	51

Supported HTTP methods and privileges.....	51
Supported status codes.....	51
Reference properties.....	52
VirtualMedia.....	53
Description.....	53
URL.....	53
Supported HTTP methods and privileges.....	53
Supported status codes	53
Supported properties and values.....	54
VLANNetworkInterface.....	54
Description.....	54
URL.....	54
Supported HTTP methods and response content type.....	54
Supported status codes.....	54
BIOS.....	55
Description.....	55
URL.....	55
Supported HTTP methods and privileges.....	55
Supported status codes.....	55
Supported action — ResetBIOS.....	55
Supported action — ChangePassword.....	56
Supported action — ClearPending.....	57
Settings Resource.....	57
SecureBoot.....	58
Description.....	58
URL.....	58
Supported HTTP methods and privileges.....	58
Updatable properties.....	58
Supported status codes.....	59
Supported action — ResetKeys.....	59
UpdateService.....	60
Description.....	60
URL.....	60
Supported HTTP methods and privileges.....	60
Supported status codes.....	60
SoftwareInventory.....	60
Description.....	60
URL.....	61
Supported HTTP methods and privileges.....	61
Navigation URL.....	61
Supported HTTP methods and privileges.....	61
Supported status codes.....	61
AttributeRegistry.....	62
Description.....	62
URL.....	62

Supported HTTP methods and privileges.....	62
Supported status codes.....	62
DellBootSourcesRegistry.....	62
Description.....	62
URL.....	62
Supported HTTP methods and privileges.....	63
Supported status codes.....	63
DellBootSources.....	63
Description.....	63
URL.....	63
Supported HTTP methods and privileges.....	63
Supported status codes.....	63
Supported action — ClearPending.....	63
Settings Resource.....	64
DellManager.....	65
Description.....	65
URL.....	65
Supported action — ResetToDefaults.....	65
DellServiceRoot.....	66
Description.....	66
URL.....	66
Supported HTTP methods and privileges.....	66
Supported properties and values.....	66
DellAttributes.....	67
Description.....	67
URL.....	67
Supported HTTP methods and privileges.....	67
Updatable properties.....	67
Supported status codes.....	67
Supported action — ClearPending.....	67
Settings Resource.....	68
DellUpdateService.....	69
Description.....	69
Supported action — Install.....	69
DellCertificates.....	70
Description.....	70
URL.....	70
Supported HTTP methods and privileges.....	70
Supported status codes.....	70
URL.....	71
Supported HTTP methods and privileges.....	71
Updatable properties.....	71
Supported status codes.....	71
URL.....	71
Supported HTTP methods and privileges.....	71

Supported status codes.....	72
DellJob.....	72
Description.....	72
URL.....	72
Supported HTTP methods and privileges.....	72
Updatable properties.....	72
Supported status codes.....	73
Navigation URL.....	73
Supported HTTP methods and privileges.....	73
Supported status codes.....	73
Examples.....	74
GET.....	74
DELETE.....	74
PATCH.....	74
POST.....	75

Overview

The Redfish Scalable Platforms Management API is a standard defined by the Distributed Management Task Force (DMTF). Redfish is a next-generation systems management interface standard, which enables scalable, secure, and open server management. It is a new interface that uses RESTful interface semantics to access data that is defined in model format to perform out-of-band systems management. It is suitable for a wide range of servers ranging from stand-alone servers to rack mount and bladed environments and for large scale cloud environments.

Dell PowerEdge servers offer a comprehensive range of embedded systems management functions enabled by the Integrated Dell Remote Access Controller (iDRAC) with Lifecycle Controller. These functions are designed by adhering industry standard application programming interfaces (APIs) including Redfish.

iDRAC with Lifecycle Controller technology is part of a larger data center solution that helps keep business critical applications and workloads available always. The technology allows administrators to deploy, monitor, manage, configure, update, troubleshoot, and remediate Dell servers from any location, and without the use of agents. It accomplishes this regardless of an operating system or a Hypervisor presence or state.

This document provides a brief overview on Redfish and information on various aspects of Redfish protocol, supported schema, and Redfish Eventing implemented in iDRAC. It also provides guidelines for using the Dell Redfish APIs.

Topics:

- [What is new in this release](#)
- [Benefits](#)
- [Key technologies](#)
- [Other documents you may need](#)

What is new in this release

This release of Redfish API supports the following features:

- Redfish Specification v1.0.2 (errata).
- Server Configuration Profile (SCP) with JSON and HTTP/HTTPS.
- Redfish 2016.1 including BIOS, Secure Boot configuration, UEFI certificates management, and iDRAC configuration.
- iDRAC Attribute Registry, Firmware inventory, BIOS Boot sequence, UEFI Boot sequence, hard-drive boot sequence, iDRAC reset to defaults, and job management.
- Redfish 2016.2 for firmware update.
- Eventing using CA certificates.
- Enhanced RESTful server configuration with access via HTTP, HTTPS, streamed local file, and SCP in JSON format.

Benefits

Redfish is a new global standard for open server management. It has the capabilities to support single servers, converged infrastructure, and hyper—scale architecture. It provides the following benefits over existing server management methods:

- Increased simplicity and usability
- High data security

- Programmable interface that can be easily scripted
- Widely-used standard

Key technologies

Redfish uses web and cloud-based technologies that enable communications with servers using common programming and scripting languages such as Python, JAVA, and C. The key technologies are as follows:

- REpresentational State Transfer (REST) interface — REST is a web based API, which provides a way to interact with a system over a normal web connection. It supports both HTTPS and HTTP.
- Java Script Notation (JSON) — JSON represents data in such a way that it is much easier to read than XML. It also provides the formatting that is required for scripting languages to interface with the data.
- OData — It is important to standardize the data format when implementing a common interface across multiple vendors. OData provides the required framework to ensure that the data structure remains interchangeable between server vendors.

Other documents you may need

For more information about Redfish, see the DMTF website <http://www.dmtf.org/standards/redfish>. This website provides access to schema files, white papers, technical notes, and so on.

To download or access a file, go to <http://www.dmtf.org/standards/redfish>, locate the desired section, and click the link to open or download the files.

You can download the OEM schemas from the Dell website at <http://downloads.dell.com/redfish/bmc/schemas/>.

Redfish-based systems management

This section provides an overview of the Redfish service implemented in the iDRAC firmware. It includes information about the Redfish API, schema, configuration, authentication, authorization, and so on.

URL support

Redfish is a web-based API which implies that resources are accessed using client supplied URLs. URLs are required to identify the Redfish resources. The Redfish API uses a simple URL hierarchy which follows a `/redfish/v1/` pattern for all resources. To access a Redfish resource, use the URL pattern `https://<iDRAC IP>/redfish/v1/<Resource Path>`. For more information on the supported resources, see [Redfish resources](#). iDRAC supports the following URL patterns:

- `/redfish` — URL for the Redfish version object.
- `/redfish/v1` — Root URL for version 1 of the Redfish services.
- `/redfish/v1/odata` — Redfish services expose an OData service document at this URI. This service document provides a standard format for enumerating resources that are exposed by the service by enabling all generic hypermedia-driven OData clients to navigate to the resources of the service.
- `/redfish/v1/$metadata` — Redfish services expose a metadata document in XML format. This document describes the resources and collections that are available at the service root URI. It also provides references to other metadata documents, which describe the complete set of resource types that are exposed by the service.
- `/redfish/v1/$metadata#<Collection or a Singleton resource>` — Metadata URL specified as a part of `@odata.context` property for all resources. This URL returns data in XML format.
- `/redfish/v1/JsonSchemas` — This URL returns data in JSON format. The output is a collection of `JsonSchemaFile` resource instances.
- `/redfish/v1/JsonSchemas/<resource URI>` — The JSON Schema File resource instance describes the location (URI) of a particular Redfish schema definition being implemented or referenced by a Redfish service. This URL returns data in JSON format.
- `/redfish/v1/<other resource specific URIs>` — All instrumentation resources follow this pattern.

NOTE: The Redfish standard implemented in iDRAC supports only HTTPS protocol.

NOTE: In previous versions of Redfish implementation, # character was parsed as #. Because this character is treated as a break character by the code, any characters after # were ignored. Now, # character is automatically converted to %23. This conversion allows the consoles or REST clients to use the URL without any errors.

Redfish configuration

You can configure the Redfish interface on iDRAC by enabling or disabling the iDRAC attribute. If this attribute is disabled, HTTPS requests to Redfish URIs fail with an HTTP status code of 404 and an error message indicating that this attribute is disabled.

NOTE: You do not need to restart the web server when enabling or disabling Redfish attribute.

Configuring Redfish service using iDRAC web interface

To enable or disable the Redfish service on iDRAC, perform the following tasks:

- 1 In the iDRAC web interface, navigate to the following screen:
 - 13th generation of PowerEdge servers: **Overview > iDRAC Settings > Network > Services**

- 14th generation of PowerEdge servers: **iDRAC Settings > Services > Redfish**
- 2 Under **Redfish**, select **Enabled** and click **Apply** to enable the service.

Configuring Redfish service by using iDRAC RACADM

You can enable or disable the Redfish service using the iDRAC attribute `iDRAC.Redfish.Enable` (Read or Write).

Configuring Redfish service by using WS-MAN

The Redfish attribute `iDRAC.Redfish.Enable` is modeled under the existing `DCIM_iDRACCardEnumeration` class. You can configure the Redfish service using existing methods such as `SetAttribute`, `SetAttributes`, and `ApplyAttributes` of `DCIM_iDRACCardService` class.

Redfish schema

The Schemas for the Redfish resources are defined according to the OData Schema representation, which can be directly translated to a JSON Schema representation.

Redfish authentication and authorization

For certain resources, the Redfish clients may require to authenticate access. Redfish relies on the managed system for the required credentials and supported forms of authentication. In iDRAC, authentication is based on local credentials and remote protocols such as Active Directory and LDAP.

NOTE: You must have the required iDRAC license to use Active Directory and LDAP.

Authorization includes both user privilege and license authorization. Redfish support is included in all levels of iDRAC licensing. The following table details the authentication and authorization required for each Redfish action:

Table 1. Redfish authentication and authorization

Redfish actions	Authentication required	Authorization required
Read operation on any instrumentation data	Yes	Yes
Modify instrumentation data	Yes	Yes
Invoke actions	Yes	Yes
View service root	No	No
View metadata document	No	No
View OData service document	No	No
View message registry	No	No
View Redfish version URI	No	No
View JSONSchmeaFile resource URI	No	No
View JSON schemas URI	No	No

The Redfish service provides access to Redfish URLs by using the following methods:

- **Basic authentication:** In this method, user name and password are provided for each Redfish API request.
- **Session-based authentication:** This method is used while issuing multiple Redfish operation requests.
 - Session login is initiated by accessing the Create session URI. The response for this request includes an X-Auth-Token header with a session token. Authentication for subsequent requests is made using the X-Auth-Token header.

- Session logout is performed by issuing a DELETE of the Session resource provided by the Login operation including the X-Auth-Token header.

NOTE: The iDRAC firmware incorporates the concept of application sessions for various existing interfaces such as the web interface, WSMAN, and RACADM. With the introduction of Redfish-specific sessions, Redfish inherits the characteristics of web server sessions and the property Session Timeout inherits the web server session timeout value.

NOTE: To ensure a secure connection, Dell recommends using TLS 1.1 or later.

iDRAC licensing

Redfish support is included in all license types of iDRAC. However, some of the iDRAC features require specific licenses. If a required license is not present, certain Redfish APIs may not be accessible and return an HTTP 403 status code. 403 implies that there is no sufficient privileges. In other cases, some of the properties in certain resource may not be returned in a response. The service may also return errors when such properties are modified. For information of specific license requirements for the resources, see [Redfish resources](#).

Topics:

- [HTTP methods](#)
- [HTTP headers](#)
- [HTTP status codes and error messages](#)
- [SSL certificates of iDRAC](#)
- [Eventing](#)

HTTP methods

The REST API allows you to specify the type of request. It adheres to the Create, Retrieve, Update, and Delete (CRUD) standard format. The data is generated by accessing URIs that can be accessed by using the following HTTP methods:

- GET
- HEAD
- POST
- PUT
- PATCH
- DELETE

GET

Use the GET method to retrieve a representation of a resource. The representation can either be a single resource or a collection. Depending on the media type, the service returns the resource representation by using one of the media types specified in the Accept header. If the Accept header is not present, the service returns the resource representations either as **application/json** or **application/xml**. The resources support the formats defined by the Redfish standard.

The HTTP GET method is used to retrieve a resource. The service ignores the content of the body on a GET. The GET operation is unchanged in the absence of external changes to the resource.

HEAD

All URLs support the HEAD method. This method returns the response headers.

POST

Use the POST method to invoke actions and create a resource. The POST request is submitted to the resource collection to which the new resource belongs. Submitting a POST request to a resource that represents a collection is equivalent to submitting the request to the Members property of that resource. Services that support adding members to a collection support both forms.

Services support the POST method for creating resources. If the resource does not support this method, status code 405 is returned. The body of the create request contains a representation of the object to be created. The service can ignore any service-controlled properties such as ID, forcing those properties for the service to be overridden. The service sets the Location header to the URI of the newly created resource.

PUT

Use the PUT method to replace the property values of a resource. Properties omitted from the request body are reset to their default value. Services support the PUT method to replace a resource completely. If a service does not support this method, status code 405 is returned. Services may return a representation of the resource after any server-side transformations occur in the body of the response. The PUT operation must be unchanged in the absence of external changes to the resource. The exception is that the ETag values may change as a result of this operation.

PATCH

Use the PATCH method to update pre-existing resources. Changes to the resource are sent in the request body. This method does not change the properties that are not specified in the request body. The response is either empty or a representation of the resource after the update is done, or a success code if the operation is successful. Depending on the policies, the implementation may reject the update operation on certain fields and not apply any of the requested updates.

DELETE

Use the DELETE method to remove a resource. Services support the DELETE method for resources that can be deleted. If the resource cannot be deleted, status code 405 is returned. Services return a representation of the deleted resource in the response body.

HTTP headers

The server response contains only basic information about related resources. Any metadata, which is required to process a request or response is accessed by using HTTP headers. iDRAC supports the following request headers:

Header	Behavior
If-Match	Supported only for AccountService and FirmwareInventory URIs.
If-None-Match	Supported only for AccountService, FirmwareInventory, and metadata URIs.

iDRAC supports the following response headers:

Header	Behavior
Content-Length	Returned on all responses except responses that have Transfer-Encoding: chunked.
Content-Type	· Responses other than OData metadata—application/json;charset=utf-8

Header	Behavior
	<ul style="list-style-type: none"> · OData responses—application/xml;charset=utf-8
ETag	Supported on AccountService, FirmwareInventory, and metadata URIs.
Location	Service sets this header when resources are created or when HTTP requests are redirected to other resources.
Cache-Control	Returned on all responses. Metadata URIs support cached responses. Instrumentation resources cannot be cached.
X-Auth-Token	Used for authentication of user sessions. See “Session-based authentication” under Redfish authentication and authorization .

HTTP status codes and error messages

HTTP defines the status codes that are returned in response messages. When the HTTP status code indicates a failure, the response body contains an extended error resource, which provides meaningful and deterministic error semantics.

The extended-error information for the Redfish service that Dell has implemented contains error or exception information that is unique to Dell. This information provides more details and recommendations for error resolution. To learn more about extended-error information, see the *Event and Error Message Reference Guide* available at www.dell.com/manuals.

For more information about supported status codes and error messages, see the *Redfish Scalable Platforms Management API Specification* document available at www.dmtf.org/standards/redfish.

SSL certificates of iDRAC

iDRAC includes a web server that uses the industry-standard SSL security protocol to transfer encrypted data over a network. Built upon asymmetric encryption technology, SSL is widely accepted for providing authenticated and encrypted communication between clients and servers to prevent eavesdropping across a network.

By default, the iDRAC web server has a Dell self-signed SSL digital certificate. Redfish service reuses this certificate installed on the iDRAC web server. You can replace the default SSL certificate with a certificate signed by a well-known Certificate Authority (CA). You can replace SSL certificates using the iDRAC interfaces such as web interface, RACADM, or WSMAN. For more information on managing SSL certificates of iDRAC, see the latest iDRAC User’s Guide available at Dell.com/idracmanuals.

Eventing

The Redfish service generates asynchronous notifications (events) that are defined by Redfish subscription for the eventing service. These events are sent to an event destination by using HTTP POST method. Events are generated when some significant change or error condition typically of time critical nature occurs. When an event occurs on the service, it notifies the clients. Redfish service must be enabled and iDRAC must be configured to create event subscriptions and to gain read-only privilege for viewing event subscriptions.

The iDRAC implementation of a Redfish service supports only HTTPS notifications. In certain situations, iDRAC may not be able to verify certificates sent by a peer. To handle such situations, iDRAC can be configured to skip certificate verification by using the attribute `iDRAC.RedfishEventing.IgnoreCertificateErrors`. This attribute can be configured to True or False (Default) using RACADM or the WS-MAN interface. Set this attribute to True if certificate validation is not required.

Redfish service provides Lifecycle and Alert events. Lifecycle events may occur when resources are created, modified, or destroyed. Alert events occur when a resource needs to indicate a significant event. Alert events may be either directly or indirectly pertaining to the resource. Examples of these kinds of event are a chassis being opened, button being pressed, cable being unplugged, or threshold being exceeded. iDRAC supports up to 20 event subscriptions.

NOTE: In this release, iDRAC supports only Alert event notifications.

If an event delivery fails, the event service of iDRAC retries delivering the failed event. The number of retries and delivery intervals can be configured using the following attributes:

- `iDRAC.RedfishEventing.DeliveryRetryAttempts`
- `iDRAC.RedfishEventing.DeliveryRetryIntervalInSeconds`

Event delivery retry settings in RACADM

`iDRAC.RedfishEventing.DeliveryRetryAttempts` (Read or Write)

Description	Specifies the number of retry attempts made for Redfish event delivery
Legal values	Value ranges from 0 to 5
Default value	3
Write privilege	Configure iDRAC

`iDRAC.RedfishEventing.DeliveryRetryIntervalInSeconds` (Read or Write)

Description	Specifies the intervals (in seconds) of retry attempts made for Redfish event delivery
Legal values	Value ranges from 5 to 60
Default value	30
Write privilege	Configure iDRAC

Eventing operations

The Redfish event service provides the following URIs:

Table 2. Eventing operations

HTTP method type	Description	URI	Metadata reference
GET	Get Event Service detailed information	<code>/redfish/v1/EventService</code>	EventService.xml
POST	Register an event notification receiver	<code>/redfish/v1/EventService/Subscriptions</code>	EventDestination.xml
DELETE	Remove a subscription	<code>/redfish/v1/EventService/Subscriptions/<Subscription ID></code>	EventService.xml

Redfish resources

This section describes the resource URIs and related operations that are available in the iDRAC implementation of a Redfish service API.

Topics:

- [AccountService](#)
- [Chassis](#)
- [ComputerSystem](#)
- [EthernetInterfaces](#)
- [EventService](#)
- [EventDestination](#)
- [JSONSchemas](#)
- [LogEntry](#)
- [LogService](#)
- [Manager](#)
- [OEMManager](#)
- [ManagerAccount](#)
- [ManagerNetworkProtocol](#)
- [MessageRegistry](#)
- [Power](#)
- [Processor](#)
- [Role](#)
- [SerialInterfaces](#)
- [ServiceRoot](#)
- [Session](#)
- [SessionService](#)
- [SimpleStorage](#)
- [TaskService](#)
- [Thermal](#)
- [VirtualMedia](#)
- [VLANNetworkInterface](#)
- [BIOS](#)
- [SecureBoot](#)
- [UpdateService](#)
- [SoftwareInventory](#)
- [AttributeRegistry](#)
- [DellBootSourcesRegistry](#)
- [DellBootSources](#)
- [DellManager](#)
- [DellServiceRoot](#)
- [DellAttributes](#)

- [DellUpdateService](#)
- [DellCertificates](#)
- [DellJob](#)

AccountService

Description

This resource is used to represent a management account service for a Redfish implementation.

URL

```
/redfish/v1/Managers/<ID>/AccountService
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Chassis

Description

This resource is used to represent a chassis or other physical enclosure for a Redfish implementation.

URL

```
/redfish/v1/Chassis
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Navigation URL

```
/redfish/v1/Chassis/<ID>
```

Supported HTTP methods and privileges

HTTP method	Required privilege
PATCH	ConfigureManager

Supported status codes

HTTP status code	Extended information
200	Base.1.0.success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

Supported properties and values

Property	Values
ResetType	On ForceOff
IndicatorLed	Blinking Off
ChassisType	Rack StandAlone Blade Enclosure Sled

Supported action — Reset

URL

`/redfish/v1/Chassis/System.Embedded.1/Actions/Chassis.Reset`

Description

This action is used to reset the chassis.

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	ConfigureComponent

Updatable properties

Property	Value
ResetType	On ForceOff

Supported status codes

HTTP status code	Extended information
204	
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError
503	

URL

`/redfish/v1/Chassis/<ID>/Sensors/Voltages/<ID>`

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

NOTE: On PowerEdge FX2 systems, iDRAC can display additional instrumentation data from the sensors on the server only if the Chassis Monitoring setting is set to enabled on iDRAC and CMC.

Contained resources

- Power
- Thermal

ComputerSystem

Description

This resource is used to represent resources that represent a computing system in the Redfish specification.

URL

/redfish/v1/Systems

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Navigation URL

/redfish/v1/Systems/<ID>

Supported HTTP methods and privileges

HTTP method	Required privilege
PATCH	ConfigureManager

Supported status codes and error messages

HTTP status code	Extended information
200	Base.1.0.success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

Supported properties and values

Property	Values
ResetType	<ul style="list-style-type: none">OnForceOffGracefulRestartPushPowerButtonNMI
PowerState	<ul style="list-style-type: none">OnOff
SystemType	Physical
BootSource	<ul style="list-style-type: none">PXEFloppyCDUSBHDDUtilitiesUefiTargetBiosSetup
BootSourceOverrideMode	<ul style="list-style-type: none">UEFILegacy

Property	Values
BootSourceOverrideEnabled	<ul style="list-style-type: none"> Disabled Once Continuous
UefiTargetBootSourceOverride	Any valid UEFI-device path
IndicatorLed	<ul style="list-style-type: none"> Lit Off

Implementation notes

Some of the properties in this schema are dependent on the installed BIOS version. If a compatible BIOS version is not installed, the **UefiTargetBootSourceOverride** property is not supported in this resource.

Supported action — Reset

Description

Resets computer system.

URL

```
/redfish/v1/Systems/<ID>/Actions/ComputerSystem.Reset
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	ConfigureComponent

Updatable properties

Property	Value
ResetType	<ul style="list-style-type: none"> On ForceOff GracefulRestart PushPowerButton NMI

Supported status codes

HTTP status code	Extended information
200	
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

Contained resources

- [Processor](#)
- [EthernetInterfaces](#)
- [SimpleStorage](#)
- [LogService](#)

EthernetInterfaces

Description

This resource is used to represent NIC resources as part of the Redfish specification. It also updates the properties of Manager Ethernet Interface.

URL

```
/redfish/v1/Managers/<ID>/EthernetInterfaces
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

URL

```
/redfish/v1/Managers/<ManagerInstanceID>/EthernetInterfaces/<EthernetInstanceID>
```

Supported HTTP methods and privileges

HTTP method	Required privilege
PATCH	ConfigureManager

Updatable properties

Property	Description
HostName	updates HostName
IPv4	updates IPv4
IPv6	updates IPv6
IPv6Static	updates IPv6Static

Supported status codes and Error Message Codes

HTTP status code	Extended information	Error Message Code
200	Base.1.0.success	
400	Base.1.0.PropertyValueTypeError	ISM0013
	Base.1.0.PropertyValueNotInList	RAC0253
	Base.1.0.PropertyUnknown	RAC0254
	Base.1.0.PropertyNotWritable	RAC0255
	Base.1.0.PropertyValueFormatError	RAC0259
500	Base.1.0.InternalError	

Reference Properties

/Systems/<ServiceTag+nodeid>/EthernetInterfaces

Description

This resource is used to represent NIC resources as part of the Redfish specification.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Implementation notes

Some of the properties in this schema are dependent on the installed BIOS and iDRAC Service Module (iSM) version. If a compatible version of BIOS is not installed, **UefiDevicePath** is not supported in this resource. If a compatible version of iSM is not installed, certain properties may not be supported.

EventService

Description

It represents the properties for the service itself and has links to the actual list of subscriptions.

NOTE: You can use the **IgnoreCertificateErrors** attribute in **OEMAttributes** to ignore certificate errors.

URL

/redfish/v1/EventService

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code

200

400

500

EventDestination

Description

This property contains an URL to the destination where the events are sent.

URL

`/redfish/v1/EventService/Subscriptions`

Supported HTTP methods and privileges

HTTP method

Required privilege

GET

Login

POST

ConfigureManager

Updatable properties

Property

Description

Destination

Destination IP to send event

EventTypes

Contains the type of the event

Context

Client-supplied string

Protocol

Protocol type used by event

Supported status codes

HTTP status code

Extended information

200

201

HTTP status code	Extended information
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError
503	

JSONSchemas

Description

This resource is used for representing the Schema File locator resource for a Redfish implementation.

URL

`/redfish/v1/JSONSchemas`

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

LogEntry

Description

This resource represents the log format for log services in a Redfish implementation.

URL

/redfish/v1/Managers/<ID>/Logs

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Reference Properties

/redfish/v1/Managers/<ID>/Logs/Lclog

Description

This resource represents the Lifecycle Controller logs for the manager in a Redfish implementation.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	
500	

/redfish/v1/Managers/<ID>/Logs/Sel

Description

This resource represents the System Event Logs for the manager in a Redfish implementation.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	
500	

LogService

Description

This resource is used to represent a log service for a Redfish implementation.

URL

/redfish/v1/Managers/<ID>/LogService

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400

HTTP status code

500

Reference Properties

[/redfish/v1/Managers/<ID>/LogServices/Lclog](#)

Description

This resource represents the Lifecycle Controller log service in a Redfish implementation.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code

200

400

500

[/redfish/v1/Managers/<ID>/LogServices/Sel](#)

Description

This resource represents the SEL log service in a Redfish implementation.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code

200

400

500

Supported action — ClearLog

URL

/redfish/v1/Managers/<ID>/LogServices/Sel/Actions/LogService.ClearLog

Description

Performs clear operation on logs.

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	ConfigureManager

Supported status codes

HTTP status code	Extended information
204	
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

Manager

Description

This resource is used to represent a management sub-system for a Redfish implementation.

URL

/redfish/v1/Managers

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Supported properties and values

Property	Values
ManagerType	BMC
CommandConnectTypesSupported	SSH Telnet IPMI
GraphicalConnectTypesSupported	KVMIP
ResetType	GracefulRestart

Supported action — Reset

Description

This defines the name of the custom action supported when used in conjunction with a POST operation to this resource. When issued, this operation performs a reset of the manager.

URL

```
/redfish/v1/Managers/<ID>/Actions/Manager.Reset
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	ConfigureManager

Updatable properties

Property	Value
ResetType	GracefulRestart

HTTP status code	Extended information
204	
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

OEMManager

Description

This resource is used to export, import, and preview the Server Configuration Profile (SCP) files Redfish implementation.

NOTE: For SCP export, import, and preview, if Lifecycle Controller is disabled, ensure that you enable Lifecycle Controller and retry the operation. To enable Lifecycle Controller, run the following command:

```
racadm set LifecycleController.LCAttributes.LifecycleControllerState 1
```

Redfish SCP is an OEM action and requires OEM privileges *ALL* and role as *ADMIN*. Redfish privileges are not applicable for SCP.

Supported action — Export, Import, and Preview

Table 3. Supported HTTP methods and features

HTTP method	Feature
POST	Exporting configuration
POST	Importing configuration
POST	Preview configuration

Export resource URL and response details

URL

redfish/v1/Managers/<id>/Actions/Oem/ EID_674_Manager.ExportSystemConfiguration

Supported status codes

HTTP status code	Extended information
202	Accepted

Supported properties and values

Property	Values
ExportFormat	XML, JSON
ExportUse	Default, Clone, Replace
IncludeInExport	Default, IncludeReadOnly, IncludePasswordHashValues
ShareParameters	See Share parameters and values .

Import resource URL and response details

URL

redfish/v1/Managers/<id>/Actions/Oem/ EID_674_Manager.ImportSystemConfiguration

Supported status codes

HTTP status code	Extended information
202	Accepted

Supported properties and values

Property	Values
ImportBuffer	Buffer content to perform import. Required only for local store and not required for CIFS, NFS, HTTP, or HTTPS.
ShutdownType	Graceful, Forced, NoReboot
HostPowerState	On, Off
TimeToWait	The time to wait for the host to shut down. Default and minimum value is 300 seconds. Maximum value is 3600 seconds.
ShareParameters	See Share parameters and values .

Preview resource URL and response details

URL

redfish/v1/Managers/<id>/Actions/Oem/EID_674_Manager.ImportSystemConfigurationPreview

Supported status codes

HTTP status code	Extended information
202	Accepted

Share parameters and values

Parameter	Values
IPAddress	IP address of the network share
ShareName	Name of network share
FileName	File name for the SCP
ShareType	CIFS, NFS, HTTP, HTTPS
Username	User name to log on to the share — for CIFS share only.
Password	Password to log on to the share — for CIFS share only.
Workgroup	Workgroup name to log on to the share
Target	Can be the component name or an FQDD. The default value is ALL.

ManagerAccount

Description

This resource represents the BMC user accounts collection for a Redfish implementation.

URL

/redfish/v1/Managers/<ID>/Accounts

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Navigation URL

/redfish/v1/Managers/<ID>/Accounts/<Account-id>

Supported HTTP methods and privileges

HTTP method	Required privilege
PATCH	ConfigureManager

Updatable properties

Property	Value
UserName	Updates account user name
Password	Updates account password
RoleId	Updates account role
Enabled	Enables or disables the user

Supported status codes

HTTP status code	Error message code
200	
400	RAC0288 RAC0291
404	
500	

Contained resources

Role

ManagerNetworkProtocol

Description

This object is used to represent the network service settings for the manager.

URL

/redfish/v1/Managers/<ID>/NetworkProtocol

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	ConfigureManager

Updatable properties

Property
FGDN
Hostname
HTTP
HTTPS
IPMI
KVMIP
SNMP
SSH
Telnet
VirtualMedia

Supported status codes and error messages

HTTP status code	Extended information
200	Base.1.0.success
400	Base.1.0.PropertyValueTypeError
	Base.1.0.PropertyValueNotInList
	Base.1.0.PropertyUnknown
	Base.1.0.PropertyNotWritable
	Base.1.0.PropertyValueFormatError
403	Insufficient privilegess.
500	Base.1.0.InternalError

MessageRegistry

Description

This resource is used to represent a message registry for a Redfish implementation.

URL

```
/redfish/v1/Registries/Messages/En
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Power

Description

This resource is used to represent a power metrics resource for a Redfish implementation.

URL

```
/redfish/v1/Chassis/<ID>/Power
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
403	Insufficient privileges.
500	

Reference Properties

/redfish/v1/Chassis/<ID>/Power/PowerControl

Description

Updates the properties of PowerControl in Chassis Collection.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	ConfigureManager

Updatable properties

Property	Description
PowerLimit	Updates PowerLimit

Supported status codes

HTTP status code	Extended information
200	Base.1.0.success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown

HTTP status code	Extended information
500	Base.1.0.PropertyNotWritable
	Base.1.0.PropertyValueFormatError
	Base.1.0.InternalError

/redfish/v1/Chassis/<ID>/Power/PowerSupplies/<ID>

Description

Provides details of the power supplies that are associated with the system or device.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	
403	Insufficient privileges.
500	

/redfish/v1/Chassis/<ID>/Sensors/Voltages/<ID>

Description

Provides the voltage sensor information.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

NOTE: On PowerEdge FX2 systems, iDRAC can display additional instrumentation data from the sensors on the server only if the Chassis Monitoring setting is set to enabled on iDRAC and CMC.

/redfish/v1/Chassis/<ID>/Power/Redundancy/<ID>

Description

This object represents the Redundancy element property.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Processor

Description

This schema defines the processor resource. It represents the properties of a processor attached to a system.

URL

/redfish/v1/Systems/<ID>/Processors

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Supported properties and values

Property	Values
ProcessorType	CPU
ProcessorArchitecture	x86
InstructionSet	x86-64

Implementation notes

Some of the properties in this schema depend on the installed BIOS version. If a compatible BIOS version is not installed, some of the properties may not be supported on this resource.

Role

Description

This resource is used to represent resources that represent the user role for the user account.

URL

```
/redfish/v1/Managers/<ID>/Roles
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

SerialInterfaces

Description

This resource is used to represent serial resources as part of the Redfish specification.

URL

```
/redfish/v1/Managers/<ID>/SerialInterfaces
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Navigation URL

```
/redfish/v1/Managers/<ID>/SerialInterfaces/<Serial-key>
```

Supported HTTP methods and privileges

HTTP method	Required privilege
PATCH	ConfigureManager

Updatable properties

Property	Description
BitRate	Updates the bit-rate
InterfaceEnabled	Updates InterfaceEnabled

Supported status codes

HTTP status code	Extended information
200	Base.1.0.success
400	Base.1.0.PropertyValueTypeError
	Base.1.0.PropertyValueNotInList
	Base.1.0.PropertyUnknown

HTTP status code	Extended information
500	Base.1.0.PropertyNotWritable
	Base.1.0.PropertyValueFormatError
	Base.1.0.InternalError

Supported properties and values

Property	Values
SignalType	Rs232
BitRate	<ul style="list-style-type: none"> · 9600 · 19200 · 38400 · 57600 · 115200
Parity	None
DataBits	8
StopBits	1
FlowControl	Hardware
PinOut	Cisco
ConnectorType	DB9 Male

ServiceRoot

Description

This object represents the root Redfish service. All values for resources in this schema must comply with the requirements described in the Redfish specification.

URL

`/redfish/v1`

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	
403	Insufficient privileges.
500	

Session

URL

/redfish/v1/Sessions

Description

This resource is used to represent a session for a Redfish implementation.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
POST	ConfigureManager

Updatable properties

Parameter	Description
username	User name
password	Password

Supported status codes

HTTP status code	Extended information
200	
201	
400	Base.1.0.PropertyValueTypeError

HTTP status code	Extended information
	Base.1.0.PropertyValueNotInList
	Base.1.0.PropertyUnknown
	Base.1.0.PropertyNotWritable
	Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

/redfish/v1/Sessions/<session-id>

Description

Performs delete operation on the session ID.

Supported HTTP methods and privileges

HTTP method	Required privilege
DELETE	Login

Supported status codes

HTTP status code
200
400
500

SessionService

Description

This resource is used to represent the Session Service properties for a Redfish implementation.

URL

/redfish/v1/SessionService

Updatable properties

Property	Description
SessionTimeout	Updates web server timeout

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	ConfigureManager

NOTE: The properties for this resource are inherited from the web-server properties.

Supported status codes

HTTP status code	Extended information
200	Base.1.0.success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList Base.1.0.PropertyUnknown Base.1.0.PropertyNotWritable Base.1.0.PropertyValueFormatError
500	Base.1.0.InternalError

SimpleStorage

Description

This property contains the UEFI device path used to identify and locate a specific storage controller.

URL

```
/redfish/v1/Systems/<ID>/Storage/Controllers
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	
403	Insufficient privileges.
500	

TaskService

Description

This resource represents a task service for a Redfish implementation.

URL

`/redfish/v1/TaskService`

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Tasks

URL

/redfish/v1/TaskService/Tasks/<TaskID>

Supported status codes

HTTP status code	Extended information
200	Ok
202	Accepted
404	Not Found

Thermal

Description

This resource is used to represent the thermal matrices resource for a Redfish implementation.

URL

/redfish/v1/Chassis/<ID>/Thermal

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

Reference properties

[/redfish/v1/Chassis/<ID>/Sensors/Fans/<ID>](#)

Description

Provides details of the fan that is associated with the system or chassis.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code
200
400
500

NOTE: On PowerEdge FX2 systems, iDRAC can display additional instrumentation data from the sensors on the server only if the Chassis Monitoring setting is set to enabled on iDRAC and CMC.

[/redfish/v1/Chassis/<ID>/Sensors/Temperatures/<ID>](#)

Description

Represents the properties for temperature sensors.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes and error messages

HTTP status code
200
400
500

NOTE: On PowerEdge FX2 systems, iDRAC can display additional instrumentation data from the sensors on the server only if the Chassis Monitoring setting is set to enabled on iDRAC and CMC.

/redfish/v1/Chassis/<ID>/Thermal/Redundancy/<ID>

Description

Provides redundant information that is available for fans and other elements in this resource.

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	
403	Insufficient privileges.
500	

VirtualMedia

Description

This resource is used to represent a virtual media service for a Redfish implementation.

URL

/redfish/v1/Managers/<ID>/VirtualMedia

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
400	

HTTP status code	Extended information
403	Insufficient privileges.
500	

Supported properties and values

Property	Values
MediaTypes	<ul style="list-style-type: none"> CD DVD USBStick
ConnectedVia	<ul style="list-style-type: none"> NotConnected Applet

VLANNetworkInterface

Description

The value of this property indicates if VLAN is enabled for this interface.

URL

`/redfish/v1/Systems/<ID>/EthernetInterfaces/<EthernetInstanceID>/Vlans`

Supported HTTP methods and response content type

HTTP method	Response content type
GET	application/json

Supported status codes

HTTP status code
200
400
500

BIOS

Description

This resource is used for representing the BIOS configuration and the related resources to Reset BIOS, Change Password, and the Settings resource.

URL

```
/redfish/v1/Systems/<ID>/Bios
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	
500	Base.1.0.InternalError

Supported action — ResetBIOS

Description

This action is used for resetting the BIOS attributes to default.

URL

```
/redfish/v1/Systems/<ID>/Bios/Actions/Bios.ResetBios
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

Supported action — ChangePassword

Description

This action is used for changing the BIOS passwords.

URL

```
/redfish/v1/Systems/<ID>/Bios/Actions/Bios.ChangePassword
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Updatable properties

Parameter	Description
PasswordName	The name of the BIOS password to change
OldPassword	The value of the existing password
NewPassword	The value of the new BIOS password

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
500	Base.1.0.InternalError

Supported action — ClearPending

Description

This action is used for clearing the pending values.

URL

```
/redfish/v1/Systems/<ID>/Bios/Actions/Oem/DellManager.ClearPending
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

Settings Resource

Description

This resource is used for representing the BIOS pending configuration and related resources to clear pending and navigation to Jobs resource.

URL

```
/redfish/v1/Systems/<ID>/Bios/Settings
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	SystemControl

Updatable properties

Property	Description
Attributes	Collection of all the attributes and their values supported by the BIOS configuration

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
500	Base.1.0.InternalError

SecureBoot

Description

This resource contains UEFI Secure Boot information. It represents properties for managing the UEFI Secure Boot functionality of a system.

URL

`/redfish/v1/Systems/<ID>/SecureBoot`

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	SystemControl

Updatable properties

Property	Description
SecureBootEnable	Enable or disable UEFI Secure Boot (takes effect on next boot).

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
500	Base.1.0.InternalError

Supported action — ResetKeys

Description

This action is used to reset the Secure Boot keys.

URL

```
/redfish/v1/Systems/<ID>/SecureBoot/Actions/SecureBoot.ResetKeys
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Updatable properties

Parameter	Description
ResetKeyType	ResetAllKeysToDefault DeleteAllKeys DeletePK ResetPK ResetKEK ResetDB ResetDBX

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
500	Base.1.0.InternalError

UpdateService

Description

This represents the properties of the update service for the Redfish implementation.

URL

/redfish/v1/UpdateService

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information	Error Message Code
200		OSD35, SUP024
403	Base.1.0. InsufficientPrivilege	RAC0506
404	Base.1.0. ResourceMissingAtURI	SYS403
500	Base.1.0.InternalError	RAC964

SoftwareInventory

Description

This represents the inventory of firmware components.

URL

/redfish/v1/UpdateService/FirmwareInventory

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
POST	.d9 file type — ConfigureManager .pm file type — ConfigureManager .exe file type — ConfigureSelf

Navigation URL

/redfish/v1/UpdateService/FirmwareInventory/<ID>

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
DELETE	.d9 file type — ConfigureManager .pm file type — ConfigureManager .exe file type — ConfigureSelf

Supported status codes

HTTP status code	Extended information	Error message code
200		RAC0604, SYS422
200	Base.1.0.Success	SYS413
201	Base.1.0.Created	SYS414
304		
400		OSD35, SYS400, SYS404, SYS406, SYS434
403	Base.1.0.InsufficientPrivilege	RAC0506
403		LIC501
404	Base.1.0.ResourceMissingAtURI	SYS403

HTTP status code	Extended information	Error message code
405		SYS402
415		SYS401
500	Base.1.0.InternalError	RAC964
503		SUP0108

AttributeRegistry

Description

An Attribute Registry is a set of key-value pairs that are specific to a particular implementation or product. This schema describes the structure of a registry and also includes mechanisms for building user interfaces allowing consistent navigation of the contents.

URL

```
/redfish/v1/Registries/ManagerAttributeRegistry/ManagerAttributeRegistry.v1_0_0.json
/redfish/v1/Systems/<ID>/Bios/BiosRegistry
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

DellBootSourcesRegistry

Description

A Boot Sources Registry is a set of key-value pairs that are specific to a particular implementation or product. This schema describes the structure of a registry and also includes mechanisms for building user interfaces allowing consistent navigation of the contents.

URL

```
/redfish/v1/Systems/<ID>/BootSources/BootSourcesRegistry
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

DellBootSources

Description

This resource is used to represent the Dell Boot Sources Configuration and the related resources to the settings resource.

URL

```
/redfish/v1/Systems/<ID>/BootSources
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Error message code
200	
500	Base.1.0.InternalError

Supported action — ClearPending

Description

This action is used to clear the pending values.

URL

/redfish/v1/Systems/<ID>/BootSources/Actions/Oem/DellManager.ClearPending

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

Settings Resource

Description

This resource is used to represent the Boot Sources pending configuration and related resources to clear pending and navigation to Jobs resource.

URL

/redfish/v1/Systems/<ID>/BootSources/Settings

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	SystemControl

Updatable properties

Property	Description
Attributes	Collection of all the attributes and their values supported for Boot Sources.

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
500	Base.1.0.InternalError

DellManager

Description

This resource is used to represent a Redfish OEM extension of management sub-system.

URL

```
/redfish/v1/Managers
```

Supported action — ResetToDefaults

Description

This defines the name of the OEM action supported when used in conjunction with a POST operation to this resource. When issued, this operation resets the Manager attributes to default settings.

URL

```
/redfish/v1/Managers/<ID>/Actions/Oem/DellManager.ResetToDefaults
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
500	Base.1.0.InternalError

Supported properties and values

Property	Values
ResetType	All ResetAllWithRootDefaults Default

DellServiceRoot

Description

This object represents the Redfish OEM extensions for root service.

URL

/redfish/v1

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported properties and values

Property	Description
ManagerMACAddress	iDRAC MAC address
IsBranded	Integer
ServiceTag	System Service Tag

DellAttributes

Description

This resource is used to represent the iDRAC Configuration and the related settings resource for pending configuration.

URL

```
/redfish/v1/Managers/<ID>/Attributes
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	SystemControl

Updatable properties

Property	Description
Attributes	Collection of all the attributes and their values supported by the iDRAC configuration.

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueNotInList Base.1.0.PropertyValueTypeError
500	Base.1.0.InternalError

Supported action — ClearPending

Description

This action is used to clear the pending values.

URL

/redfish/v1/Managers/<ID>/Attributes/Settings/Actions/Oem/DellManager.ClearPending

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	SystemControl

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

Settings Resource

Description

This resource is used to represent the Dell Attributes pending configuration and related resources to clear pending and navigation to Jobs resource.

URL

/redfish/v1/Managers/<ID>/Attributes/Settings

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
PATCH	SystemControl

Updatable properties

Property	Description
Attributes	Collection of all the attributes and their values supported by the iDRAC configuration.

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
500	Base.1.0.InternalError

DellUpdateService

Description

This action is used to perform firmware updates.

Supported action — Install

Description

This resource is used to represent extension of Update Service schema of Redfish.

URL

```
/redfish/v1/UpdateService/Actions/Oem/DellUpdateService.Install
```

Supported HTTP methods and privileges

HTTP method	Required privilege
POST	.d9 file type — ConfigureManager .pm file type — ConfigureManager .exe file type — ConfigureSelf

Supported properties and values

Property	Values
InstallUpon	Now NowAndReboot NextReboot

Supported status codes

HTTP status code	Extended information	Error Message Code
202		SYS408
400		SUP024, SYS406, OSD35
400	Base.1.0. PropertyValueTypeError	
400	Base.1.0. PropertyMissing	
400	Base.1.0.MalformedJSON	SYS405
403	Base.1.0.InsufficientPrivilege	RAC0506
403		LIC501
404	Base.1.0. ResourceMissingAtURI	SYS403
415		SYS401
500	Base.1.0.InternalError	RAC964
503		SUP0108

DellCertificates

Description

This resource is used to represent Secure Boot certificates for a Redfish implementation.

URL

/redfish/v1/Systems/<ID>/SecureBoot/Certificates

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
500	Base.1.0.InternalError

URL

/redfish/v1/Systems/<ID>/SecureBoot/Certificates/<CertificateStore-ID>

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
POST	SystemControl

Updatable properties

Parameter	Description
CryptographicHash	A string providing the Cryptographic Hash value of SHA256, SHA384, or SHA512.

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
500	Base.1.0.InternalError

URL

/redfish/v1/Systems/<ID>/SecureBoot/Certificates/<CertificateStore-ID>/<Certificate-ID>

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
DELETE	SystemControl

NOTE: By default, GET requests on the Certificate member resource generate an output of application/json. Use GET request with Accept header application/pkix-cert to download certificate and use application/octet-stream to download the Hash files.

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
500	Base.1.0.InternalError

DellJob

Description

This resource represents the Dell-specific implementation of a scheduling resource for pending configuration.

URL

```
/redfish/v1/Managers/<ID>/Jobs
```

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
POST	SystemControl

Updatable properties

Parameter	Description
TargetSettingsURI	Settings object resource URI
StartTime	Scheduled start time
EndTime	Scheduled end time

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
404	Base.1.0.ResourceMissingAtURI
500	Base.1.0.InternalError

Navigation URL

/redfish/v1/Managers/<ID>/Jobs

Supported HTTP methods and privileges

HTTP method	Required privilege
GET	Login
DELETE	SystemControl

Supported status codes

HTTP status code	Extended information
200	Base.1.0.Success
400	Base.1.0.PropertyValueTypeError Base.1.0.PropertyValueNotInList
403	Base.1.0.InsufficientPrivilege
404	Base.1.0.ResourceMissingAtURI
500	Base.1.0.InternalError

Examples

NOTE: For more information about Redfish and detailed examples, see the white papers available at <https://www.dmtf.org/standards/redfish>.

The following table provides usage examples for the HTTP supported methods such as GET, POST, PATCH, and DELETE:

GET

Table 4. GET usage examples

URL	<code>/redfish/v1/Managers/iDRAC.Embedded.1/SerialInterfaces</code>
Output	<pre>{ "@odata.context": "/redfish/v1/\$metadata#Managers/Members/iDRAC.Embedded.1/SerialInterfaces/\$entity", "@odata.count": 1, "@odata.id": "/redfish/v1/Managers/iDRAC.Embedded.1/SerialInterfaces", "@odata.type": "#SerialInterface.1.0.0.SerialInterfaceCollection", "Description": "Collection of Serial Interfaces for this System", "Members": [{ "@odata.id": "/redfish/v1/Managers/iDRAC.Embedded.1/SerialInterfaces/iDRAC.Embedded.1#Serial.1" }], "Name": "Serial Interface Collection" }</pre>

DELETE

Table 5. DELETE usage examples

URL	<code>/redfish/v1/EventService/Subscriptions/<SubscriptionId></code>
Output	<pre>200 Ok { "INFO": "<SubscriptionId> subscription deleted successfully" }</pre>

PATCH

Table 6. PATCH usage examples

URL	<code>/redfish/v1/Managers/iDRAC.Embedded.1/Accounts/<Account-id></code>
Input	<code>{"Password": "123", "UserName": "reader"}</code>
Output	<pre>{ "Success": {</pre>

```
"Message": "Successfully Completed Request",
"MessageId": "Base.1.0.Success",
"Resolution": "None",
"Severity": "Ok"
}
```

POST

Table 7. POST usage examples

URL	<code>/redfish/v1/Systems/System.Embedded.1/Actions/ComputerSystem.Reset</code>
Input	<code>{"ResetType": "GracefulRestart"}</code>
Output	<code>204: No Content</code>