# **Inspiron Gaming Desktop**

Setup and Specifications



<ul> <li>NOTE: A NOTE indicates important information that helps you make better use of your product.</li> <li>△ CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.</li> <li>▲ WARNING: A WARNING indicates a potential for property damage, personal injury, or death.</li> </ul>		
© 2018 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks		
may be trademarks of their respective owners.		
2018 - 05		

Notes, cautions, and warnings

Rev. A00

# Contents

3 Views	
Front	
Front (with optical drive)	
Back	
Back panel	12
4 Specifications	14
Computer model	14
Dimensions and weight	
Processors	14
Chipset	15
Operating system	15
Memory	15
Ports and connectors	15
Video	17
Audio	
Communications	
Ethernet	
Wireless module	18
Storage	18
Power ratings	
Computer environment	19
5 Getting help and contacting Dell	20
Self-help resources	20
Contacting Dell	20

## Set up your computer

Connect the keyboard and mouse.



Connect to your network using a cable.



- (i) NOTE: Alternatively, you can connect to a wireless network.
- 3 Connect the display.



- NOTE: If you ordered your computer with a discrete graphics card, the HDMI and the display ports on the back panel of your computer are covered. Connect the display to the port on the discrete graphics card.
- Connect the power cable.



5 Press the power button.



6 Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- · Connect to a network for Windows updates.
- NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- · If connected to the internet, sign in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.
- 7 Locate and use Dell apps from the Windows Start menu—Recommended

#### Table 1. Locate Dell apps



#### **Dell Product Registration**

Register your computer with Dell.



#### Dell Help & Support

Access help and support for your computer.



#### **SupportAssist**

Proactively checks the health of your computer's hardware and software.

(i) NOTE: Renew or upgrade your warranty by clicking the warranty expiry date in SupportAssist.





#### **Dell Update**

Updates your computer with critical fixes and latest device drivers as they become available.

#### **Dell Digital Delivery**

Download software applications, which are purchased but not pre-installed on your computer.

Create a recovery drive for Windows.

(i) NOTE: It is recommended to create a recovery drive to troubleshoot and fix problems that may occur with Windows.

For more information, see Create a USB recovery drive for Windows.

## Create a USB recovery drive for Windows

Create a recovery drive to troubleshoot and fix problems that may occur with Windows. An empty USB flash drive with a minimum capacity of 16 GB is required to create the recovery drive.

- (i) NOTE: This process may take up to an hour to complete.
- (i) NOTE: The following steps may vary depending on the version of Windows installed. Refer to the Microsoft support site for latest instructions.
- 1 Connect the USB flash drive to your computer.
- 2 In Windows search, type Recovery.
- 3 In the search results, click **Create a recovery drive**.
  - The **User Account Control** window is displayed.
- 4 Click **Yes** to continue.
  - The **Recovery Drive** window is displayed.
- 5 Select Back up system files to the recovery drive and click Next.
- 6 Select the **USB flash drive** and click **Next**.
  - A message appears, indicating that all data in the USB flash drive will be deleted.
- 7 Click Create.
- 8 Click Finish.

For more information about reinstalling Windows using the USB recovery drive, see the *Troubleshooting* section of your product's *Service Manual* at www.dell.com/support/manuals.

### **Views**

### **Front**



#### 1 Power button

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

Press to put the computer in sleep state if it is turned on.

Press and hold to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

#### 2 **USB 3.1 Gen 1 port**

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

#### 3 Headset port

Connect headphones or a headset (headphone and microphone combo).

#### 4 USB 2.0 ports (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 480 Mbps.


#### 5 USB 3.1 Gen 1 port with PowerShare

Connect peripherals such as external storage devices and printers.

Provides data transfer speeds up to 5 Gbps. PowerShare enables you to charge your USB devices even when your computer is turned off.

- NOTE: If the charge on your computer's battery is less than 10 percent, you must connect the power adapter to charge your computer, and USB devices connected to the PowerShare port.
- NOTE: If a USB device is connected to the PowerShare port before the computer is turned off or in hibernate state, you must disconnect and connect it again to enable charging.
- NOTE: Certain USB devices may not charge when the computer is turned off or in sleep state. In such cases, turn on the computer to charge the device.

## Front (with optical drive)



#### 1 Power button

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

Press to put the computer in sleep state if it is turned on.

Press and hold to force shut-down the computer.

NOTE: You can customize the power-button behavior in Power Options. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

#### 2 Slim optical drive

Reads from and writes to CDs, DVDs, and Blu ray discs.

#### 3 Optical-drive activity light

Turns on when the computer reads from or writes to the optical disc.

#### 4 USB 3.1 Gen 1 (Type-C) port

Connect to external storage devices. Provides data transfer speeds up to 5 Gbps.

ONOTE: This port does not support video/audio streaming.

#### 5 Headset port

Connect headphones or a headset (headphone and microphone combo).

#### 6 USB 2.0 ports (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 480 Mbps.

#### 7 USB 3.1 Gen 1 port with PowerShare

Connect peripherals such as external storage devices and printers.

Provides data transfer speeds up to 5 Gbps. PowerShare enables you to charge your USB devices even when your computer is turned off.

- NOTE: If the charge on your computer's battery is less than 10 percent, you must connect the power adapter to charge your computer, and USB devices connected to the PowerShare port.
- NOTE: If a USB device is connected to the PowerShare port before the computer is turned off or in hibernate state, you must disconnect and connect it again to enable charging.
- NOTE: Certain USB devices may not charge when the computer is turned off or in sleep state. In such cases, turn on the computer to charge the device.

#### 8 Optical-drive emergency eject pinhole


Used to eject the optical-drive tray manually if the optical-drive eject button fails.

NOTE: For more information about manually ejecting optical-drive trays, see the knowledge base article SLN301118 at www.dell.com/support.

#### 9 Optical-drive eject button

Press to open the optical drive tray.

### **Back**



#### 1 Back panel

Connect USB, audio, video, and other devices.

#### 2 Discrete graphics-card ports

Connect external displays to corresponding ports on the discrete graphics card.

#### 3 **Power port**

Connect a power cable to provide power to your computer.

#### 4 Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

#### 5 Power-supply diagnostics light

Indicates the power-supply state.

#### 6 Power-supply diagnostics button

Press to check the power-supply state.


#### 7 Expansion-card slots (5)

Connect a PCI/PCI-Express card such as graphics, audio, or network card to enhance the capabilities of your computer.

#### 8 Padlock ring(s)

Attach a standard padlock to prevent unauthorized access to the interior of your computer.

### **Back panel**



#### 1 PS/2 port (mouse)

Connect a PS/2 mouse.

#### 2 PS/2 port (keyboard)

Connect a PS/2 keyboard.

#### 3 USB 3.1 Gen 1 ports (4)

Connect peripherals such as external devices and printers. Provides data transfer speeds up to 5 Gbps.

#### 4 USB 2.0 ports (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 480 Mbps.

#### 5 Rear L/R surround port

Connect audio-output devices such as speakers and amplifiers. In a 5.1 speaker channel setup, connect the rear-left and rear-right speakers.

#### 6 Microphone port

Connect an external microphone to provide sound input.

#### 7 Line-out/Front L/R surround port

Connect audio-output devices such as speakers and amplifiers. If you have a surround-sound speaker system, connect the front-left and front-right speakers to this port.

#### 8 Line-in/Side L/R surround port

Connect recording or playback devices such as a microphone and CD player. If you have a surround-sound speaker system, connect the side-left and side-right speakers to this port.

#### 9 Center/subwoofer LFE surround port

Connect the subwoofer.

① NOTE: For more information about speaker setup, refer to the documentation that shipped with the speakers.

10 Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access.

# **Specifications**

## Computer model

Inspiron 5676

## Dimensions and weight

#### Table 2. Dimensions and weight

Height:

Front 458.86 mm (18.07 in)

Rear 449.25 mm (17.69 in)

Width 216 mm (8.50 in)

Depth 437.53 mm (17.23 in)

Weight 13.742 kg (30.27 lb)

(i) NOTE: The weight of your computer depends on the configuration ordered and the manufacturing variability.

### **Processors**

#### **Table 3. Processors**

Processors	AMD Ryzen 5 1400	AMD Ryzen 7 2700	AMD Ryzen 7 2700X
Wattage	65 W	65 W	95 W
Core count/Thread count	4/8	8/16	8/16
Speed	Up to 3.4 GHz Precision Boost	Up to 4.1 GHz Max Boost	Up to 4.3 GHz Max Boost
L2 Cache	2 MB	4 MB	4 MB
L3 Cache	8 MB	16 MB	16 MB
Integrated graphics	Not supported	Not supported	Not supported

### **Chipset**

#### Table 4. Chipset

Chipset AMD promontory X370

DRAM bus width Not supported

Flash EPROM 16 MB

PCIe bus PCIe Gen2

External bus frequency PCle Gen3x4

## **Operating system**

- · Windows 10 Home (64-bit)
- · Windows 10 Professional (64-bit)

### **Memory**

#### Table 5. Memory specifications

Slots Two UDIMM slots

Type DDR4

Speed 2400 MHz

Maximum memory 32 GB

Minimum memory 8 GB

Memory size per slot 4 GB, 8 GB, and 16 GB

Configurations supported:

· 8 GB DDR4 at 2400 MHz (2 x 4 GB)

• 16 GB DDR4 at 2400 MHz (2x 8 GB)

· 32 GB DDR4 at 2400 MHz (2 x 16 GB)

### Ports and connectors

#### Table 6. Ports and connectors

**Front** 

USB . Two USB 2.0 ports

· One USB 3.1 Gen 1 port (without optical drive)

One USB 3.1 Gen 1 (Type-C) port (with optical drive)

One USB 3.1 Gen 1 port with PowerShare Audio One headset port Back Network One RJ-45 port USB Two USB 2.0 ports Four USB 3.1 Gen 1 ports Audio One Microphone port One rear L/R surround port One line-out/front L/R surround port One line-in/side L/R surround port One center/subwoofer LFE surround port One HDMI-out 2.0 port Video Not supported Memory card reader Micro subscriber identity module (uSIM) card Not supported Not supported Docking port Express card Not supported Not supported Power port Smart card reader Not supported Security Padlock rings Two PS/2 ports Legacy ports

#### Internal

Expansion • Two PCIe x16 slots

· Two PCle x1 slots

M.2 · One M.2 slot for Wi-Fi and Bluetooth combo card

Two PCIe/SATA M.2 2280 slots for solid-state drive

(i) NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626.

### Video

#### Table 7. Video specifications

#### Discrete graphics

Controller	External display support	Memory size	Memory Type
GT 1030	One DVI port and one HDMI port	2 GB	GDDR5
GTX 1050	One DVI port, one HDMI port, and one DisplayPort	2 GB	GDDR5
GTX 1060	One DVI port, one HDMI port, and three DisplayPort	3 GB	GDDR5
GTX 1060	One DVI port, one HDMI port, and three DisplayPort	6 GB	GDDR5
RX 560	One DVI port, one HDMI port, and one DisplayPort	2 GB	GDDR5
RX 570	One DVI port, one HDMI port, and three DisplayPort	4 GB	GDDR5
RX 580	One DVI port, one HDMI port, and three DisplayPort	4 GB	GDDR5
RX 580	One DVI port, one HDMI port, and three DisplayPort	8 GB	GDDR5

### **Audio**

#### **Table 8. Audio specifications**

Type Integrated 7.1 channel High Definition Audio

Controller Realtek ALC3861

Internal interface High-definition audio

External interface 7.1 channel output, Microphone-in, stereo headphones, and headset

combo connector

### Communications

### **Ethernet**

#### Table 9. Ethernet specifications

Model number Realtek RTL8111H Ethernet controller (integrated on system board)

Transfer rate 10/100/1000 Mbps

### Wireless module

#### Table 10. Wireless module specifications

Qualcomm QCA9377 (DW1810) Model number

Up to 433 Mbps Transfer rate

Dual band 2.4 GHz/5 GHz Frequency bands supported

Wireless standards · Wi-Fi 802.11ac

· Wi-Fi 802.11a/b/g/n

Encryption · 64-bit/128-bit WEP

· AES-CCMP

· TKIP

Bluetooth Bluetooth 4.1

## Storage

#### Table 11. Storage specifications

Storage type	Interface type	Capacity
Two 3.5-inch hard drives	SATA AHCI 6 Gbps	Up to 2 TB
One 2.5-inch hard drive	SATA AHCI 6 Gbps	Up to 1 TB
Two M.2 2280 solid-state drives	<ul><li>SATA AHCI 6 Gbps</li><li>PCle NVMe up to 32 Gbps</li></ul>	Up to 512 GB

## Power ratings

#### Table 12. Power ratings

Туре	460 W
Input voltage	100 VAC to 240 VAC
Input frequency	50 Hz to 60 Hz
Input current	8.0 A
Temperature range	
Operating	5°C to 50°C (41°F to 122°F)
Storage	-40°C to 70°C (-40°F to 158°F)

## Computer environment

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 13. Computer environment

	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G‡
Altitude (maximum)	-15.2 m to 3,048 m (-50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

 $<sup>\</sup>ensuremath{^{*}}$  Measured using a random vibration spectrum that simulates user environment.

<sup>†</sup> Measured using a 2 ms half-sine pulse when the hard drive is in use.

<sup>‡</sup> Measured using a 2 ms half-sine pulse when the hard-drive head is in parked position.

## Getting help and contacting Dell

### Self-help resources

You can get information and help on Dell products and services using these self-help resources:

#### Table 14. Self-help resources

Information about Dell products and services

Dell Help & Support app

Tips

Contact Support

Online help for operating system

Troubleshooting information, user manuals, setup instructions, product specifications, technical help blogs, drivers, software updates, and so on.

Dell knowledge base articles for a variety of computer concerns.

Learn and know the following information about your product:

- · Product specifications
- · Operating system
- · Setting up and using your product
- · Data backup
- · Troubleshooting and diagnostics
- · Factory and system restore
- BIOS information

www.dell.com





In Windows search, type Contact Support, and press Enter.

www.dell.com/support/windows www.dell.com/support/linux

www.dell.com/support

- 1 Go to www.dell.com/support.
- 2 Type the subject or keyword in the **Search** box.
- 3 Click **Search** to retrieve the related articles.

See Me and My Dell at www.dell.com/support/manuals.

To locate the *Me and My Dell* relevant to your product, identify your product through one of the following:

- Select Detect Product.
- Locate your product through the drop-down menu under View Products.
- Enter the **Service Tag number** or **Product ID** in the search bar.

## **Contacting Dell**

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- 1 NOTE: Availability varies by country and product, and some services may not be available in your country.
- NOTE: If you do not have an active internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.