

# Dell EMC OpenManage Software Compatibility Matrix

Version 9.2

## Notes, cautions, and warnings

 **NOTE:** A NOTE indicates important information that helps you make better use of your product.

 **CAUTION:** A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

**Copyright © 2018 Dell Inc. or its subsidiaries. All rights reserved.** Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

# Contents

<b>1 Overview.....</b>	<b>4</b>
Acronyms Used In This Document.....	4
Supported Operating Systems.....	5
Matrix Information Structure.....	5
Naming Convention For Dell PowerEdge Systems.....	5
<b>2 OpenManage Software Compatibility Matrix.....</b>	<b>7</b>
Compatibility Of Server Administrator Web Server and Managed Nodes.....	7
Compatibility Of Dell Change Management Update Products.....	7
Compatibility Of Deployment Suite Of Products.....	8
DTK Deprecation Message.....	8
Compatibility Of Dell Embedded Management Products.....	8
Compatibility of Dell Monitoring Products.....	9
Compatibility for Dell Remote Management Products.....	9
Compatibility Of Dell Systems Management - Server, Storage Monitoring, Diagnostics, And Management Products.....	9

# Overview

This document provides information about the interoperability of the OpenManage software products.

**NOTE:** Upgrade the OpenManage components to the latest version to effectively use the latest features.

**NOTE:** For information on compatibility of OpenManage Connections products, see the *Dell EMC OpenManage Connections Compatibility Matrix* at [dell.com/OMConnectionsEnterpriseSystemsManagement](http://dell.com/OMConnectionsEnterpriseSystemsManagement).

For more information, see the *Dell EMC Systems Software Support Matrix* at [dell.com/openmanagemanuals](http://dell.com/openmanagemanuals).

Topics:

- [Acronyms Used In This Document](#)
- [Supported Operating Systems](#)
- [Matrix Information Structure](#)
- [Naming Convention For Dell PowerEdge Systems](#)

## Acronyms Used In This Document

The following table lists the acronyms used in this document:

**Table 1. Acronyms**

Acronym	Product Name
BMC MU	Dell Baseboard Management Controller Management Utility
CMC	Dell Chassis Management Controller
DRAC Tools	Dell Remote Access Controller Tools consisting of the Remote Access Controller Administrator
DRM	Dell Repository Manager
DTK	Dell EMC OpenManage Deployment Toolkit
DUP	Dell Update Packages
DSU	Dell System Update repository
iDRAC	Integrated Dell Remote Access Controller
Lifecycle Controller (LC) (For Dell's 12th generation PowerEdge systems and later.	Dell Lifecycle Controller - Lifecycle Controller Enabled Unified Server configurator (USC)  Unified Server Configurator-Lifecycle Controller Enabled (USC-LCE)  Remote Enablement (RE)
MN	Dell Managed Nodes (Instrumentation and Remote Enablement)
iSM For Dell's 12th generation PowerEdge systems and later.	Dell iDRAC Service Module

Acronym	Product Name
OME	Dell EMC OpenManage Essentials
OMSM	Dell EMC OpenManage Storage Management
OMM	Dell EMC OpenManage Mobile
OMPC	Dell EMC OpenManage Power Center
Server Administrator / OMSA	Dell EMC OpenManage Server Administrator
SUU	Dell Server Update Utility

## Supported Operating Systems

### OpenManage Supported operating systems.

- Windows Server 2012 R2
- Windows Server 2016
- Red Hat Enterprise Linux 7.5
- Red Hat Enterprise Linux 6.10
- VMware vSphere 6.7
- VMWare vSphere 6.5 U1
- SLES 15
- Ubuntu 18.04.01

For more information on the supported operating systems, Network Interface Cards (NIC), and PowerEdge RAID Controllers (PERC), see the *Dell EMC Systems Management Software Support Matrix* at [www.dell.com/OpenManageManuals](http://www.dell.com/OpenManageManuals)

## Matrix Information Structure

The products on the left-hand side of the matrix are the main products under the various categories and the products on the right-hand side of the matrix are the other products that are required by the main product to function, or are compatible with the main product.

- \* Indicates that the product on the left-hand side is dependent on the particular product version on the right-hand side.
- NA Indicates that the product on the left-hand side is not dependent or not applicable for the product on the right-hand side.
- All Indicates all the versions of the software supported.

## Naming Convention For Dell PowerEdge Systems

The naming convention used for Dell PowerEdge systems is as follows:

**NOTE:** This document includes sections or data that is not applicable to the PowerEdge MX740x and PowerEdge MX840c.

For the 14th generation of PowerEdge systems:

**Table 2. Naming Convention For Dell PowerEdge Systems**

Type of Server	Specifics		
R indicates Rack	Overall Performance	Generation	Processor

Type of Server	Specifics		
T indicates Tower	1 to 5 : Low End Server 5 to 10 : High End Server	4 indicates Dell 14th generation PowerEdge servers	0 — Intel Processor 5 — AMD Processor

For example: Dell PE R740 is Rack , Dell 14th generation PowerEdge server.

# OpenManage Software Compatibility Matrix

This section describes the compatibility among the OpenManage products.

**NOTE:** Dell recommends using the Embedded Management, Integrated Dell Remote Access Controller 9 (iDRAC9) with Lifecycle Controller instead of Dell Systems Build and Update Utility (SBUU). SBUU is replaced with Lifecycle Controller on Dell's 14th generation PowerEdge servers. iDRAC with Lifecycle Controller is an Embedded Systems Management application for operating system deployment and lifecycle management of PowerEdge servers. You can access Dell Lifecycle Controller by pressing <F10> during system boot up or through remote interface tools such as, iDRAC Web GUI, RACADM command-line interface, or Web Service Management (WS-Man) interface.

Topics:

- [Compatibility Of Server Administrator Web Server and Managed Nodes](#)
- [Compatibility Of Dell Change Management Update Products](#)
- [Compatibility Of Deployment Suite Of Products](#)
- [Compatibility Of Dell Embedded Management Products](#)
- [Compatibility of Dell Monitoring Products](#)
- [Compatibility for Dell Remote Management Products](#)
- [Compatibility Of Dell Systems Management - Server, Storage Monitoring, Diagnostics, And Management Products](#)

## Compatibility Of Server Administrator Web Server and Managed Nodes

**Table 3. Server Administrator Web Server and Managed Nodes**

Server Administrator Web Server Version	MN (Instrumentation + Remote Enablement) Version
9.2	9.2

**NOTE:** For more information on managed node instrumentation and remote enablement, see the *Dell EMC Server Administrator Installation Guide (Linux and Windows)* at [dell.com/openmanagemanuals](http://dell.com/openmanagemanuals).

## Compatibility Of Dell Change Management Update Products

The following table describes the compatibility of Dell Change Management products.

**Table 4. Change Management Products**

Product Name	DUP	SUU	DSU (Applicable on RedHat/ SuSE OS's)	DRM
Version	17.10	18.04.00	1.5.3	3.0.1
DUP	NA	All versions	All versions	All versions
SUU	All versions	NA	NA	All versions

Product Name	DUP	SUU	DSU (Applicable on RedHat/ SuSE OS's)	DRM
DSU	NA	NA	NA	NA
DRM	All versions	All versions	NA	NA
CMC	All versions	All versions	NA	NA
iDRAC9 with LC	All versions	All versions	All versions	NA

**NOTE:** It is recommended to use the latest BIOS available at [dell.com/support](http://dell.com/support).

**NOTE:** Dell recommends using Dell System Update instead of YUM Linux repository, going forward.

## Compatibility Of Deployment Suite Of Products

The following table describes the compatibility of Deployment Suite of Products.

**Table 5. Deployment Suite of Products**

Product Name	Lifecycle Controller (LC) with	DTK
	iDRAC9	
Version	3.20.20.20	6.1.2
Server Administrator	9.2	9.2
iDRAC9 with LC	NA	3.20.20.20
DUP	17.10.00	17.10.00

**NOTE:** Dell recommends using integrated Dell Remote Access Controller 9 (iDRAC9) with Dell Lifecycle Controller instead of Dell Systems Build and Update Utility (SBUU), as SBUU is not supported on Dell 14G servers. iDRAC with Lifecycle Controller is an Embedded Systems Management application, available on Dell 11G and later servers, for operating system deployment and lifecycle management of PowerEdge servers. You can access Dell Lifecycle Controller by pressing <F10> during system boot up.

## DTK Deprecation Message

The OpenManage Deployment Toolkit (DTK) along with the associated tools and capabilities will be deprecated for version 6.1 and later:

- Redundant Array of Independent Disks Configuration (RAIDCFG) Utility
- System Configuration (SYSCFG) Utility
- ELI tool
- Utility Partition (UPINIT)

It is recommended to use the RACADM Command Line (CLI) as a replacement for the RAIDCFG and SYSCFG utilities. For more information on downloading RACADM, see [support.dell.com](http://support.dell.com).

**NOTE:** DTK will continue to support any new hardware or operating system for the 14th generation of PowerEdge servers. However, support for later generations of PowerEdge servers will be deprecated. For more information about features supported by DTK, see the latest User's Guide available at [dell.com/openmanagemanuals](http://dell.com/openmanagemanuals).

## Compatibility Of Dell Embedded Management Products

The following table describes the compatibility for Dell Embedded Management products.

**Table 6. Embedded Management Products**

Product Name	iDRAC9 with LC	iSM
Version	3.20.20.20	3.3
Supported Dell Systems	Dell's 14th generation PowerEdge systems	Dell's 14th generation PowerEdge systems
Server Administrator	9.2	9.2
Lifecycle Controller	NA	NA
iDRAC9 with LC	NA	3.20.20.20
iSM	3.3	NA

① **NOTE:** The iDRAC9 features vary based on the license purchased. For more information, see the *iDRAC 9 User's Guide*.

① **NOTE:** Using Dell Embedded Management, you can perform out-of-band hardware configuration, operating system deployment, hardware updates, and so on.

① **NOTE:** It is recommended to use the latest BIOS available at [dell.com/support](http://dell.com/support).

## Compatibility of Dell Monitoring Products

The following table describes the compatibility of Dell monitoring products.

**Table 7. Monitoring products**

Product Name	Server Administrator	iDRAC9 with LC	OME
Version	9.2	3.20.20.20	2.5
Server Administrator	9.2	9.2	9.2
iDRAC9 with LC	3.20.20.20	NA	NA

## Compatibility for Dell Remote Management Products

The following table describes the compatibility for Dell remote management products.

**Table 8. Remote Management Products**

Product Name	iDRAC9 with LC
Version	3.20.20.20
Server Administrator	9.2
iDRAC9 with LC	NA

① **NOTE:** It is recommended to use the latest BIOS available at [dell.com/support](http://dell.com/support).

## Compatibility Of Dell Systems Management - Server, Storage Monitoring, Diagnostics, And Management Products

The following table describes the compatibility of server, storage monitoring, diagnostics, and management products.

**Table 9. Systems Management**

Product Name	Server Administrator	OME	iSM	OMPC	OMM
Version	9.2	2.5	3.3	4.1	3.0
Server Administrator	NA	9.2	9.2	NA	NA
OME	2.5	NA	2.5	NA	2.5
iDRAC9 with LC	3.20.20.20	3.20.20.20	3.20.20.20	3.20.20.20	3.20.20.20
iSM	3.3	3.3	NA	NA	NA
DUP	All versions	17:10	NA	NA	NA

- ① **NOTE:** OMSM is part of Server Administrator. However OMSM has its own version. For example, OMSA 7.0 has OMSM 4.0.
- ① **NOTE:** It is recommended to use the latest BIOS available at [dell.com/support](http://dell.com/support).
- ① **NOTE:** OME 1.0 and DRM 1.8 must be installed on the same system; however, DRM 1.8 can access OME 1.1 and higher versions inventory data from a remote system. In DRM 1.8, you must click Connect to obtain inventory data from OME irrespective of the version of OME it interacts.