


Vostro 3500

Setup and specifications guide




Notas, precauciones y avisos

 **NOTA:** Una NOTA indica información importante que le ayuda a hacer un mejor uso de su producto.

 **PRECAUCIÓN:** Una PRECAUCIÓN indica la posibilidad de daños en el hardware o la pérdida de datos, y le explica cómo evitar el problema.

 **AVISO:** Un mensaje de AVISO indica el riesgo de daños materiales, lesiones corporales o incluso la muerte.

Notas, precauciones y avisos

 **NOTA:** Una NOTA indica información importante que le ayuda a hacer un mejor uso de su producto.

 **PRECAUCIÓN:** Una PRECAUCIÓN indica la posibilidad de daños en el hardware o la pérdida de datos, y le explica cómo evitar el problema.

 **AVISO:** Un mensaje de AVISO indica el riesgo de daños materiales, lesiones corporales o incluso la muerte.

Contents


Chapter 1: Set up your computer	5
Chapter 2: Create a USB recovery drive for Windows	7
Chapter 3: Chassis overview	8
Display view.....	8
Left view.....	9
Right view.....	9
Palmrest view.....	10
Bottom view.....	11
Keyboard shortcuts.....	11
Chapter 4: Technical specifications	13
Specifications of Vostro 3500.....	13
Processors.....	13
Chipset.....	13
Operating system.....	14
Memory.....	14
Storage.....	14
Ports and connectors.....	15
Audio.....	15
Video.....	16
Camera.....	17
Touchpad.....	17
Communications.....	17
Media-card reader.....	18
Power adapter.....	18
Battery.....	19
Keyboard.....	20
Dimensions and weight.....	20
Display.....	20
Fingerprint reader.....	21
Security.....	21
Security Software.....	22
Computer environment.....	22
Chapter 5: Getting help and contacting Dell	23

Set up your computer

Steps

1. Connect the power adapter and press the power button.

NOTE: To conserve battery power, the battery might enter power saving mode.



2. Finish operating system setup.

For Ubuntu:

Follow the on-screen instructions to complete the setup. For more information about installing and configuring Ubuntu, see the knowledge base articles [SLN151664](#) and [SLN151748](#) at www.dell.com/support.

For Windows:

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- Connect to a network for Windows updates.
 - NOTE:** If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.

3. Locate and use Dell apps from the Windows Start menu—Recommended.

Table 1. Locate Dell apps







Resources	Description
	<p>Dell Product Registration</p> <p>Register your computer with Dell.</p>


Table 1. Locate Dell apps (continued)


Resources	Description
	<p>Dell Help & Support</p> <p>Access help and support for your computer.</p>
	<p>My Dell</p> <p>Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.</p>
	<p>SupportAssist</p> <p>SupportAssist is the smart technology that keeps your computer running at its best by optimizing settings, detecting issues, removing viruses and notifies when you need to make system updates. SupportAssist proactively checks the health of your system's hardware and software. When an issue is detected, the necessary system state information is sent to Dell to begin troubleshooting. SupportAssist is preinstalled on most of the Dell devices running Windows operating system. For more information, see SupportAssist for Home PCs User's Guide on www.dell.com/serviceabilitytools.</p> <p>NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.</p>
	<p>Dell Update</p> <p>Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article 000149088 at www.dell.com/support.</p>
	<p>Dell Digital Delivery</p> <p>Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 000129837 at www.dell.com/support.</p>

Create a USB recovery drive for Windows

Create a recovery drive to troubleshoot and fix problems that may occur with Windows. An empty USB flash drive with a minimum capacity of 16 GB is required to create the recovery drive.

Requisitos previos

 **NOTA:** This process may take up to an hour to complete.


 **NOTA:** The following steps may vary depending on the version of Windows installed. Refer to the [Microsoft support site](#) for latest instructions.

Pasos

1. Connect the USB flash drive to your computer.
2. In Windows search, type **Recovery**.
3. In the search results, click **Create a recovery drive**.
The **User Account Control** window is displayed.
4. Click **Yes** to continue.
The **Recovery Drive** window is displayed.
5. Select **Back up system files to the recovery drive** and click **Next**.
6. Select the **USB flash drive** and click **Next**.
A message appears, indicating that all data in the USB flash drive will be deleted.
7. Click **Create**.
8. Click **Finish**.
For more information about reinstalling Windows using the USB recovery drive, see the *Troubleshooting* section of your product's *Service Manual* at www.dell.com/support/manuals.


Chassis overview

Display view




1. Camera
2. Camera Status Light
3. Microphone
4. LCD Panel

Left view




1. DC-in port
2. Power LED
3. USB 3.2 Gen 1 Type-C (optional)
4. HDMI 1.4 port
i **NOTE:** The maximum resolution supported by HDMI port is 1920x1080 @60Hz (24 bit)
5. Network Port
6. USB 3.2 Gen 1 Type-A
7. Universal audio jack (Realtek audio) / Audio jack (Cirrus logic audio)

Right view



1. SD 3.0 card reader slot
2. USB 2.0 Type-A port
3. Wedge-shaped security slot

Palmrest view



1. Power button with optional finger print reader
2. Keyboard
3. Touchpad

Bottom view



1. Speakers
2. Service Tag
3. Air Vents

Keyboard shortcuts

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys that are used for shortcuts remain the same across all language configurations.

Table 2. List of keyboard shortcuts

Keys	Primary behavior
Fn + F1	Mute audio
Fn + F2	Decrease volume
Fn + F3	Increase volume
Fn + F4	Play/Pause
Fn + F5	Turn on/off keyboard backlight
Fn + F6	Decrease brightness

Table 2. List of keyboard shortcuts (continued)

Keys	Primary behavior
Fn + F7	Increase brightness
Fn + F8	Switch to external display
Fn + F10	Print screen
Fn + F11	Home
Fn + 12	End
Fn + Ctrl	Open application menu

Technical specifications

NOTE: Offerings may vary by region. The following specifications are only those required by law to ship with your computer. For more information about the configuration of your computer, go to Help and Support in your Windows operating system and select the option to view information about your computer.

Specifications of Vostro 3500

Processors

Table 3. Processors

Description	Values	Values	Values	Values	Values
Processors	11th Generation Intel Core i3-1115G4	11th Generation Intel Core i5-1135G7	11th Generation Intel Core i7-1165G7	11th Generation Intel Pentium 7505	11th Generation Intel Celeron 6305
Wattage	15 W	15 W	15 W	15 W	15 W
Core count	2	4	4	2	2
Thread count	4	8	8	4	2
Speed	3.0 GHz to 4.1 GHz	2.4 GHz to 4.2 GHz	2.8 GHz to 4.7 GHz	2.0 GHz to 3.5 GHz	Up to 1.8 GHz
Cache	6 MB	8 MB	12 MB	4 MB	4 MB
Integrated graphics	Intel UHD Graphics	Intel Iris Xe Graphics	Intel Iris Xe Graphics	Intel UHD Graphics	Intel UHD Graphics

Chipset

Table 4. Chipset

Description	Values
Processor	<ul style="list-style-type: none"> Intel Core i3 / i5 / i7 Intel Celeron / Pentium
Chipset	Intel Tiger Lake (Integrated in the processor)
DRAM bus width	64-bit
PCIe bus	Gen 3


Operating system

Your Vostro 3500 supports the following operating systems:

- Windows 11 Home, 64-bit
- Windows 11 Home National Academic, 64-bit
- Windows 11 Pro, 64-bit
- Windows 11 Pro National Academic, 64-bit
- Windows 10 Home, 64-bit
- Windows 10 Pro, 64-bit
- Ubuntu 20.04 LTS, 64-bit

Memory

Table 5. Memory specifications

Description	Values
Slots	Two SODIMM slots
Type	DDR4
Speed	<ul style="list-style-type: none"> • 2666 MHz • 3200 Mhz <p> NOTE: Only systems configured with a discrete graphics card will support 3200 Mhz memory.</p>
Maximum memory	16 GB
Minimum memory	4 GB
Configurations supported	<ul style="list-style-type: none"> • 4 GB DDR4 at 2666 MHz / 3200 Mhz (1x4 GB) • 8 GB DDR4 at 2666 MHz / 3200 Mhz (2 x 4 GB) • 8 GB DDR4 at 2666 MHz / 3200 Mhz (1 x 8 GB) • 12 GB DDR4 at 2666 MHz / 3200 Mhz (1 x 8 GB + 1 x 4 GB) • 16 GB DDR4 at 2666 MHz / 3200 Mhz (1 x 16 GB) • 16 GB DDR4 at 2666 MHz / 3200 Mhz (2 x 8 GB)

Storage

Your computer supports one of the following configurations:

- 2.5 in. 5400 RPM, SATA hard drive
- M.2 2230/2280 for solid-state drive

The primary drive of your computer varies with the storage configuration. For computers:

- 2.5 in. 5400 RPM, SATA hard drive
- M.2 2230/2280 for solid-state drive

Table 6. Storage specifications

Form factor	Interface type	Capacity
2.5 in. 5400 rpm, hard drive	SATA	upto 2 TB
M.2 2230 solid-state drive	PCIe NVMe 3x4	upto 512 GB
M.2 2280 solid-state drive	PCIe NVMe 3x4	upto 1 TB

Ports and connectors

Table 7. External ports and connectors

Description	Values
External:	
Network	One Flip-down RJ 45 10/100/1000 Mbps
USB	<ul style="list-style-type: none"> • Two USB 3.2 Gen 1 Type-A port • One USB 2.0 Type-A port • One USB 3.2 Gen 1 Type-C port (optional)
Audio	<ul style="list-style-type: none"> • One Universal audio port (Computers with Realtek audio configuration) • One Audio jack (Computers with Cirrus logic audio configuration)
Video	One HDMI 1.4 port <i>i</i> NOTE: The maximum resolution supported by HDMI port is 1920x1080 @60Hz (24 bit)
Power adapter port	4.5 mm barrel-type
Security	One Wedge shaped lock slot
Card slot	One SD 3.0 card slot

Table 8. Internal ports and connectors

Description	Values
Internal:	
One M.2 Key-M (2280 or 2230) for solid-state drive One M.2 2230 Key-E for WLAN	<ul style="list-style-type: none"> • One M.2 2230 slot for Wi-Fi • One M.2 slot for 2230/2280 solid-state drive <i>i</i> NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626 .
SIM card	Not Supported

Audio

Table 9. Audio specifications

Description	Values	
Controller	Realtek ALC3204	Cirrus CS8409 (CS42L42 + TI SN005825)
Stereo conversion	Supported	Supported
Internal interface	High definition audio	HDA bridge + CS42L42 audio codec
External interface	Universal Audio Jack	Headset jack <i>i</i> NOTE: 3.5mm headset jack functionality varies by model

Table 9. Audio specifications (continued)

Description	Values	
		<i>configuration. For best results, use Dell recommended audio accessories</i>
Speakers	Two	Two
Internal-speaker amplifier	Supported	Supported
External volume controls	Keyboard shortcut controls	Keyboard shortcut controls
Speaker Output Average	2 W	2 W
Speaker Output Peak	2.5 W	2.5 W
Subwoofer output	Not supported	Not supported
Microphone	Single digital microphone	Single digital microphone

Video

Table 10. Integrated Graphics Specifications

Integrated graphics			
Controller	External display support	Memory size	Processor
Intel UHD Graphics ⓘ NOTE: The maximum resolution supported by HDMI port is 1920x1080 @60Hz (24 bit)	One HDMI 1.4	Shared system memory	<ul style="list-style-type: none"> • Intel 11th Generation Core i3 processors • Intel 11th Generation Celeron processors • Intel 11th Generation Pentium processors
Intel Iris Xe Graphics ⓘ NOTE: The maximum resolution supported by HDMI port is 1920x1080 @60Hz (24 bit)	One HDMI 1.4	Shared system memory	<ul style="list-style-type: none"> • Intel 11th Generation Core i5 / i7 processors

Table 11. Discrete Graphics Specifications

Discrete graphics			
Controller	External display support	Memory size	Memory Type
Nvidia GeForce MX330 Graphics	Not Supported	2 GB	GDDR5

Camera

Table 12. Camera specifications

Standard Webcam	
Description	Values
Number of cameras	One
Type	HD RGB camera
Location	Front Camera
Sensor type	CMOS sensor technology
Resolution:	
Still image	0.92 megapixel
Video	HD (720p @ 30 fps)
Diagonal viewing angle	78.6 degrees

Touchpad

The following table lists the touchpad specifications of your Vostro 3500.

Table 13. Touchpad specifications

Description	Values
Touchpad resolution:	
Horizontal	<ul style="list-style-type: none">• Synaptics: 1230• Lite-on: 1920
Vertical	<ul style="list-style-type: none">• Synaptics: 930• Lite-on: 1080
Touchpad dimensions:	
Horizontal	104.4 mm (4.11 in.)
Vertical	79.40 mm (3.12 in.)
Touchpad gestures	For more information about touchpad gestures available on Windows, see the Microsoft knowledge base article 4027871 at support.microsoft.com .

Communications

Ethernet

Table 14. Ethernet specifications

Description	Values
Model number	Integrated Realtek RTL8111H

Table 14. Ethernet specifications (continued)

Description	Values
Transfer rate	e.g. 10/100/1000 Mbps

Wireless module

Table 15. Wireless module specifications

Description	Values		
Model number	Intel 9462	Qualcomm QCA9377 (DW1810)	Realtek RTL8723DE
Transfer rate	Up to 433 Mbps	Up to 433 Mbps	Up to 150 Mbps
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz	2.4 GHz
Wireless standards	<ul style="list-style-type: none"> • WiFi 802.11a/b/g • Wi-Fi 4 (Wi-Fi 802.11n) • Wi-Fi 5 (Wi-Fi 802.11ac) 	<ul style="list-style-type: none"> • WiFi 802.11a/b/g • Wi-Fi 4 (Wi-Fi 802.11n) • Wi-Fi 5 (Wi-Fi 802.11ac) 	<ul style="list-style-type: none"> • Wi-Fi 802.11 b/g • Wi-Fi 4 (WiFi 802.11n)
Encryption	<ul style="list-style-type: none"> • 64-bit/128-bit WEP • AES-CCMP • TKIP 	<ul style="list-style-type: none"> • 64-bit/128-bit WEP • AES-CCMP • TKIP 	<ul style="list-style-type: none"> • 64-bit/128-bit WEP • AES-CCMP • TKIP
Bluetooth	Bluetooth 5.0	Bluetooth 5.0	Bluetooth 5.0

Media-card reader

Table 16. Media-card reader specifications

Description	Values
Type	One SD 3.0 card
Cards supported	<ul style="list-style-type: none"> • Secure Digital (SD) • Secure Digital High Capacity (SDHC) • Secure Digital Extended Capacity (SDXC)

Power adapter

Table 17. Power adapter specifications

Description	Values	Values
Type	45 W	65 W
Connector dimensions:	4.5 mm x 2.9 mm	4.5 mm x 2.9 mm
Input voltage	100 VAC x 240 VAC	100 VAC x 240 VAC
Input frequency	50 Hz x 60 Hz	50 Hz x 60 Hz
Input current (maximum)	1.30 A	1.60 A / 1.70 A
Output current (continuous)	2.31 A	3.34 A

Table 17. Power adapter specifications (continued)

Description		Values	Values
Rated output voltage		19.50 VDC	19.50 VDC
Temperature range:			
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

Battery

Table 18. Battery specifications

Description		Values
Type		42 WHr Polymer battery
Voltage		11.40 VDC
Weight (maximum)		0.2 kg (0.44 lb)
Dimensions:		
	Height	184.15 mm (7.25 in.)
	Width	97.15 mm (3.82 in.)
	Depth	5.90 mm (0.23 in.)
Temperature range:		
	Operating	0°C to 35°C (32°F to 95°F)
	Storage	-40°C to 65°C (-40°F to 149°F)
Operating time		Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.
Charging time (approximate)		3 hours (when the computer is off) NOTE: Dell recommends that you charge the battery regularly for optimal power consumption. If your battery charge is completely depleted, connect the power adapter, turn on your computer and then restart your computer to reduce the power consumption. Control the charging time, duration, start and end time, and so on using the Dell Power Manager application. For more information on the Dell Power Manager see, <i>Me and My Dell</i> on www.dell.com/
Coin-cell battery		CR2032
Operating time		Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.

Keyboard

Table 19. Keyboard specifications

Description	Values
Type	<ul style="list-style-type: none"> Standard keyboard White backlight keyboard
Layout	QWERTY
Number of keys	<ul style="list-style-type: none"> United States and Canada: 101 keys United Kingdom: 102 keys Japan: 105 keys
Size	X=18.7 mm key pitch Y=18.05 mm key pitch
Shortcut keys	<p>Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.</p> <p>NOTE: You can define the primary behavior of the function keys (F1–F12) changing Function Key Behavior in BIOS setup program.</p>

Dimensions and weight

Table 20. Dimensions and weight

Description	Values
Height:	
Front	18 mm (0.70 in.)
Rear	19.90 mm (0.78 in.)
Width	363.96 mm (14.32 in.)
Depth	249 mm (9.80 in.)
Weight	Touch: 1.98 kg (4.36 lb) NOTE: The weight of your notebook depends on the configuration ordered and the manufacturing variability.

Display

Table 21. Display specifications

Decription	Values	
Type	High Definition (HD)	Full High Definition (FHD)
Panel technology	TN (Twisted Nematic)	WVA (wide view angle)
Luminance (typical)	220 nits	220 nits

Table 21. Display specifications (continued)

Description		Values	
Dimensions (active area):			
	Height	193.54 mm (7.62 in.)	193.54 mm (7.62 in.)
	Width	344.23 mm (13.55 in.)	344.23 mm (13.55 in.)
	Diagonal	394.90 mm (15.54 in.)	394.90 mm (15.54 in.)
Native resolution		1366 x 768	1920 x 1080
Megapixels		1.05	2.07
Color gamut		NTSC 45% Typ.	NTSC 45% Typ.
Pixels per inch (PPI)		100	141
Contrast ratio (min)		400:1	400:1
Response time (max)		25 ms	35 ms
Refresh rate		60 Hz	60 Hz
Horizontal view angle		40 degrees	80 degrees
Vertical view angle		Top/Bottom 10/30 degrees	80 degrees
Pixel pitch		0.252 mm	0.179 mm
Power consumption (maximum)		4.2 W	4.2 W
Anti-glare vs glossy finish		Anti-glare	Anti-glare
Touch options		No	No

Fingerprint reader

Table 22. Fingerprint reader specifications

Description	Values
Sensor technology	Capacitive
Sensor resolution	500 dpi
Sensor area	4.06 mm x 3.25 mm
Sensor pixel size	80 x 64

Security

Table 23. Security specifications

Features	Specifications
Trusted Platform Module (TPM) 2.0	Integrated on system board
Fingerprint reader	Optional

Table 23. Security specifications (continued)

Features	Specifications
Wedge-shaped lock slot	Standard

Security Software

Table 24. Security Software specifications

Specifications
Dell Client Command Suite
Optional Dell Data Security and Management Software
Dell Client Command Suite
Dell BIOS Verification
Optional Dell Endpoint Security and Management Software
VMware Carbon Black Endpoint Standard
VMware Carbon Black Endpoint Standard + Secureworks Threat Detection and Response
Dell Encryption Enterprise
Dell Encryption Personal
Carbonite
VMware Workspace ONE
Absolute® Endpoint Visibility and Control
Netskope
Dell Supply Chain Defense

Computer environment

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

Table 25. Computer environment

Description	Operating	Storage
Temperature range	0°C to 40°C (32°F to 104°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	140 G†	160 G†
Altitude (maximum)	0 m to 3048 m (0 ft to 10000 ft)	0 m to 10668 m (0 ft to 35000 ft)

* Measured using a random vibration spectrum that simulates user environment.



† Measured using a 2 ms half-sine pulse when the hard drive is in use.

Getting help and contacting Dell

Self-help resources


You can get information and help on Dell products and services using these self-help resources:


Table 26. Self-help resources

Self-help resources	Resource location
Information about Dell products and services	www.dell.com
My Dell app	
Tips	
Contact Support	In Windows search, type <code>Contact Support</code> , and press Enter.
Online help for operating system	www.dell.com/support/windows
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support . For more information on how to find the Service Tag for your computer, see Locate the Service Tag on your computer .
Dell knowledge base articles for a variety of computer concerns	<ol style="list-style-type: none"> 1. Go to www.dell.com/support. 2. On the menu bar at the top of the Support page, select Support > Knowledge Base. 3. In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.

Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

 **NOTE:** Availability varies by country/region and product, and some services may not be available in your country/region.

 **NOTE:** If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.